

Section XV

**Base metals and articles of base metal**

NOTES—

1. This Section does not cover:
  - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
  - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
  - (c) Headgear or parts thereof of heading 65.06 or 65.07;
  - (d) Umbrella frames or other articles of heading 66.03;
  - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
  - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
  - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
  - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
  - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
  - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
  - (l) Articles of Chapter 95 (for example, toys, games, sports requisites);
  - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles);  
or
  - (n) Articles of Chapter 97 (for example, works of art).
2. Throughout the Tariff, the expression “parts of general use” means:
  - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
  - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
  - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.
3. Throughout the Nomenclature, the expression “base metals” means: iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
4. Throughout the Nomenclature, the term “cermets” means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term “cermets” includes sintered metal carbides (metal carbides sintered with a metal).
5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
  - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
  - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
  - (c) In this Section the term “alloys” includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
6. Unless the context otherwise requires, any reference in the Tariff to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

  - (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
  - (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
  - (c) A cermet of heading 81.13 is regarded as a single base metal.
8. In this Section, the following expressions have the meanings hereby assigned to them:
  - (a) **Waste and scrap**  
Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.
  - (b) **Powders**  
Products of which 90 % or more by weight passes through a sieve having a mesh aperture of 1 mm.

**Base metals and articles of base metal—*continued***

NEW ZEALAND NOTE—

1. In relation to products classified within headings 72.10, 72.12, 72.16, 72.25, 72.26, 74.09 and 76.06, the expression “worked” is to be taken not to apply to base metals which have been subjected only to one or more of the following treatments:
- (i) Heat treatments such as annealing or tempering, designed to improve the properties of the metal;
  - (ii) Processes to remove scale or crust formed during the heating of the metal;
  - (iii) Coating to prevent rusting (for example, with oil or grease);
  - (iv) Finishing treatments, the following:  
Polishing, glazing, electro-plating or other forms of metallisation (including cladding), coating with paint, lacquer, bitumen or the like, or covering with other material (except vitreous enamel).

Chapter 72

**Iron and steel**

NOTES—

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Tariff, the following expressions have the meanings hereby assigned to them:
- (a) **Pig iron**  
Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits:
    - not more than 10 % of chromium
    - not more than 6 % of manganese
    - not more than 3 % of phosphorus
    - not more than 8 % of silicon
    - a total of not more than 10 % of other elements.
  - (b) **Spiegeleisen**  
Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above.
  - (c) **Ferro-alloys**  
Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following:
    - more than 10 % of chromium
    - more than 30 % of manganese
    - more than 3 % of phosphorus
    - more than 8 % of silicon
    - a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10 % in the case of copper.
  - (d) **Steel**  
Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon. However, chromium steels may contain higher proportions of carbon.
  - (e) **Stainless steel**  
Alloy steels containing, by weight, 1.2 % or less of carbon and 10.5 % or more of chromium, with or without other elements.
  - (f) **Other alloy steel**  
Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:
    - 0.3 % or more of aluminium
    - 0.0008 % or more of boron
    - 0.3 % or more of chromium
    - 0.3 % or more of cobalt
    - 0.4 % or more of copper
    - 0.4 % or more of lead
    - 1.65 % or more of manganese
    - 0.08 % or more of molybdenum
    - 0.3 % or more of nickel
    - 0.06 % or more of niobium
    - 0.6 % or more of silicon
    - 0.05 % or more of titanium
    - 0.3 % or more of tungsten (wolfram)
    - 0.1 % or more of vanadium
    - 0.05 % or more of zirconium
    - 0.1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

Chapter 72—*continued*  
**Iron and steel—*continued***

(g) **Remelting scrap ingots of iron or steel**

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) **Granules**

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) **Semi-finished products**

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) **Flat-rolled products**

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(l) **Bars and rods, hot-rolled, in irregularly wound coils**

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including “flattened circles” and “modified rectangles”, of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) **Other bars and rods**

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including “flattened circles” and “modified rectangles”, of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) **Angles, shapes and sections**

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) **Wire**

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) **Hollow drill bars and rods**

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Chapter 72—*continued*  
**Iron and steel—*continued***

SUBHEADING NOTES—

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) **Alloy pig iron**

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 % of chromium
- more than 0.3 % of copper
- more than 0.3 % of nickel
- more than 0.1 % of any of the following elements:  
aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) **Non-alloy free-cutting steel**

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08 % or more of sulphur
- 0.1 % or more of lead
- more than 0.05 % of selenium
- more than 0.01 % of tellurium
- more than 0.05 % of bismuth.

(c) **Silicon-electrical steel**

Alloy steels containing by weight at least 0.6 % but not more than 6 % of silicon and not more than 0.08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) **High speed steel**

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6 % or more of carbon and 3 % to 6 % of chromium.

(e) **Silico-manganese steel**

Alloy steels containing by weight:

- not more than 0.7 % of carbon,
- 0.5 % or more but not more than 1.9 % of manganese, and
- 0.6 % or more but not more than 2.3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified “other elements” referred to in Chapter Note 1 (c) must each exceed 10 % by weight.

\* \* \*

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>I - PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM</b>					
<b>72.01</b>	<b>Pig iron and spiegeleisen in pigs, blocks or other primary forms:</b>				
7201.10.00	00D	kg	– Non-alloy pig iron containing by weight 0.5 % or less of phosphorus	Free	Free
7201.20.00	00H	kg	– Non-alloy pig iron containing by weight more than 0.5 % of phosphorus	Free	Free
7201.50.00			– Alloy pig iron, spiegeleisen:	Free	Free
	01G	kg	. . Alloy pig iron		
	09B	kg	. . Spiegeleisen		
<b>72.02</b>	<b>Ferro-alloys:</b>				
	– Ferro-manganese:				
7202.11.00	00G	kg	-- Containing by weight more than 2 % of carbon	Free	Free
7202.19.00	00C	kg	-- Other	Free	Free
	– Ferro-silicon:				
7202.21.00	00L	kg	-- Containing by weight more than 55 % of silicon	Free	Free
7202.29.00	00G	kg	-- Other	Free	Free
7202.30.00	00K	kg	– Ferro-silico-manganese	Free	Free
	– Ferro-chromium:				
7202.41.00	00H	kg	-- Containing by weight more than 4 % of carbon	Free	Free
7202.49.00	00D	kg	-- Other	Free	Free
7202.50.00	00G	kg	– Ferro-silico-chromium	Free	Free
7202.60.00	00L	kg	– Ferro-nickel	Free	Free
7202.70.00	00D	kg	– Ferro-molybdenum	Free	Free
7202.80.00	00H	kg	– Ferro-tungsten and ferro-silico-tungsten	Free	Free
	– Other:				
7202.91.00	00F	kg	-- Ferro-titanium and ferro-silico-titanium	Free	Free
7202.92.00	00L	kg	-- Ferro-vanadium	Free	Free
7202.93.00	00E	kg	-- Ferro-niobium	Free	Free
7202.99.00	00B	kg	-- Other	Free	Free
<b>72.03</b>	<b>Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 %, in lumps, pellets or similar forms:</b>				
7203.10.00	00L	kg	– Ferrous products obtained by direct reduction of iron ore	Free	Free
7203.90.00	00K	kg	– Other	Free	Free
<b>72.04</b>	<b>Ferrous waste and scrap; remelting scrap ingots of iron or steel:</b>				
7204.10.00	00J	tne	– Waste and scrap of cast iron	Free	Free
	– Waste and scrap of alloy steel:				
7204.21.00	00G	tne	-- Of stainless steel	Free	Free
7204.29.00	00C	tne	-- Other	Free	Free
7204.30.00	00F	tne	– Waste and scrap of tinned iron or steel	Free	Free
	– Other waste and scrap:				
7204.41.00	00D	tne	-- Turnings, shavings, chips, milling waste, sawdust, fillings, trimmings and stampings, whether or not in bundles	Free	Free
7204.49.00	00L	tne	-- Other	Free	Free
7204.50.00			– Remelting scrap ingots	Free	Free
	01A	kg	. . Ferro-alloy		
	09G	kg	. . Other		
<b>72.05</b>	<b>Granules and powders, of pig iron, spiegeleisen, iron or steel:</b>				
7205.10.00	00G	kg	– Granules	Free	Free
	– Powders:				
7205.21.00	00E	kg	-- Of alloy steel	Free	Free
7205.29.00	00A	kg	-- Other	Free	Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>72.06</b>					
<b>II.- IRON AND NON-ALLOY STEEL</b>					
<b>Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03):</b>					
7206.10.00	00E	kg	– Ingots	Free	Free
7206.90.00	00D	kg	– Other	Free	Free
<b>72.07</b>					
<b>Semi-finished products of iron or non-alloy steel:</b>					
– Containing by weight less than 0.25 % of carbon:					
7207.11.00			-- Of rectangular (including square) cross-section, the width measuring less than twice the thickness	Free	Free
			. . . Blooms and billets:		
	01F	kg	. . . . Less than 80 mm		
	09A	kg	. . . . 80 mm and above but less than 120 mm		
	19J	kg	. . . . Other		
	29F	kg	. . . Other		
7207.12.00			-- Other, of rectangular (other than square) cross-section	Free	Free
	01L	kg	. . . Slabs		
	09F	kg	. . . Other		
7207.19.00	00D	kg	-- Other	Free	Free
7207.20.00			– Containing by weight 0.25 % or more of carbon	Free	Free
			. . Blooms and billets:		
	01E	kg	. . . Less than 80 mm		
	09L	kg	. . . 80 mm and above but less than 120 mm		
	19H	kg	. . . Other		
	21K	kg	. . Slabs		
	29E	kg	. . Other		
<b>72.08</b>					
<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:</b>					
7208.10.00			– In coils, not further worked than hot-rolled, with patterns in relief	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg	. . Of a thickness exceeding 10 mm		
	09E	kg	. . Of a thickness of 4.75 mm or more but not exceeding 10 mm		
	11G	kg	. . Of a thickness of 3 mm or more but less than 4.75 mm		
	19B	kg	. . Of a thickness of less than 3 mm		
			– Other, in coils, not further worked than hot-rolled, pickled:		
7208.25.00	00H	kg	-- Of a thickness of 4.75 mm or more	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.26.00	00B	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.27.00	00G	kg	-- Of a thickness of less than 3 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
— Other, in coils, not further worked than hot-rolled:					
7208.36.00	00F	kg	-- Of a thickness exceeding 10 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.37.00	00L	kg	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.38.00	00E	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.39.00	00K	kg	-- Of a thickness of less than 3 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.40			— Not in coils, not further worked than hot-rolled, with patterns in relief:		
7208.40.10	01F	kg	-- Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm	Free	Free
	09A	kg	. . . Of a thickness of 4.75 mm or more but not exceeding 10 mm		
7208.40.90			. . . Of a thickness exceeding 10 mm		
			-- Other	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg	. . . Of a thickness exceeding 10 mm		
	09E	kg	. . . Of a thickness of 4.75 mm or more but not exceeding 10 mm		
	11G	kg	. . . Of a thickness of 3 mm or more but less than 4.75 mm		
	19B	kg	. . . Of a thickness of less than 3 mm		
— Other, not in coils, not further worked than hot-rolled:					
7208.51			-- Of a thickness exceeding 10 mm:		
7208.51.10	00F	kg	--- Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			--- Other:		
7208.51.50	00H	kg	---- Of a width exceeding 1.95 m	Free	Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b> — Other, not in coils, not further worked than hot-rolled—continued -- Of a thickness exceeding 10 mm—continued --- Other—continued		
7208.51.90	00K	kg	---- Other	5	AAN 1/2017 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.52			-- Of a thickness of 4.75 mm or more but not exceeding 10 mm:		
7208.52.10	00L	kg	--- Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			--- Other:		
7208.52.50	00B	kg	---- Of a width exceeding 1.95 m	Free	Free
7208.52.90	00D	kg	---- Other	5	AAN 1/2018 3 1/2020 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.53			-- Of a thickness of 3 mm or more but less than 4.75 mm:		
7208.53.10	00E	kg	--- Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.53.90	00J	kg	--- Other	5	AAN 1/2017 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.54.00	00D	kg	-- Of a thickness of less than 3 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.90			-- Other:		
			-- 3 mm or more in thickness:		
7208.90.02	01A 09G	kg kg	--- Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm . . . . Coiled . . . . Other	Free	Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of iron or non-alloy steel, etc.—<i>continued</i></b> — Other— <i>continued</i> -- 3 mm or more in thickness— <i>continued</i>		
7208.90.05			--- Other	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Coiled:		
	01L	kg	. . . . . Exceeding 4.75 mm in thickness		
	09F	kg	. . . . . Other		
			. . . . . Other:		
	11H	kg	. . . . . Exceeding 4.75 mm in thickness		
	19C	kg	. . . . . Other		
7208.90.09			-- Less than 3 mm in thickness	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg	. . . Perforated or cellular but not further worked		
	09A	kg	. . . Other		
<b>72.09</b>			<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:</b> — In coils, not further worked than cold-rolled (cold-reduced):		
7209.15.00	00B	kg	-- Of a thickness of 3 mm or more	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7209.16.00	00G	kg	-- Of a thickness exceeding 1 mm but less than 3 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7209.17.00	00A	kg	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—<i>continued</i></b> — In coils, not further worked than cold-rolled, etc.— <i>continued</i>					
7209.18.00	00F	kg	-- Of a thickness of less than 0.5 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
— Not in coils, not further worked than cold-rolled (cold-reduced):					
7209.25.00	00F	kg	-- Of a thickness of 3 mm or more	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7209.26.00	00L	kg	-- Of a thickness exceeding 1 mm but less than 3 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7209.27.00	00E	kg	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7209.28.00	00K	kg	-- Of a thickness of less than 0.5 mm	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7209.90.00			— Other	Free	Free
			. . . 3 mm or more in thickness:		
	01G	kg	. . . Coiled		
	09B	kg	. . . Other		
			. . . Less than 3 mm in thickness:		
	11D	kg	. . . Perforated or cellular but not further worked		
	19K	kg	. . . Other		
<b>72.10</b>			<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:</b>		
— Plated or coated with tin:					
7210.11.00			-- Of a thickness of 0.5 mm or more	Free	Free
	01F	kg	. . . Worked		
			. . . Other:		
	11C	kg	. . . Coiled		
	19J	kg	. . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
— Plated or coated with tin— <i>continued</i>					
7210.12.00	01L	kg	— Of a thickness of less than 0.5 mm . . . . Worked . . . . Other: . . . . Coiled:	Free	Free
	11H	kg	. . . . . Painted, lacquered or similarly coated		
	19C	kg	. . . . . Other		
	21E	kg	. . . . . Other: . . . . . Painted, lacquered or similarly coated		
	29L	kg	. . . . . Other		
7210.20.00			— Plated or coated with lead, including terne-plate . . Coiled, not worked:	Free	Free
	01E	kg	. . . 3 mm or more in thickness		
	09L	kg	. . . Other		
	11B	kg	. . . Other: . . . Exceeding 4.75 mm in thickness		
	21K	kg	. . . Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	29E	kg	. . . Other		
7210.30			— Electrolytically plated or coated with zinc: — Exceeding 1.6 mm in thickness:		
7210.30.10	00F	kg	— — — Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7210.30.20			— — — Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg	. . . . Exceeding 4.75 mm in thickness		
	09E	kg	. . . . Other		
			— — Other:		
7210.30.30	00G	kg	— — — Worked	5	AAN 1/2011 3 1/2012 Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
			— — — Other:		
7210.30.40			— — — — Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01L	kg	. . . . . Not further clad, plated or coated		
	09F	kg	. . . . . Painted, lacquered or similarly coated		
	11H	kg	. . . . . Plastic laminated		
	19C	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of iron or non-alloy steel, etc.—<i>continued</i></b> — Electrolytically plated or coated with zinc— <i>continued</i> -- Other— <i>continued</i> --- Other— <i>continued</i>		
7210.30.90			----- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01H	kg	. . . . . Not further clad, plated or coated		
	09C	kg	. . . . . Painted, lacquered or similarly coated		
	11E	kg	. . . . . Plastic laminated		
	19L	kg	. . . . . Other		
			— Otherwise plated or coated with zinc:		
7210.41.00	00J	kg	-- Corrugated	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7210.49			-- Other:		
			--- Exceeding 1.9 mm in thickness:		
7210.49.01			---- Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	01K	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	09E	kg	. . . . . Other		
			---- Other:		
7210.49.11	00G	kg	----- Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7210.49.19			----- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg	. . . . . Exceeding 4.75 mm in thickness		
	09A	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
— Otherwise plated or coated with zinc—continued					
-- Other—continued					
---- Other:					
7210.49.21			----- Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	01L	kg	. . . . . Rollformed but not further worked		
	09F	kg	. . . . . Other		
---- Other:					
7210.49.31			----- Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg	. . . . . Not further clad, plated or coated: . . . . . Exceeding 1.6 mm in thickness		
	09A	kg	. . . . . Other		
	11C	kg	. . . . . Painted, lacquered or similarly coated: . . . . . Exceeding 1.6 mm in thickness		
	19J	kg	. . . . . Other		
	21L	kg	. . . . . Plastic laminated: . . . . . Exceeding 1.6 mm in thickness		
	29F	kg	. . . . . Other		
	39C	kg	. . . . . Other		
7210.49.39			----- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01G	kg	. . . . . Not further clad, plated or coated: . . . . . Exceeding 1.6 mm in thickness		
	09B	kg	. . . . . Other		
	11D	kg	. . . . . Painted, lacquered or similarly coated: . . . . . Exceeding 1.6 mm in thickness		
	19K	kg	. . . . . Other		
	21A	kg	. . . . . Plastic laminated: . . . . . Exceeding 1.6 mm in thickness		
	29G	kg	. . . . . Other		
	39D	kg	. . . . . Other		
7210.50.00			— Plated or coated with chromium oxides or with chromium and chromium oxides	Free	Free
			. . . Coiled, not worked:		
	01F	kg	. . . 3 mm or more in thickness		
	09A	kg	. . . Other		
			. . . Other:		
	11C	kg	. . . Exceeding 4.75 mm in thickness		
	21L	kg	. . . Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	29F	kg	. . . Other		
			— Plated or coated with aluminium:		
7210.61			-- Plated or coated with aluminium-zinc alloys:		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
– Plated or coated with aluminium— <i>continued</i>					
-- Plated or coated with aluminium-zinc alloys— <i>continued</i>					
7210.61.10			--- Containing, in the plating or coating, not less than 95 % aluminium by weight	Free	Free
			. . . . . Worked:		
	01K	kg	. . . . . Exceeding 4.75 mm in thickness		
	09E	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Coiled:		
	11G	kg	. . . . . 3 mm or more in thickness		
	19B	kg	. . . . . Other		
			. . . . . Other:		
	21D	kg	. . . . . Exceeding 4.75 mm in thickness		
	31A	kg	. . . . . Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	39G	kg	. . . . . Other		
			---- Other:		
7210.61.20			---- Worked	Free	Free
	01E	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	09L	kg	. . . . . Other		
			---- Other:		
7210.61.30			----- Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01L	kg	. . . . . 1.9 mm or more in thickness		
	09F	kg	. . . . . Other		
7210.61.90			----- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg	. . . . . Exceeding 4.75 mm in thickness		
	05F	kg	. . . . . Exceeding 1.9 mm but not exceeding 4.75 mm in thickness		
	19F	kg	. . . . . Other		
7210.69			-- Other:		
7210.69.10			--- Containing, in the plating or coating, not less than 95 % aluminium by weight	Free	Free
			. . . . . Worked:		
	01F	kg	. . . . . Exceeding 4.75 mm in thickness		
	09A	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Coiled:		
	11C	kg	. . . . . 3 mm or more in thickness		
	19J	kg	. . . . . Other		
			. . . . . Other:		
	21L	kg	. . . . . Exceeding 4.75 mm in thickness		
	31H	kg	. . . . . Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	39C	kg	. . . . . Other		
			---- Other:		
7210.69.20			---- Worked	Free	Free
	01A	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	09G	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b> — Plated or coated with aluminium—continued -- Other—continued --- Other—continued ---- Other:		
7210.69.30			----- Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01G 09B	kg kg	. . . . . 1.9 mm or more in thickness . . . . . Other		
7210.69.90			----- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K 05B 19B	kg kg kg	. . . . . Exceeding 4.75 mm in thickness . . . . . Exceeding 1.9 mm but not exceeding 4.75 mm in thickness . . . . . Other		
7210.70			— Painted, varnished or coated with plastics:		
7210.70.01	01K 09E	kg kg	-- Worked . . . Exceeding 4.75 mm in thickness, not in coils . . . Other	Free	Free
			-- Other:		
7210.70.11			--- Coiled	5	Free AAN Free CN Free TH Free TPA Free
	01E 09L	kg kg	. . . . . Exceeding 1.6 mm in thickness . . . . . Other		
7210.70.19			--- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F 09A 19J	kg kg kg	. . . . . Exceeding 4.75 mm in thickness . . . . . Exceeding 1.6 mm but not exceeding 4.75 mm in thickness . . . . . Other		
7210.90			— Other:		
7210.90.01	01G 09B	kg kg	-- Worked . . . Exceeding 4.75 mm in thickness, not in coils . . . Other	Free	Free
			-- Other:		
7210.90.11			--- Coiled	5	Free AAN Free CN Free TH Free TPA Free
	01B 09H	kg kg	. . . . . 3 mm or more in thickness . . . . . Other		
7210.90.19			--- Other	5	AAN 1/2017 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C 09J 19F	kg kg kg	. . . . . Exceeding 4.75 mm in thickness . . . . . Exceeding 3 mm but not exceeding 4.75 mm in thickness . . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
72.11			<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:</b>		
			– Not further worked than hot-rolled:		
7211.13.00			-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg	. . . . Of a width not exceeding 500 mm		
	05F	kg	. . . . Over 500 mm in width, exceeding 4.75 mm in thickness		
	09J	kg	. . . . Other		
7211.14			-- Other, of a thickness of 4.75 mm or more:		
7211.14.10			--- Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg	. . . . Over 500 mm in width		
	05F	kg	. . . . 153 mm and over, but not exceeding 500 mm in width		
	09J	kg	. . . . Other		
7211.14.90			--- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01G	kg	. . . . Over 500 mm in width		
	05K	kg	. . . . 153 mm and over, but not exceeding 500 mm in width		
	09B	kg	. . . . Other		
7211.19			-- Other:		
7211.19.10			--- Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg	. . . . Over 500 mm in width		
	05J	kg	. . . . 153 mm and over, but not exceeding 500 mm in width		
	09A	kg	. . . . Other		
7211.19.90			--- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg	. . . . Over 500 mm in width		
	05B	kg	. . . . 153 mm and over, but not exceeding 500 mm in width		
	09E	kg	. . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
– Not further worked than cold-rolled (cold-reduced):					
7211.23			– – Containing by weight less than 0.25 % of carbon:		
7211.23.10			– – – Not exceeding 500 mm in width	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01B	kg	. . . . Coiled		
	09H	kg	. . . . Other		
			– – – Other:		
7211.23.20	00K	kg	– – – – Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7211.23.90	00H	kg	– – – – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7211.29			– – Other:		
7211.29.10			– – – Not exceeding 500 mm in width	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg	. . . . Coiled		
	09E	kg	. . . . Other		
			– – – Other:		
7211.29.20	00G	kg	– – – – Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7211.29.90	00E	kg	– – – – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
7211.90			— Other:		
7211.90.01			-- Not exceeding 500 mm in width	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01E	kg	. . . Coiled		
	09L	kg	. . . Other		
7211.90.09			-- Other	Free	Free
	01F	kg	. . . Coiled		
			. . . Other:		
	11C	kg	. . . . Perforated or cellular but not further worked		
	19J	kg	. . . . Other		
<b>72.12</b>	<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:</b>				
7212.10			— Plated or coated with tin:		
7212.10.01	00F	kg	-- Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7212.10.09			-- Other	Free	Free
			. . . Not exceeding 500 mm in width:		
	01E	kg	. . . . Coiled		
	09L	kg	. . . . Other		
			. . . Other:		
	11B	kg	. . . . Coiled		
			. . . . Other:		
	21K	kg	. . . . . Of a thickness of 0.5 mm or more		
			. . . . . Other:		
	31G	kg	. . . . . Painted, lacquered or similarly coated		
	39B	kg	. . . . . Other		
7212.20			— Electrolytically plated or coated with zinc:		
7212.20.10			-- Not exceeding 500 mm in width	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01G	kg	. . . Coiled		
	09B	kg	. . . Other		
			-- Other:		
			--- Exceeding 1.6 mm in thickness:		
7212.20.20	00D	kg	---- Coiled	5	AAN 1/2011 3 1/2012 Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>		
			– Electrolytically plated or coated with zinc— <i>continued</i>		
			– – Other— <i>continued</i>		
			– – – Exceeding 1.6 mm in thickness— <i>continued</i>		
7212.20.30			– – – – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01H	kg	. . . . . Exceeding 4.75 mm in thickness		
	09C	kg	. . . . . Other		
			– – – Other:		
7212.20.40	00E	kg	– – – – Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7212.20.90			– – – – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01L	kg	. . . . . Coiled		
	09F	kg	. . . . . Other		
7212.30			– Otherwise plated or coated with zinc:		
7212.30.01			– – Not exceeding 500 mm in width	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01A	kg	. . . Worked		
			. . . Other:		
	11J	kg	. . . . . Exceeding 1.9 mm in thickness		
			. . . . . Other:		
			. . . . . Coiled:		
	21F	kg	. . . . . Not further clad, plated or coated		
	29A	kg	. . . . . Painted, lacquered or similarly coated		
	31C	kg	. . . . . Plastic laminated		
	39J	kg	. . . . . Other		
	49F	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
– Otherwise plated or coated with zinc—continued					
-- Other:					
--- Exceeding 1.9 mm in thickness:					
7212.30.11			---- Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7212.30.19	01G	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	09B	kg	. . . . . Other		
7212.30.21			---- Other:	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	01H	kg	. . . . . Coiled		
	09C	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	19L	kg	. . . . . Other		
7212.30.21	00D	kg	---- Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7212.30.29			---- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Coiled:		
			. . . . . Not further clad, plated or coated:		
	01C	kg	. . . . . Exceeding 1.6 mm in thickness		
	09J	kg	. . . . . Other		
			. . . . . Painted, lacquered or similarly coated:		
	11L	kg	. . . . . Exceeding 1.6 mm in thickness		
	19F	kg	. . . . . Other		
			. . . . . Plastic laminated:		
	21H	kg	. . . . . Exceeding 1.6 mm in thickness		
	29C	kg	. . . . . Other		
	39L	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Not further clad, plated or coated:		
	41B	kg	. . . . . Exceeding 1.6 mm in thickness		
49H	kg	. . . . . Other			
		. . . . . Painted, lacquered or similarly coated:			
51K	kg	. . . . . Exceeding 1.6 mm in thickness			
59E	kg	. . . . . Other			
		. . . . . Plastic laminated:			
61G	kg	. . . . . Exceeding 1.6 mm in thickness			
69B	kg	. . . . . Other			
79K	kg	. . . . . Other			

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—continued</b>					
7212.40			– Painted, varnished or coated with plastics:		
			– – Not exceeding 500 mm in width:		
7212.40.01	00G	kg	– – – Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7212.40.09			– – – Other	5	Free AAN Free CN Free TH Free TPA Free
			. . . . . Coiled:		
	01F	kg	. . . . . Exceeding 1.6 mm in thickness		
	09A	kg	. . . . . Other		
	19J	kg	. . . . . Other		
			– – Other:		
7212.40.11			– – – Worked	Free	Free
	01L	kg	. . . . . Exceeding 4.75 mm in thickness		
	09F	kg	. . . . . Other		
7212.40.19			– – – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Coiled:		
	01A	kg	. . . . . Exceeding 1.6 mm in thickness		
	09G	kg	. . . . . Other		
			. . . . . Other:		
	11J	kg	. . . . . Exceeding 4.75 mm in thickness		
	19D	kg	. . . . . Other		
7212.50			– Otherwise plated or coated:		
			– – Not exceeding 500 mm in width:		
7212.50.01	00L	kg	– – – Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7212.50.09			– – – Other	Free	Free
	01K	kg	. . . . . Coiled		
	09E	kg	. . . . . Other		
7212.50.18			– – Other	Free	Free
	01J	kg	. . . . . Coiled		
			. . . . . Other:		
	11F	kg	. . . . . Exceeding 4.75 mm in thickness		
	19A	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of iron or non-alloy steel, etc.—<i>continued</i></b>					
7212.60			– Clad:		
			– – Not exceeding 500 mm in width:		
7212.60.01	00D	kg	– – – Worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7212.60.09			– – – Other	Free	Free
	01C	kg	. . . . Coiled		
	09J	kg	. . . . Other		
7212.60.18			– – Other	Free	Free
	01B	kg	. . . Coiled		
			. . . Other:		
	11K	kg	. . . . Exceeding 4.75 mm in thickness		
	19E	kg	. . . . Other		
<b>72.13</b>	<b>Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel:</b>				
7213.10			– Containing indentations, ribs, grooves or other deformations produced during the rolling process:		
7213.10.10			– – Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
			. . . Of a height of 80 mm or more:		
	01A	kg	. . . . Less than 40 kg/m		
	05D	kg	. . . . Other		
	09G	kg	. . . Other		
7213.10.90			– – Other	5	AAN 1/2014 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01E	kg	. . . Of a circular cross-section measuring less than 14 mm in diameter		
	09L	kg	. . . Other		
7213.20			– Of free-cutting steel:		
7213.20.10			– – Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
			. . . Of a height of 80 mm or more:		
	01E	kg	. . . . Less than 40 kg/m		
	05H	kg	. . . . Other		
	09L	kg	. . . Other		
7213.20.90	00L	kg	– – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Bars and rods, hot-rolled, in irregularly wound coils, etc.—continued</b>		
			– Other:		
7213.91			– – Of circular cross-section measuring less than 14 mm in diameter:		
7213.91.10			– – – Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
			. . . . . Of a height of 80 mm or more:		
	01E	kg	. . . . . Less than 40 kg/m		
	05H	kg	. . . . . Other		
	09L	kg	. . . . . Other		
7213.91.90			– – – Other:	5	AAN 1/2018 3 1/2020 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01J	kg	. . . . . Containing by weight less than 0.25 % of carbon		
	05A	kg	. . . . . Containing by weight 0.25 % or more but less than 0.6 % of carbon		
	09D	kg	. . . . . Other		
7213.99			– – Other:		
7213.99.10			– – – Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
			. . . . . Of a height of 80 mm or more:		
	01A	kg	. . . . . Less than 40 kg/m		
	05D	kg	. . . . . Other		
	09G	kg	. . . . . Other		
7213.99.90			– – – Other	5	AAN 1/2014 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01E	kg	. . . . . Containing by weight less than 0.25 % of carbon		
	05H	kg	. . . . . Containing by weight 0.25 % or more but less than 0.6 % or carbon		
	09L	kg	. . . . . Other		
<b>72.14</b>			<b>Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:</b>		
7214.10.00			– Forged	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			. . . . . Worked:		
	01D	kg	. . . . . Of a height of 80 mm or more		
	09K	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Of a height of 80 mm or more:		
	11A	kg	. . . . . Galvanised		
	15D	kg	. . . . . Other		
	19G	kg	. . . . . Other		
	29D	kg	. . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Other bars and rods of iron or non-alloy steel, etc.—<i>continued</i></b>		
7214.20			– Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:		
7214.20.10			– – Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
			. . . Of a height of 80 mm or more:		
	01C	kg	. . . . Less than 40 kg/m		
	05F	kg	. . . . Other		
	09J	kg	. . . Other		
7214.20.90			– – Other	5	AAN 1/2014 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Of circular cross-section measuring:		
	01G	kg	. . . . Less than 14 mm in diameter		
	05K	kg	. . . . 14 mm or more, but less than 42 mm in diameter		
	09B	kg	. . . . 42 mm or more in diameter		
	19K	kg	. . . Other		
7214.30			– Of free-cutting steel:		
7214.30.10			– – Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
			. . . Of a height of 80 mm or more:		
	01G	kg	. . . . Less than 40 kg/m		
	05K	kg	. . . . Other		
	09B	kg	. . . Other		
7214.30.90	00B	kg	– – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			– Other:		
7214.91.00			– – Of rectangular (other than square) cross-section	5	AAN 1/2014 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Containing by weight less than 0.25 % of carbon:		
	01H	kg	. . . . Less than 50 mm in width		
	09C	kg	. . . . 50 mm or more, but less than 110 mm in width		
	11E	kg	. . . . 110 mm or more in width		
	19L	kg	. . . Containing by weight 0.25 % or more but less than 0.6 % of carbon		
	29H	kg	. . . Other		
7214.99			– – Other:		
7214.99.10			– – – Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
			. . . . Of a height of 80 mm or more:		
	01K	kg	. . . . . Less than 40 kg/m		
	05B	kg	. . . . . Other		
	09E	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Other bars and rods of iron or non-alloy steel, etc.—continued</b>		
			— Other—continued		
			-- Other—continued		
7214.99.90			--- Other	5	AAN 1/2014 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Containing by weight less than 0.25 % of carbon:		
			. . . . . Of circular cross-section measuring:		
	01C	kg	. . . . . Less than 14 mm in diameter		
	03K	kg	. . . . . 14 mm or more, but less than 42 mm in diameter		
	05F	kg	. . . . . 42 mm or more in diameter		
	07B	kg	. . . . . Of square cross-section		
	09J	kg	. . . . . Other		
			. . . . . Containing by weight 0.25 % or more but less than 0.6 % of carbon:		
			. . . . . Of circular cross-section measuring:		
	11L	kg	. . . . . Less than 14 mm in diameter		
	13G	kg	. . . . . 14 mm or more, but less than 42 mm in diameter		
	15C	kg	. . . . . 42 mm or more in diameter		
	19F	kg	. . . . . Other		
			. . . . . Other:		
	21H	kg	. . . . . Of circular cross-section		
	29C	kg	. . . . . Other		
<b>72.15</b>			<b>Other bars and rods of iron or non-alloy steel:</b>		
7215.10.00			— Of free-cutting steel, not further worked than cold-formed or cold-finished	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			. . . . . Of a height of 80 mm or more:		
	02L	kg	. . . . . Angles and tees		
	05E	kg	. . . . . Channels, girders, beams and joists		
	08K	kg	. . . . . Other		
			. . . . . Less than 80 mm:		
	11K	kg	. . . . . Angles and tees		
	15B	kg	. . . . . Channels, girders, beams and joists		
	19E	kg	. . . . . Other		
			. . . . . Other:		
	21G	kg	. . . . . Of circular cross-section		
	29B	kg	. . . . . Other		
7215.50			— Other, not further worked than cold-formed or cold-finished:		
7215.50.10			-- Of cross-section in the shape of “flattened circles” or “modified rectangles”	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Angles and tees		
	01B	kg	. . . Angles and tees		
	05E	kg	. . . Channels, girders, beams and joists		
	09H	kg	. . . Other		
			. . . Less than 80 mm:		
	11K	kg	. . . Angles and tees		
	15B	kg	. . . Channels, girders, beams and joists		
	19E	kg	. . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Other bars and rods of iron or non-alloy steel—<i>continued</i></b> – Other, not further worked than cold-formed or cold-finished— <i>continued</i> – – Other:		
7215.50.20			– – – Containing by weight less than 0.6 % of carbon	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Containing by weight less than 0.25 % of carbon:		
			. . . . . Straightened wire not exceeding 13 mm in diameter:		
01H	kg		. . . . . Welding wire		
			. . . . . Other, plated or coated with zinc:		
02F	kg		. . . . . Less than 1.6 mm in diameter		
03D	kg		. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
04B	kg		. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
05L	kg		. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
06J	kg		. . . . . 4.5 mm or more, but less than 5.5 mm in diameter		
09C	kg		. . . . . 5.5 mm or more in diameter		
			. . . . . Other:		
11E	kg		. . . . . Less than 0.9 mm in diameter		
12C	kg		. . . . . 0.9 mm or more, but less than 1.6 mm in diameter		
13A	kg		. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
14K	kg		. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
15H	kg		. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
16F	kg		. . . . . 4.5 mm or more, but less than 6 mm in diameter		
17D	kg		. . . . . 6 mm or more, but less than 7.5 mm in diameter		
18B	kg		. . . . . 7.5 mm or more, but less than 11.5 mm in diameter		
19L	kg		. . . . . 11.5 mm or more in diameter		
			. . . . . Other:		
			. . . . . Of circular cross-section:		
21B	kg		. . . . . Welding		
			. . . . . Other, measuring:		
23J	kg		. . . . . Less than 14 mm in diameter		
24G	kg		. . . . . 14 mm or more, but less than 42 mm in diameter		
25E	kg		. . . . . 42 mm or more in diameter		
29H	kg		. . . . . Of square cross-section		
			. . . . . Other:		
31K	kg		. . . . . Welding		
39E	kg		. . . . . Other		
			. . . . . Other:		
			. . . . . Straightened wire not exceeding 13 mm in diameter:		
41G	kg		. . . . . Welding wire		
			. . . . . Other, plated or coated with zinc:		
43C	kg		. . . . . Less than 1.6 mm in diameter		
44A	kg		. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
45K	kg		. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
46H	kg		. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
49B	kg		. . . . . 4.5 mm or more in diameter		
			. . . . . Other:		
51D	kg		. . . . . Less than 0.9 mm in diameter		
52B	kg		. . . . . 0.9 mm or more, but less than 1.6 mm in diameter		
53L	kg		. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
54J	kg		. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
55G	kg		. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
56E	kg		. . . . . 4.5 mm or more, but less than 6 mm in diameter		
57C	kg		. . . . . 6 mm or more, but less than 9 mm in diameter		
59K	kg		. . . . . 9 mm or more in diameter		
			. . . . . Other:		
71J	kg		. . . . . Of circular cross-section		
79D	kg		. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<p><b>Other bars and rods of iron or non-alloy steel—continued</b>                      – Other, not further worked than cold-formed or cold-finished—continued                      -- Other—continued                      --- Containing by weight 0.6 % or more of carbon:                      ---- Straightened wire not exceeding 13 mm in diameter</p>					
7215.50.30				5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg	. . . . . Welding wire		
			. . . . . Other, plated or coated with zinc:		
	11L	kg	. . . . . Less than 1.6 mm in diameter		
	13G	kg	. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	15C	kg	. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	17K	kg	. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	19F	kg	. . . . . 4.5 mm or more in diameter		
			. . . . . Other:		
	21H	kg	. . . . . Less than 0.9 mm in diameter		
	23D	kg	. . . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	25L	kg	. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	26J	kg	. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	28E	kg	. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	29C	kg	. . . . . 4.5 mm or more in diameter		
7215.50.90			---- Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg	. . . . . Of circular cross-section: . . . . . Welding . . . . . Other, measuring:		
	11C	kg	. . . . . Less than 14 mm in diameter		
	13K	kg	. . . . . 14 mm or more, but less than 42 mm in diameter		
	15F	kg	. . . . . 42 mm or more in diameter		
	19J	kg	. . . . . Of square cross-section . . . . . Other:		
	21L	kg	. . . . . Welding		
	29F	kg	. . . . . Other		
7215.90.00			– Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	02K	kg	. . . . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: . . . . . Angles and tees		
	05D	kg	. . . . . Channels, girders, beams and joists		
	08J	kg	. . . . . Other . . . . . Less than 80 mm:		
	11J	kg	. . . . . Angles and tees		
	15A	kg	. . . . . Channels, girders, beams and joists		
	19D	kg	. . . . . Other . . . . . Other:		
	21F	kg	. . . . . Welding		
	29A	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>72.16</b>			<b>Angles, shapes and sections of iron or non-alloy steel:</b>		
7216.10			– U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:		
7216.10.01	00J	kg	-- U sections 76 mm x 38 mm x 6.7 kg/m	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7216.10.09	00K	kg	-- Other – L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:	Free	Free
7216.21			-- L sections:		
7216.21.01	00G	kg	--- Equal angles	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7216.21.09	00H	kg	--- Other	Free	Free
7216.22.00	00E	kg	-- T sections – U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:	Free	Free
7216.31			-- U sections:		
7216.31.01	00L	kg	--- 102 mm x 51 mm x 10.4 kg/m	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7216.31.09	00A	kg	--- Other	Free	Free
7216.32.00			-- I sections	Free	Free
	01G	kg	. . . Less than 40 kg/m		
	09B	kg	. . . Other		
7216.33.00			-- H sections	Free	Free
	01A	kg	. . . Less than 40 kg/m		
	09G	kg	. . . Other		
7216.40			– L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:		
7216.40.01	00K	kg	-- Equal angled L sections, 80 mm x 80 mm by 5 mm to 13 mm in thickness	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7216.40.09	00L	kg	-- Other	Free	Free
7216.50.00			– Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	Free	Free
			. . . Of a height of 80 mm or more:		
	01E	kg	. . . Less than 40 kg/m		
	09L	kg	. . . Other		
	19H	kg	. . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Angles, shapes and sections of iron or non-alloy steel—continued</b>					
– Angles, shapes and sections, not further worked than cold-formed or cold-finished:					
7216.61.00			– – Obtained from flat-rolled products	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg	. . . . . Of a height of 80 mm or more:		
	05F	kg	. . . . . Angles and tees		
	09J	kg	. . . . . Channels, girders, beams and joists		
			. . . . . Other		
			. . . . . Less than 80 mm:		
	11L	kg	. . . . . Angles and tees		
	15C	kg	. . . . . Channels, girders, beams and joists		
	19F	kg	. . . . . Other		
7216.69.00			– – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Of a height of 80 mm or more:		
	01K	kg	. . . . . Angles and tees		
	05B	kg	. . . . . Channels, girders, beams and joists		
	09E	kg	. . . . . Other		
			. . . . . Less than 80 mm:		
	11G	kg	. . . . . Angles and tees		
	15K	kg	. . . . . Channels, girders, beams and joists		
	19B	kg	. . . . . Other		
			– Other:		
7216.91.00			– – Cold-formed or cold-finished from flat-rolled products	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Worked:		
	01D	kg	. . . . . Of a height of 80 mm or more		
	09K	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Of a height of 80 mm or more:		
	11A	kg	. . . . . Galvanised		
	15D	kg	. . . . . Other		
	19G	kg	. . . . . Other		
7216.99.00			– – Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Worked:		
	01L	kg	. . . . . Of a height of 80 mm or more		
	09F	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Of a height of 80 mm or more:		
	11H	kg	. . . . . Galvanised		
	15L	kg	. . . . . Other		
	19C	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>72.17</b>			<b>Wire of iron or non-alloy steel:</b>		
7217.10.00			– Not plated or coated, whether or not polished	5	AAN 1/2017 3 1/2020 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Containing by weight less than 0.25 % of carbon:		
			. . . Nail wire:		
	01J	kg	. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	02G	kg	. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	03E	kg	. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	04C	kg	. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	05A	kg	. . . . 4.5 mm or more, but less than 6 mm in diameter		
	06K	kg	. . . . 6 mm or more, but less than 7.5 mm in diameter		
	07H	kg	. . . . 7.5 mm or more, but less than 11.5 mm in diameter		
	08F	kg	. . . . 11.5 mm or more in diameter		
			. . . Spring wire:		
	09D	kg	. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	10H	kg	. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	11F	kg	. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	12D	kg	. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	13B	kg	. . . . 4.5 mm or more, but less than 6 mm in diameter		
	14L	kg	. . . . 6 mm or more, but less than 7.5 mm in diameter		
	15J	kg	. . . . 7.5 mm or more, but less than 11.5 mm in diameter		
	16G	kg	. . . . 11.5 mm or more in diameter		
			. . . Welding wire:		
	17E	kg	. . . . Less than 0.9 mm in diameter		
	18C	kg	. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	19A	kg	. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	20E	kg	. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	21C	kg	. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	22A	kg	. . . . 4.5 mm or more, but less than 6 mm in diameter		
	23K	kg	. . . . 6 mm or more, but less than 7.5 mm in diameter		
	24H	kg	. . . . 7.5 mm or more, but less than 11.5 mm in diameter		
	25F	kg	. . . . 11.5 mm or more in diameter		
			. . . Other:		
	26D	kg	. . . . Less than 0.9 mm in diameter		
	27B	kg	. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	28L	kg	. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	29J	kg	. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	30B	kg	. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	31L	kg	. . . . 4.5 mm or more, but less than 6 mm in diameter		
	32J	kg	. . . . 6 mm or more, but less than 7.5 mm in diameter		
	33G	kg	. . . . 7.5 mm or more, but less than 11.5 mm in diameter		
	34E	kg	. . . . 11.5 mm or more in diameter		
			. . . Containing by weight 0.25 % or more but less than 0.6 % of carbon:		
			. . . Nail wire:		
	35C	kg	. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	36A	kg	. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	37K	kg	. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	38H	kg	. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	39F	kg	. . . . 4.5 mm or more, but less than 6 mm in diameter		
	40K	kg	. . . . 6 mm or more, but less than 9 mm in diameter		
	41H	kg	. . . . 9 mm or more in diameter		
			. . . Spring wire:		
	42F	kg	. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	43D	kg	. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	44B	kg	. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	45L	kg	. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	46J	kg	. . . . 4.5 mm or more, but less than 6 mm in diameter		
	47G	kg	. . . . 6 mm or more, but less than 9 mm in diameter		
	48E	kg	. . . . 9 mm or more in diameter		
			. . . Welding wire:		
	49C	kg	. . . . Less than 0.9 mm in diameter		
	50G	kg	. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
	51E	kg	. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	52C	kg	. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	53A	kg	. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	54K	kg	. . . . 4.5 mm or more, but less than 6 mm in diameter		
	55H	kg	. . . . 6 mm or more, but less than 9 mm in diameter		
	56F	kg	. . . . 9 mm or more in diameter		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Wire of iron or non-alloy steel—<i>continued</i></b>		
			– Not plated or coated, whether or not polished— <i>continued</i>		
			. . . Containing by weight 0.25 % or more but less than, etc.— <i>continued</i>		
			. . . Other:		
57D	kg		. . . . Less than 0.9 mm in diameter		
58B	kg		. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
59L	kg		. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
60D	kg		. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
61B	kg		. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
62L	kg		. . . . 4.5 mm or more, but less than 6 mm in diameter		
63J	kg		. . . . 6 mm or more, but less than 9 mm in diameter		
64G	kg		. . . . 9 mm or more in diameter		
			. . . Containing by weight 0.6 % or more of carbon:		
			. . . Nail wire:		
65E	kg		. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
66C	kg		. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
67A	kg		. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
68K	kg		. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
69H	kg		. . . . 4.5 mm or more in diameter		
			. . . Spring wire:		
70A	kg		. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
71K	kg		. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
72H	kg		. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
73F	kg		. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
74D	kg		. . . . 4.5 mm or more in diameter		
			. . . Welding wire:		
75B	kg		. . . . Less than 0.9 mm in diameter		
76L	kg		. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
77J	kg		. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
78G	kg		. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
79E	kg		. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
80J	kg		. . . . 4.5 mm or more in diameter		
			. . . Other:		
81G	kg		. . . . Less than 0.9 mm in diameter		
82E	kg		. . . . 0.9 mm or more, but less than 1.6 mm in diameter		
83C	kg		. . . . 1.6 mm or more, but less than 2.5 mm in diameter		
84A	kg		. . . . 2.5 mm or more, but less than 3.55 mm in diameter		
85K	kg		. . . . 3.55 mm or more, but less than 4.5 mm in diameter		
86H	kg		. . . . 4.5 mm or more in diameter		

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Wire of iron or non-alloy steel—continued</b>		
7217.20			– Plated or coated with zinc:		
7217.20.10			– – Containing by weight less than 0.6 % carbon	5	AAN 1/2014 3 1/2017 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Containing by weight less than 0.25 % carbon:		
			. . . . . Fencing wire:		
			. . . . . Less than 1.6mm in diameter:		
01H	kg		. . . . . Coils, not exceeding 50 kg		
03D	kg		. . . . . Other		
			. . . . . 1.6 mm or more, but less than 2.5 mm in diameter:		
05L	kg		. . . . . Coils, not exceeding 50 kg		
07G	kg		. . . . . Other		
			. . . . . 2.5 mm or more, but less than 4 mm in diameter:		
08E	kg		. . . . . Coils, not exceeding 50 kg		
09C	kg		. . . . . Other		
			. . . . . 4 mm or more in diameter:		
11E	kg		. . . . . Coils, not exceeding 50 kg		
13A	kg		. . . . . Other		
			. . . . . Other:		
14K	kg		. . . . . Less than 1.6 mm in diameter		
15H	kg		. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
16F	kg		. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
17D	kg		. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
18B	kg		. . . . . 4.5 mm or more, but less than 5.5 mm in diameter		
19L	kg		. . . . . 5.5 mm or more in diameter		
			. . . . . Other:		
			. . . . . Fencing wire:		
			. . . . . Less than 1.6 mm in diameter:		
21B	kg		. . . . . Coils, not exceeding 50 kg		
23J	kg		. . . . . Other		
			. . . . . 1.6 mm or more, but less than 2.5 mm in diameter:		
25E	kg		. . . . . Coils, not exceeding 50 kg		
27A	kg		. . . . . Other		
			. . . . . 2.5 mm or more, but less than 4 mm in diameter:		
28K	kg		. . . . . Coils, not exceeding 50 kg		
29H	kg		. . . . . Other		
			. . . . . 4 mm or more in diameter:		
31K	kg		. . . . . Coils, not exceeding 50 kg		
33F	kg		. . . . . Other		
			. . . . . Other:		
34D	kg		. . . . . Less than 1.6 mm in diameter		
35B	kg		. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
36L	kg		. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
37J	kg		. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
39E	kg		. . . . . 4.5 mm or more in diameter		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Wire of iron or non-alloy steel—continued</b> – Plated or coated with zinc—continued		
7217.20.90			– – Other	5	AAN 1/2014 3 1/2017 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Fencing wire:		
			. . . . . Less than 1.6 mm in diameter:		
	01A	kg	. . . . . Coils, not exceeding 50 kg		
	03H	kg	. . . . . Other		
			. . . . . 1.6 mm or more, but less than 2.5 mm in diameter:		
	05D	kg	. . . . . Coils, not exceeding 50 kg		
	07L	kg	. . . . . Other		
			. . . . . 2.5 mm or more, but less than 4 mm in diameter:		
	08J	kg	. . . . . Coils, not exceeding 50 kg		
	09G	kg	. . . . . Other		
			. . . . . 4 mm or more in diameter:		
	11J	kg	. . . . . Coils, not exceeding 50 kg		
	13E	kg	. . . . . Other		
			. . . . . Other:		
	14C	kg	. . . . . Less than 1.6 mm in diameter		
	15A	kg	. . . . . 1.6 mm or more, but less than 2.5 mm in diameter		
	16K	kg	. . . . . 2.5 mm or more, but less than 3.55 mm in diameter		
	17H	kg	. . . . . 3.55 mm or more, but less than 4.5 mm in diameter		
	18F	kg	. . . . . 4.5 mm or more in diameter		
7217.30.00			– Plated or coated with other base metals	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Containing by weight less than 0.25 % of carbon:		
			. . . . . Less than 1.8 mm in any cross-sectional dimension:		
	01F	kg	. . . . . Welding		
	09A	kg	. . . . . Other		
			. . . . . Other:		
	11C	kg	. . . . . Welding		
	19J	kg	. . . . . Other		
			. . . . . Containing by weight 0.25 % or more but less than 0.6 % of carbon:		
	21L	kg	. . . . . Less than 1.8 mm in any cross-sectional dimension		
	29F	kg	. . . . . Other		
			. . . . . Other:		
	31H	kg	. . . . . Pre-stressed wire		
	39C	kg	. . . . . Other		
7217.90.00			– Other	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . . . Containing by weight less than 0.25 % of carbon:		
			. . . . . Less than 1.8 mm in any cross-sectional dimension:		
	01H	kg	. . . . . Welding		
	09C	kg	. . . . . Other		
			. . . . . Other:		
	11E	kg	. . . . . Welding		
	19L	kg	. . . . . Other		
			. . . . . Containing by weight 0.25 % or more but less than 0.6 % of carbon:		
	21B	kg	. . . . . Less than 1.8 mm in any cross-sectional dimension		
	29H	kg	. . . . . Other		
			. . . . . Other:		
	31K	kg	. . . . . Pre-stressed wire		
	39E	kg	. . . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>72.18</b>					
<b>III.- STAINLESS STEEL</b>					
<b>Stainless steel in ingots or other primary forms; semi-finished products of stainless steel:</b>					
7218.10.00	00J	kg	– Ingots and other primary forms	Free	Free
			– Other:		
7218.91.00	00B	kg	-- Of rectangular (other than square) cross-section	Free	Free
7218.99.00	00J	kg	-- Other	Free	Free
<b>72.19</b>					
<b>Flat-rolled products of stainless steel, of a width of 600 mm or more:</b>					
			– Not further worked than hot-rolled, in coils:		
7219.11.00	00A	kg	-- Of a thickness exceeding 10 mm	Free	Free
7219.12.00	00F	kg	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	Free	Free
7219.13.00	00L	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	Free	Free
7219.14.00	00E	kg	-- Of a thickness of less than 3 mm	Free	Free
			– Not further worked than hot-rolled, not in coils:		
7219.21.00	00E	kg	-- Of a thickness exceeding 10 mm	Free	Free
7219.22.00	00K	kg	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	Free	Free
7219.23.00	00D	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	Free	Free
7219.24.00	00J	kg	-- Of a thickness of less than 3 mm	Free	Free
			– Not further worked than cold-rolled (cold-reduced):		
7219.31.00			-- Of a thickness of 4.75 mm or more	Free	Free
	01G	kg	. . . Coiled		
	09B	kg	. . . Other		
7219.32.00			-- Of a thickness of 3 mm or more but less than 4.75 mm	Free	Free
	01A	kg	. . . Coiled		
	09G	kg	. . . Other		
7219.33.00			-- Of a thickness exceeding 1 mm but less than 3 mm	Free	Free
	01F	kg	. . . Coiled		
	09A	kg	. . . Other		
7219.34.00			-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	Free	Free
	01L	kg	. . . Coiled		
	09F	kg	. . . Other		
7219.35.00			-- Of a thickness of less than 0.5 mm	Free	Free
	01E	kg	. . . Coiled		
	09L	kg	. . . Other		
7219.90.00			– Other	Free	Free
	01D	kg	. . Coiled		
			. . Other:		
	11A	kg	. . . Perforated or cellular but not further worked		
	19G	kg	. . . Other		
<b>72.20</b>					
<b>Flat-rolled products of stainless steel, of a width of less than 600 mm:</b>					
			– Not further worked than hot-rolled:		
7220.11.00			-- Of a thickness of 4.75 mm or more	Free	Free
			. . . Coiled:		
	01C	kg	. . . . 153 mm or more in width		
	09J	kg	. . . . Other		
			. . . Other:		
	11L	kg	. . . . 153 mm or more in width		
	19F	kg	. . . . Other		
7220.12.00			-- Of a thickness of less than 4.75 mm	Free	Free
			. . . Coiled:		
	01H	kg	. . . . 153 mm or more in width		
	09C	kg	. . . . Other		
			. . . Other:		
	11E	kg	. . . . 153 mm or more in width		
	19L	kg	. . . . Other		
7220.20.00			– Not further worked than cold-rolled (cold-reduced)	Free	Free
			. . Coiled:		
	01B	kg	. . . 153 mm or more in width		
	09H	kg	. . . Other		
			. . Other:		
	11K	kg	. . . 153 mm or more in width		
	19E	kg	. . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of stainless steel, of a width, etc.—continued</b>		
7220.90			– Other:		
7220.90.01	00F	kg	-- Not exceeding 500 mm in width	5	AAN 1/2011 3 1/2012 Free CA Free CN 1/2010 3 1/2011 2 1/2012 Free TH 5 1/2010 Free TPA 5 1/2010 Free
7220.90.09	01E 09L	kg kg	-- Other . . . Coiled . . . Other	Free	Free
<b>72.21</b>					
7221.00.00			<b>Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel</b> . Of cross-section in the shape of “flattened circles” or “modified rectangles”:	Free	Free
	02A 08L	kg kg	. . . 80 mm or more . . . Other		
	11L 19F	kg kg	. Other: . . Wire rod . . Other		
<b>72.22</b>					
			<b>Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:</b> – Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:		
7222.11.00	00A	kg	-- Of circular cross-section	Free	Free
7222.19.00			-- Other . . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:	Free	Free
	01F 09A 19J	kg kg kg	. . . . 80 mm or more . . . . Other . . . Other		
7222.20.00			– Bars and rods, not further worked than cold-formed or cold-finished . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:	Free	Free
	01J 09D 19A	kg kg kg	. . . 80 mm or more . . . Other . . Other		
7222.30.00			– Other bars and rods . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:	Free	Free
	02L 08K	kg kg	. . . 80 mm or more . . . Other		
	11K 19E	kg kg	. . Other: . . . Welding . . . Other		
7222.40.00			– Angles, shapes and sections . . Welding	Free	Free
	02D 08C	kg kg	. . Other		
<b>72.23</b>					
7223.00.00			<b>Wire of stainless steel</b> . Welding	Free	Free
	01K 09E	kg kg	. Other		
			<b>IV.- OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL</b>		
<b>72.24</b>					
			<b>Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel:</b>		
7224.10.00	00C	kg	– Ingots and other primary forms	Free	Free
7224.90.00	00B	kg	– Other	Free	Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>72.25</b>			<b>Flat-rolled products of other alloy steel, of a width of 600 mm or more:</b>		
			– Of silicon-electrical steel:		
7225.11			-- Grain-oriented:		
7225.11.10	00A	kg	--- Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.11.90	01C	kg	--- Other . . . . Worked	Free	Free
	05F	kg	. . . . Other: . . . . Coiled		
	09J	kg	. . . . Other		
7225.19			-- Other:		
7225.19.10	00H	kg	--- Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.19.90	01K	kg	--- Other . . . . Worked	Free	Free
	05B	kg	. . . . Other: . . . . Coiled		
	09E	kg	. . . . Other		
7225.30			– Other, not further worked than hot-rolled, in coils:		
			-- Of high speed steel:		
7225.30.01	00E	kg	--- Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.30.09	00F	kg	--- Other	Free	Free
7225.30.19	00A	kg	-- Other	Free	Free
7225.40			– Other, not further worked than hot rolled, not in coils:		
			-- Of high speed steel:		
7225.40.01	00J	kg	--- Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.40.09	00K	kg	--- Other	Free	Free
7225.40.19	10B	kg	-- Other . . . Exceeding 4.75 mm in thickness	Free	Free
	19F	kg	. . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of other alloy steel, etc.—continued</b>		
7225.50			— Other, not further worked than cold-rolled (cold-reduced):		
			— Of high speed steel:		
7225.50.01	00B	kg	— Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.50.09	13E 19D	kg kg	— Other . . . . Coiled . . . . Other	Free	Free
7225.50.19	10F 19K	kg kg	— Other . . . Coiled . . . Other	Free	Free
7225.91			— Other:		
			— Electrolytically plated or coated with zinc:		
7225.91.10			— Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10H	kg	. . . . Of high speed steel		
	13B	kg	. . . . Other:		
	19A	kg	. . . . Exceeding 4.75 mm in thickness, not in coils		
			. . . . Other		
7225.91.90			— Other	Free	Free
			. . . . Of high speed steel:		
	10A	kg	. . . . Worked		
			. . . . Other:		
	13F	kg	. . . . Coiled		
	17J	kg	. . . . Other		
			. . . . Other:		
			. . . . Worked:		
	21G	kg	. . . . Exceeding 4.75 mm in thickness, not in coils		
	25K	kg	. . . . Other		
			. . . . Other:		
	27F	kg	. . . . Coiled		
	29B	kg	. . . . Exceeding 4.75 mm in thickness, not in coils		
	39K	kg	. . . . Other		
7225.92			— Otherwise plated or coated with zinc:		
7225.92.10			— Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10B	kg	. . . . Of high speed steel		
			. . . . Other:		
	13G	kg	. . . . Exceeding 4.75 mm in thickness, not in coils		
	19F	kg	. . . . Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>Flat-rolled products of other alloy steel, etc.—continued</b>					
– Other—continued					
-- Otherwise plated or coated with zinc—continued					
7225.92.90			--- Other	Free	Free
	10F	kg	. . . . . Of high speed steel:		
			. . . . . Worked		
			. . . . . Other:		
	13L	kg	. . . . . Coiled		
	17C	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Worked:		
	21A	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	25D	kg	. . . . . Other		
			. . . . . Other:		
	27L	kg	. . . . . Coiled		
	29G	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	39D	kg	. . . . . Other		
7225.99			-- Other:		
7225.99.10			--- Galvanised	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10D	kg	. . . . . Of high speed steel		
			. . . . . Other:		
	13J	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	19H	kg	. . . . . Other		
7225.99.90			--- Other	Free	Free
			. . . . . Of high speed steel:		
			. . . . . Worked		
			. . . . . Other:		
	13B	kg	. . . . . Coiled		
	17E	kg	. . . . . Other		
			. . . . . Other:		
			. . . . . Worked:		
	21C	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	25F	kg	. . . . . Other		
			. . . . . Other:		
	27B	kg	. . . . . Coiled		
	29J	kg	. . . . . Exceeding 4.75 mm in thickness, not in coils		
	39F	kg	. . . . . Other		
<b>72.26</b>			<b>Flat-rolled products of other alloy steel, of a width of less than 600 mm:</b>		
– Of silicon-electrical steel:					
7226.11			-- Grain-oriented:		
7226.11.10	00K	kg	--- Galvanised or worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7226.11.90	01A 09G	kg kg	--- Other . . . . . Coiled . . . . . Other	Free	Free
7226.19			-- Other:		
7226.19.10	00F	kg	--- Galvanised or worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Flat-rolled products of other alloy steel, of a width, etc.—continued</b> — Of silicon-electrical steel— <i>continued</i> — Other— <i>continued</i>		
7226.19.90	01H 09C	kg kg	--- Other . . . . Coiled . . . . Other	Free	Free
7226.20			— Of high speed steel:		
7226.20.01	00K	kg	-- Galvanised or worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7226.20.18	01H 09C	kg kg	-- Other . . . Coiled . . . Other	Free	Free
7226.91.00	01A 11J 19D	kg kg kg	— Other: -- Not further worked than hot-rolled . . . Coiled . . . Other: . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm . . . . Other	Free	Free
7226.92.00	01F 09A	kg kg	-- Not further worked than cold-rolled (cold-reduced) . . . Coiled . . . Other	Free	Free
7226.99			-- Other:		
7226.99.01			--- Galvanised or worked	5	AAN 1/2011 3 1/2012 Free CA Free CN 4 1/2010 3 1/2011 2 1/2012 Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10C 13H	kg kg	. . . . Electrolytically plated or coated with zinc: . . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils . . . . . Other		
	15D 17L	kg kg	. . . . Otherwise plated or coated with zinc: . . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils . . . . . Other		
	19G 29D	kg kg	. . . . Other: . . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils . . . . . Other		
7226.99.18	10C 13H 15D 17L 21J 29D 31F 33B 39A	kg kg kg kg kg kg kg kg kg	--- Other . . . . Electrolytically plated or coated with zinc: . . . . . Coiled . . . . . Other: . . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm . . . . . Other . . . . Otherwise plated or coated with zinc: . . . . . Coiled . . . . . Other: . . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm . . . . . Other . . . . Coiled . . . . . Other: . . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm . . . . . Other	Free	Free

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued  
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
<b>72.27</b>			<b>Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel:</b>		
7227.10.00			– Of high speed steel	Free	Free
			.. Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			... Of a height of 80 mm or more:		
	02D	kg	... Channels, girders, beams and joists		
	05J	kg	... Other		
	08C	kg	... Other		
			.. Other:		
	11C	kg	... Wire rod		
	19J	kg	... Other		
7227.20.00			– Of silico-manganese steel	Free	Free
			.. Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			... Of a height of 80 mm or more:		
	02H	kg	... Channels, girders, beams and joists		
	05B	kg	... Other		
	08G	kg	... Other		
			.. Other:		
			... For welding electrodes:		
	11G	kg	... Wire rod		
	19B	kg	... Other		
			.. Other:		
	21D	kg	... Wire rod		
	29K	kg	... Other		
7227.90.00			– Other	Free	Free
			.. Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			... Of a height of 80 mm or more:		
	02C	kg	... Channels, girders, beams and joists		
	05H	kg	... Other		
	08B	kg	... Other		
			.. Other:		
	11B	kg	... Wire rod		
	19H	kg	... Other		
<b>72.28</b>			<b>Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:</b>		
7228.10.00			– Bars and rods, of high speed steel	Free	Free
			.. Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			... Of a height of 80 mm or more:		
	02B	kg	... Channels, girders, beams and joists		
	05G	kg	... Other		
	08A	kg	... Other		
			.. Other:		
	11A	kg	... Wire rod		
	19G	kg	... Other		
7228.20.00			– Bars and rods, of silico-manganese steel	Free	Free
			.. Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			... Of a height of 80 mm or more:		
	02F	kg	... Channels, girders, beams and joists		
	05L	kg	... Other		
	08E	kg	... Other		
			.. Other:		
			... Wire rod:		
	12C	kg	... Welding		
	18B	kg	... Other		
			.. Other:		
	21B	kg	... Welding		
	29H	kg	... Other		
7228.30.00			– Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	Free	Free
			.. Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
			... Of a height of 80 mm or more:		
	02K	kg	... Channels, girders, beams and joists		
	05D	kg	... Other		
	08J	kg	... Other		
			.. Other:		
	11J	kg	... Wire rod		
	19D	kg	... Other		

\*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*  
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			<b>Other bars and rods of other alloy steel; angles, etc.—<i>continued</i></b>		
7228.40.00			– Other bars and rods, not further worked than forged . . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: . . . . Of a height of 80 mm or more:	Free	Free
	02C	kg	. . . . Channels, girders, beams and joists		
	05H	kg	. . . . Other		
	08B	kg	. . . . Other		
	19H	kg	. . . Other		
7228.50.00			– Other bars and rods, not further worked than cold-formed or cold-finished . . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: . . . . Of a height of 80 mm or more:	Free	Free
	02G	kg	. . . . Channels, girders, beams and joists		
	05A	kg	. . . . Other		
	08F	kg	. . . . Other		
	19A	kg	. . . Other		
7228.60.00			– Other bars and rods . . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: . . . . Of a height of 80 mm or more:	Free	Free
	02L	kg	. . . . Channels, girders, beams and joists		
	05E	kg	. . . . Other		
	08K	kg	. . . . Other		
	11K	kg	. . . . Other:		
	19E	kg	. . . . Welding		
			. . . . Other		
7228.70.00			– Angles, shapes and sections . . . Of a height of 80 mm or more:	Free	Free
	01F	kg	. . . . Channels, girders, beams and joists		
	09A	kg	. . . . Other		
	19J	kg	. . . Other		
7228.80.00	00A	kg	– Hollow drill bars and rods	Free	Free
<b>72.29</b>			<b>Wire of other alloy steel:</b>		
7229.20.00			– Of silico-manganese steel . . . Coated:	Free	Free
	02D	kg	. . . . Welding		
	08C	kg	. . . . Other		
	12A	kg	. . . . Other:		
	18L	kg	. . . . Welding		
			. . . . Other		
7229.90.00			– Other . . . Of high speed steel:	Free	Free
	10L	kg	. . . . Coated		
	13E	kg	. . . . Other		
			. . . . Other:		
			. . . . Coated:		
	15A	kg	. . . . Welding		
	17H	kg	. . . . Other		
			. . . . Other:		
	21F	kg	. . . . Welding		
	29A	kg	. . . . Other		

\* \* \*

