

Section XV

Base metals and articles of base metal

NOTES—

1. This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (l) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles);
or
 - (n) Articles of Chapter 97 (for example, works of art).
2. Throughout the Tariff, the expression “parts of general use” means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.
3. Throughout the Nomenclature, the expression “base metals” means: iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
4. Throughout the Nomenclature, the term “cermets” means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term “cermets” includes sintered metal carbides (metal carbides sintered with a metal).
5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) In this Section the term “alloys” includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
6. Unless the context otherwise requires, any reference in the Tariff to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

 - (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
 - (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified;
and
 - (c) A cermet of heading 81.13 is regarded as a single base metal.
8. In this Section, the following expressions have the meanings hereby assigned to them:
 - (a) **Waste and scrap**
Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.
 - (b) **Powders**
Products of which 90 % or more by weight passes through a sieve having a mesh aperture of 1 mm.

Base metals and articles of base metal—*continued*

NEW ZEALAND NOTE—

1. In relation to products classified within headings 72.10, 72.12, 72.16, 72.25, 72.26, 74.09 and 76.06, the expression “worked” is to be taken not to apply to base metals which have been subjected only to one or more of the following treatments:
- (i) Heat treatments such as annealing or tempering, designed to improve the properties of the metal;
 - (ii) Processes to remove scale or crust formed during the heating of the metal;
 - (iii) Coating to prevent rusting (for example, with oil or grease);
 - (iv) Finishing treatments, the following:
Polishing, glazing, electro-plating or other forms of metallisation (including cladding), coating with paint, lacquer, bitumen or the like, or covering with other material (except vitreous enamel).

Chapter 72

Iron and steel

NOTES—

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Tariff, the following expressions have the meanings hereby assigned to them:
- (a) **Pig iron**
Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits:
 - not more than 10 % of chromium
 - not more than 6 % of manganese
 - not more than 3 % of phosphorus
 - not more than 8 % of silicon
 - a total of not more than 10 % of other elements.
 - (b) **Spiegeleisen**
Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above.
 - (c) **Ferro-alloys**
Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following:
 - more than 10 % of chromium
 - more than 30 % of manganese
 - more than 3 % of phosphorus
 - more than 8 % of silicon
 - a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10 % in the case of copper.
 - (d) **Steel**
Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon. However, chromium steels may contain higher proportions of carbon.
 - (e) **Stainless steel**
Alloy steels containing, by weight, 1.2 % or less of carbon and 10.5 % or more of chromium, with or without other elements.
 - (f) **Other alloy steel**
Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:
 - 0.3 % or more of aluminium
 - 0.0008 % or more of boron
 - 0.3 % or more of chromium
 - 0.3 % or more of cobalt
 - 0.4 % or more of copper
 - 0.4 % or more of lead
 - 1.65 % or more of manganese
 - 0.08 % or more of molybdenum
 - 0.3 % or more of nickel
 - 0.06 % or more of niobium
 - 0.6 % or more of silicon
 - 0.05 % or more of titanium
 - 0.3 % or more of tungsten (wolfram)
 - 0.1 % or more of vanadium
 - 0.05 % or more of zirconium
 - 0.1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

Chapter 72—*continued*
Iron and steel—*continued*

(g) **Remelting scrap ingots of iron or steel**

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) **Granules**

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) **Semi-finished products**

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) **Flat-rolled products**

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(l) **Bars and rods, hot-rolled, in irregularly wound coils**

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including “flattened circles” and “modified rectangles”, of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) **Other bars and rods**

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including “flattened circles” and “modified rectangles”, of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) **Angles, shapes and sections**

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) **Wire**

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) **Hollow drill bars and rods**

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Chapter 72—*continued*
Iron and steel—*continued*

SUBHEADING NOTES—

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) **Alloy pig iron**

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 % of chromium
- more than 0.3 % of copper
- more than 0.3 % of nickel
- more than 0.1 % of any of the following elements:
aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) **Non-alloy free-cutting steel**

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08 % or more of sulphur
- 0.1 % or more of lead
- more than 0.05 % of selenium
- more than 0.01 % of tellurium
- more than 0.05 % of bismuth.

(c) **Silicon-electrical steel**

Alloy steels containing by weight at least 0.6 % but not more than 6 % of silicon and not more than 0.08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) **High speed steel**

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6 % or more of carbon and 3 % to 6 % of chromium.

(e) **Silico-manganese steel**

Alloy steels containing by weight:

- not more than 0.7 % of carbon,
- 0.5 % or more but not more than 1.9 % of manganese, and
- 0.6 % or more but not more than 2.3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified “other elements” referred to in Chapter Note 1 (c) must each exceed 10 % by weight.

* * *

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
I - PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM					
72.01	Pig iron and spiegeleisen in pigs, blocks or other primary forms:				
7201.10.00	00D	kg	– Non-alloy pig iron containing by weight 0.5 % or less of phosphorus	Free	Free
7201.20.00	00H	kg	– Non-alloy pig iron containing by weight more than 0.5 % of phosphorus	Free	Free
7201.50.00			– Alloy pig iron, spiegeleisen:	Free	Free
	01G	kg	. . Alloy pig iron		
	09B	kg	. . Spiegeleisen		
72.02	Ferro-alloys:				
			– Ferro-manganese:		
7202.11.00	00G	kg	-- Containing by weight more than 2 % of carbon	Free	Free
7202.19.00	00C	kg	-- Other	Free	Free
			– Ferro-silicon:		
7202.21.00	00L	kg	-- Containing by weight more than 55 % of silicon	Free	Free
7202.29.00	00G	kg	-- Other	Free	Free
7202.30.00	00K	kg	– Ferro-silico-manganese	Free	Free
			– Ferro-chromium:		
7202.41.00	00H	kg	-- Containing by weight more than 4 % of carbon	Free	Free
7202.49.00	00D	kg	-- Other	Free	Free
7202.50.00	00G	kg	– Ferro-silico-chromium	Free	Free
7202.60.00	00L	kg	– Ferro-nickel	Free	Free
7202.70.00	00D	kg	– Ferro-molybdenum	Free	Free
7202.80.00	00H	kg	– Ferro-tungsten and ferro-silico-tungsten	Free	Free
			– Other:		
7202.91.00	00F	kg	-- Ferro-titanium and ferro-silico-titanium	Free	Free
7202.92.00	00L	kg	-- Ferro-vanadium	Free	Free
7202.93.00	00E	kg	-- Ferro-niobium	Free	Free
7202.99.00	00B	kg	-- Other	Free	Free
72.03	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 %, in lumps, pellets or similar forms:				
7203.10.00	00L	kg	– Ferrous products obtained by direct reduction of iron ore	Free	Free
7203.90.00	00K	kg	– Other	Free	Free
72.04	Ferrous waste and scrap; remelting scrap ingots of iron or steel:				
7204.10.00	00J	tne	– Waste and scrap of cast iron	Free	Free
			– Waste and scrap of alloy steel:		
7204.21.00	00G	tne	-- Of stainless steel	Free	Free
7204.29.00	00C	tne	-- Other	Free	Free
7204.30.00	00F	tne	– Waste and scrap of tinned iron or steel	Free	Free
			– Other waste and scrap:		
7204.41.00	00D	tne	-- Turnings, shavings, chips, milling waste, sawdust, fillings, trimmings and stampings, whether or not in bundles	Free	Free
7204.49.00	00L	tne	-- Other	Free	Free
7204.50.00			– Remelting scrap ingots	Free	Free
	01A	kg	. . Ferro-alloy		
	09G	kg	. . Other		
72.05	Granules and powders, of pig iron, spiegeleisen, iron or steel:				
7205.10.00	00G	kg	– Granules	Free	Free
			– Powders:		
7205.21.00	00E	kg	-- Of alloy steel	Free	Free
7205.29.00	00A	kg	-- Other	Free	Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
II.- IRON AND NON-ALLOY STEEL					
72.06	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03):				
7206.10.00	00E	kg	– Ingots	Free	Free
7206.90.00	00D	kg	– Other	Free	Free
72.07	Semi-finished products of iron or non-alloy steel:				
– Containing by weight less than 0.25 % of carbon:					
7207.11.00			-- Of rectangular (including square) cross-section, the width measuring less than twice the thickness	Free	Free
			. . . Blooms and billets:		
	01F	kg Less than 80 mm		
	09A	kg 80 mm and above but less than 120 mm		
	19J	kg Other		
	29F	kg	. . . Other		
7207.12.00			-- Other, of rectangular (other than square) cross-section	Free	Free
	01L	kg	. . . Slabs		
	09F	kg	. . . Other		
7207.19.00	00D	kg	-- Other	Free	Free
7207.20.00			– Containing by weight 0.25 % or more of carbon	Free	Free
			. . Blooms and billets:		
	01E	kg	. . . Less than 80 mm		
	09L	kg	. . . 80 mm and above but less than 120 mm		
	19H	kg	. . . Other		
	21K	kg	. . Slabs		
	29E	kg	. . Other		
72.08	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:				
7208.10.00			– In coils, not further worked than hot-rolled, with patterns in relief	5	TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg	. . Of a thickness exceeding 10 mm		
	09E	kg	. . Of a thickness of 4.75 mm or more but not exceeding 10 mm		
	11G	kg	. . Of a thickness of 3 mm or more but less than 4.75 mm		
	19B	kg	. . Of a thickness of less than 3 mm		
			– Other, in coils, not further worked than hot-rolled, pickled:		
7208.25.00	00H	kg	-- Of a thickness of 4.75 mm or more	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.26.00	00B	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.27.00	00G	kg	-- Of a thickness of less than 3 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
			– Other, in coils, not further worked than hot-rolled:		
7208.36.00	00F	kg	-- Of a thickness exceeding 10 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.37.00	00L	kg	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.38.00	00E	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.39.00	00K	kg	-- Of a thickness of less than 3 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Flat-rolled products of iron or non-alloy, etc.—continued					
7208.40			– Not in coils, not further worked than hot-rolled, with patterns in relief:		
7208.40.10	01F 09A	kg kg	– – Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm . . . Of a thickness of 4.75 mm or more but not exceeding 10 mm . . . Of a thickness exceeding 10 mm	Free	Free
7208.40.90			– – Other	5	TH 5 1/2010 Free TPA 5 1/2010 Free
	01K 09E 11G 19B	kg kg kg kg	. . . Of a thickness exceeding 10 mm . . . Of a thickness of 4.75 mm or more but not exceeding 10 mm . . . Of a thickness of 3 mm or more but less than 4.75 mm . . . Of a thickness of less than 3 mm		
			– Other, not in coils, not further worked than hot-rolled:		
7208.51			– – Of a thickness exceeding 10 mm:		
7208.51.10	00F	kg	– – – Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			– – – Other:		
7208.51.50	00H	kg	– – – – Of a width exceeding 1.95 m	Free	Free
7208.51.90	00K	kg	– – – – Other	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.52			– – Of a thickness of 4.75 mm or more but not exceeding 10 mm:		
7208.52.10	00L	kg	– – – Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			– – – Other:		
7208.52.50	00B	kg	– – – – Of a width exceeding 1.95 m	Free	Free
7208.52.90	00D	kg	– – – – Other	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.53			– – Of a thickness of 3 mm or more but less than 4.75 mm:		
7208.53.10	00E	kg	– – – Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
7208.53.90	00J	kg	– – – Other	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.54.00	00D	kg	– – Of a thickness of less than 3 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7208.90			– Other:		
			– – 3 mm or more in thickness:		
7208.90.02	01A 09G	kg kg	– – – Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm Coiled Other	Free	Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Flat-rolled products of iron or non-alloy, etc.—<i>continued</i>		
			– Other— <i>continued</i>		
			– – 3 mm or more in thickness— <i>continued</i>		
7208.90.05			– – – Other	5	TH 5 1/2010 Free TPA 5 1/2010 Free
		 Coiled:		
	01L	kg Exceeding 4.75 mm in thickness		
	09F	kg Other		
		 Other:		
	11H	kg Exceeding 4.75 mm in thickness		
	19C	kg Other		
7208.90.09			– – Less than 3 mm in thickness	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg	. . . Perforated or cellular but not further worked		
	09A	kg	. . . Other		
72.09			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:		
			– In coils, not further worked than cold-rolled (cold-reduced):		
7209.15.00	00B	kg	– – Of a thickness of 3 mm or more	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7209.16.00	00G	kg	– – Of a thickness exceeding 1 mm but less than 3 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7209.17.00	00A	kg	– – Of a thickness of 0.5 mm or more but not exceeding 1 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7209.18.00	00F	kg	– – Of a thickness of less than 0.5 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
			– Not in coils, not further worked than cold-rolled (cold-reduced):		
7209.25.00	00F	kg	– – Of a thickness of 3 mm or more	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7209.26.00	00L	kg	– – Of a thickness exceeding 1 mm but less than 3 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7209.27.00	00E	kg	– – Of a thickness of 0.5 mm or more but not exceeding 1 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7209.28.00	00K	kg	– – Of a thickness of less than 0.5 mm	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7209.90.00			– Other	Free	Free
			. . . 3 mm or more in thickness:		
	01G	kg	. . . Coiled		
	09B	kg	. . . Other		
			. . . Less than 3 mm in thickness:		
	11D	kg	. . . Perforated or cellular but not further worked		
	19K	kg	. . . Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
72.10			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:		
			– Plated or coated with tin:		
7210.11.00	01F	kg	-- Of a thickness of 0.5 mm or more . . . Worked	Free	Free
	11C	kg	. . . Other: Coiled		
	19J	kg Other		
7210.12.00	01L	kg	-- Of a thickness of less than 0.5 mm . . . Worked	Free	Free
	11H	kg	. . . Other: Coiled: Painted, lacquered or similarly coated		
	19C	kg Other		
	21E	kg Other: Painted, lacquered or similarly coated		
	29L	kg Other		
7210.20.00			– Plated or coated with lead, including terne-plate . . Coiled, not worked:	Free	Free
	01E	kg	. . . 3 mm or more in thickness		
	09L	kg	. . . Other		
	11B	kg	. . . Other: Exceeding 4.75 mm in thickness		
	21K	kg Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	29E	kg Other		
7210.30			– Electrolytically plated or coated with zinc: -- Exceeding 1.6 mm in thickness:		
7210.30.10	00F	kg	--- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7210.30.20			--- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg Exceeding 4.75 mm in thickness		
	09E	kg Other		
			-- Other:		
7210.30.30	00G	kg	--- Worked	5	LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
			--- Other:		
7210.30.40			---- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
	01L	kg Not further clad, plated or coated		
	09F	kg Painted, lacquered or similarly coated		
	11H	kg Plastic laminated		
	19C	kg Other		
7210.30.90			---- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01H	kg Not further clad, plated or coated		
	09C	kg Painted, lacquered or similarly coated		
	11E	kg Plastic laminated		
	19L	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Flat-rolled products of iron or non-alloy steel, etc.—continued					
– Otherwise plated or coated with zinc:					
7210.41.00	00J	kg	-- Corrugated	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7210.49			-- Other:		
--- Exceeding 1.9 mm in thickness:					
7210.49.01			---- Worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	01K	kg Exceeding 4.75 mm in thickness, not in coils		
	09E	kg Other		
---- Other:					
7210.49.11	00G	kg	----- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7210.49.19			----- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg Exceeding 4.75 mm in thickness		
	09A	kg Other		
--- Other:					
7210.49.21			---- Worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	01L	kg Rollformed but not further worked		
	09F	kg Other		
---- Other:					
7210.49.31			----- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
. Not further clad, plated or coated:					
	01F	kg Exceeding 1.6 mm in thickness		
	09A	kg Other		
. Painted, lacquered or similarly coated:					
	11C	kg Exceeding 1.6 mm in thickness		
	19J	kg Other		
. Plastic laminated:					
	21L	kg Exceeding 1.6 mm in thickness		
	29F	kg Other		
	39C	kg Other		
7210.49.39			----- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
. Not further clad, plated or coated:					
	01G	kg Exceeding 1.6 mm in thickness		
	09B	kg Other		
. Painted, lacquered or similarly coated:					
	11D	kg Exceeding 1.6 mm in thickness		
	19K	kg Other		
. Plastic laminated:					
	21A	kg Exceeding 1.6 mm in thickness		
	29G	kg Other		
	39D	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Flat-rolled products of iron or non-alloy, etc.—continued					
7210.50.00			– Plated or coated with chromium oxides or with chromium and chromium oxides	Free	Free
			. . . Coiled, not worked:		
	01F	kg	. . . 3 mm or more in thickness		
	09A	kg	. . . Other		
			. . . Other:		
	11C	kg	. . . Exceeding 4.75 mm in thickness		
	21L	kg	. . . Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	29F	kg	. . . Other		
			– Plated or coated with aluminium:		
7210.61			– – Plated or coated with aluminium-zinc alloys:		
7210.61.10			– – – Containing, in the plating or coating, not less than 95 % aluminium by weight	Free	Free
		 Worked:		
	01K	kg Exceeding 4.75 mm in thickness		
	09E	kg Other		
		 Other:		
		 Coiled:		
	11G	kg 3 mm or more in thickness		
	19B	kg Other		
		 Other:		
	21D	kg Exceeding 4.75 mm in thickness		
	31A	kg Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	39G	kg Other		
			– – – Other:		
7210.61.20			– – – – Worked	Free	Free
	01E	kg Exceeding 4.75 mm in thickness, not in coils		
	09L	kg Other		
			– – – – Other:		
7210.61.30			– – – – – Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
	01L	kg 1.9 mm or more in thickness		
	09F	kg Other		
7210.61.90			– – – – – Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg Exceeding 4.75 mm in thickness		
	05F	kg Exceeding 1.9 mm but not exceeding 4.75 mm in thickness		
	19F	kg Other		
7210.69			– – Other:		
7210.69.10			– – – Containing, in the plating or coating, not less than 95 % aluminium by weight	Free	Free
		 Worked:		
	01F	kg Exceeding 4.75 mm in thickness		
	09A	kg Other		
		 Other:		
		 Coiled:		
	11C	kg 3 mm or more in thickness		
	19J	kg Other		
		 Other:		
	21L	kg Exceeding 4.75 mm in thickness		
	31H	kg Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	39C	kg Other		
			– – – Other:		
7210.69.20			– – – – Worked	Free	Free
	01A	kg Exceeding 4.75 mm in thickness, not in coils		
	09G	kg Other		
			– – – – Other:		
7210.69.30			– – – – – Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
	01G	kg 1.9 mm or more in thickness		
	09B	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Flat-rolled products of iron or non-alloy, etc.—continued – Plated or coated with aluminium— <i>continued</i> -- Other— <i>continued</i> --- Other— <i>continued</i> ---- Other— <i>continued</i>		
7210.69.90			----- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg Exceeding 4.75 mm in thickness		
	05B	kg Exceeding 1.9 mm but not exceeding 4.75 mm in thickness		
	19B	kg Other		
7210.70			– Painted, varnished or coated with plastics:		
7210.70.01			-- Worked	Free	Free
	01K	kg	. . . Exceeding 4.75 mm in thickness, not in coils		
	09E	kg	. . . Other		
			-- Other:		
7210.70.11			--- Coiled	5	Free TPA Free
	01E	kg Exceeding 1.6 mm in thickness		
	09L	kg Other		
7210.70.19			---- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg Exceeding 4.75 mm in thickness		
	09A	kg Exceeding 1.6 mm but not exceeding 4.75 mm in thickness		
	19J	kg Other		
7210.90			– Other:		
7210.90.01			-- Worked	Free	Free
	01G	kg	. . . Exceeding 4.75 mm in thickness, not in coils		
	09B	kg	. . . Other		
			-- Other:		
7210.90.11			--- Coiled	5	Free TPA Free
	01B	kg 3 mm or more in thickness		
	09H	kg Other		
7210.90.19			---- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg Exceeding 4.75 mm in thickness		
	09J	kg Exceeding 3 mm but not exceeding 4.75 mm in thickness		
	19F	kg Other		
72.11			Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:		
			– Not further worked than hot-rolled:		
7211.13.00			-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg	. . . Of a width not exceeding 500 mm		
	05F	kg	. . . Over 500 mm in width, exceeding 4.75 mm in thickness		
	09J	kg	. . . Other		
7211.14			-- Other, of a thickness of 4.75 mm or more:		
7211.14.10			--- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg Over 500 mm in width		
	05F	kg 153 mm and over, but not exceeding 500 mm in width		
	09J	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Flat-rolled products of iron or non-alloy, etc.—<i>continued</i> — Not further worked than hot-rolled— <i>continued</i> — Other, of a thickness of 4.75 mm or more— <i>continued</i>		
7211.14.90			--- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01G	kg Over 500 mm in width		
	05K	kg 153 mm and over, but not exceeding 500 mm in width		
	09B	kg Other		
7211.19			-- Other:		
7211.19.10			--- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
	01F	kg Over 500 mm in width		
	05J	kg 153 mm and over, but not exceeding 500 mm in width		
	09A	kg Other		
7211.19.90			--- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg Over 500 mm in width		
	05B	kg 153 mm and over, but not exceeding 500 mm in width		
	09E	kg Other		
			— Not further worked than cold-rolled (cold-reduced):		
7211.23			-- Containing by weight less than 0.25 % of carbon:		
7211.23.10			--- Not exceeding 500 mm in width	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01B	kg Coiled		
	09H	kg Other		
			--- Other:		
7211.23.20	00K	kg	---- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7211.23.90	00H	kg	---- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
7211.29			-- Other:		
7211.29.10			--- Not exceeding 500 mm in width	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01K	kg Coiled		
	09E	kg Other		
			--- Other:		
7211.29.20	00G	kg	---- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7211.29.90	00E	kg	---- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Flat-rolled products of iron or non-alloy, etc.—continued					
7211.90			— Other:		
7211.90.01			-- Not exceeding 500 mm in width	6.5 7/2008 5	CA 1 7/2008 Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
	01E	kg	. . . Coiled		
	09L	kg	. . . Other		
7211.90.09			-- Other	Free	Free
	01F	kg	. . . Coiled		
			. . . Other:		
	11C	kg Perforated or cellular but not further worked		
	19J	kg Other		
72.12					
Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated					
7212.10			— Plated or coated with tin:		
7212.10.01	00F	kg	-- Worked	6.5 7/2008 5	CA 1 7/2008 Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
7212.10.09			-- Other	Free	Free
			. . . Not exceeding 500 mm in width:		
	01E	kg Coiled		
	09L	kg Other		
			. . . Other:		
	11B	kg Coiled		
		 Other:		
	21K	kg Of a thickness of 0.5 mm or more		
		 Other:		
	31G	kg Painted, lacquered or similarly coated		
	39B	kg Other		
7212.20			— Electrolytically plated or coated with zinc:		
7212.20.10			-- Not exceeding 500 mm in width	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01G	kg	. . . Coiled		
	09B	kg	. . . Other		
			-- Other:		
			--- Exceeding 1.6 mm in thickness:		
7212.20.20	00D	kg	---- Coiled	5	TH 5 1/2010 Free TPA 5 1/2010 Free
7212.20.30			---- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01H	kg Exceeding 4.75 mm in thickness		
	09C	kg Other		
			--- Other:		
7212.20.40	00E	kg	---- Worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Flat-rolled products of iron or non-alloy steel, etc.—continued		
			– Electrolytically plated or coated with zinc—continued		
			– – Other:—continued		
			– – – Other:—continued		
7212.20.90			– – – – Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01L	kg Coiled		
	09F	kg Other		
7212.30			– Otherwise plated or coated with zinc:		
7212.30.01			– – Not exceeding 500 mm in width	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01A	kg Worked		
		 Other:		
	11J	kg Exceeding 1.9 mm in thickness		
		 Other:		
		 Coiled:		
	21F	kg Not further clad, plated or coated		
	29A	kg Painted, lacquered or similarly coated		
	31C	kg Plastic laminated		
	39J	kg Other		
	49F	kg Other		
			– – Other:		
			– – – Exceeding 1.9 mm in thickness:		
7212.30.11			– – – – Worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	01G	kg Exceeding 4.75 mm in thickness, not in coils		
	09B	kg Other		
7212.30.19			– – – – Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01H	kg Coiled		
	09C	kg Exceeding 4.75 mm in thickness, not in coils		
	19L	kg Other		
			– – – Other:		
7212.30.21	00D	kg	– – – – Worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Flat-rolled products of iron or non-alloy steel, etc.—continued		
			– Otherwise plated or coated with zinc—continued		
			– – Other—continued		
			– – – Other—continued		
7212.30.29			– – – – Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Coiled:		
		 Not further clad, plated or coated:		
	01C	kg Exceeding 1.6 mm in thickness		
	09J	kg Other		
		 Painted, lacquered or similarly coated:		
	11L	kg Exceeding 1.6 mm in thickness		
	19F	kg Other		
		 Plastic laminated:		
	21H	kg Exceeding 1.6 mm in thickness		
	29C	kg Other		
	39L	kg Other		
		 Other:		
		 Not further clad, plated or coated:		
	41B	kg Exceeding 1.6 mm in thickness		
	49H	kg Other		
		 Painted, lacquered or similarly coated:		
	51K	kg Exceeding 1.6 mm in thickness		
	59E	kg Other		
		 Plastic laminated:		
	61G	kg Exceeding 1.6 mm in thickness		
	69B	kg Other		
	79K	kg Other		
7212.40			– Painted, varnished or coated with plastics:		
			– – Not exceeding 500 mm in width:		
7212.40.01	00G	kg	– – – Worked	6.5 7/2008 5	CA 1 7/2008 Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
7212.40.09			– – – Other	5	Free TPA Free
		 Coiled:		
	01F	kg Exceeding 1.6 mm in thickness		
	09A	kg Other		
	19J	kg Other		
			– – Other:		
7212.40.11			– – – Worked	Free	Free
	01L	kg Exceeding 4.75 mm in thickness		
	09F	kg Other		
7212.40.19			– – – Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Coiled:		
	01A	kg Exceeding 1.6 mm in thickness		
	09G	kg Other		
		 Other:		
	11J	kg Exceeding 4.75 mm in thickness		
	19D	kg Other		
7212.50			– Otherwise plated or coated:		
			– – Not exceeding 500 mm in width:		
7212.50.01	00L	kg	– – – Worked	6.5 7/2008 5	CA 1 7/2008 Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Flat-rolled products of iron or non-alloy steel, etc.—continued					
— Otherwise plated or coated— <i>continued</i>					
— Not exceeding 500 mm in width— <i>continued</i>					
7212.50.09	01K 09E	kg kg	--- Other Coiled Other	Free	Free
7212.50.18	01J 11F 19A	kg kg kg	-- Other . . . Coiled . . . Other: Exceeding 4.75 mm in thickness Other	Free	Free
7212.60			- Clad: -- Not exceeding 500 mm in width:		
7212.60.01	00D	kg	--- Worked	6.5 7/2008 5	CA 1 7/2008 Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
7212.60.09	01C 09J	kg kg	--- Other Coiled Other	Free	Free
7212.60.18	01B 11K 19E	kg kg kg	-- Other . . . Coiled . . . Other: Exceeding 4.75 mm in thickness Other	Free	Free
72.13			Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel:		
7213.10			- Containing indentations, ribs, grooves or other deformations produced during the rolling process:		
7213.10.10			-- Of cross-section in the shape of "flattened circles" or "modified rectangles" . . . Of a height of 80 mm or more:	Free	Free
	01A 05D 09G	kg kg kg Less than 40 kg/m Other . . . Other		
7213.10.90			-- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01E 09L	kg kg	. . . Of a circular cross-section measuring less than 14 mm in diameter . . . Other		
7213.20			- Of free-cutting steel:		
7213.20.10			-- Of cross-section in the shape of "flattened circles" or "modified rectangles" . . . Of a height of 80 mm or more:	Free	Free
	01E 05H 09L	kg kg kg Less than 40 kg/m Other . . . Other		
7213.20.90	00L	kg	-- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			- Other:		
7213.91			-- Of circular cross-section measuring less than 14 mm in diameter:		
7213.91.10			--- Of cross-section in the shape of "flattened circles" or "modified rectangles" Of a height of 80 mm or more:	Free	Free
	01E 05H 09L	kg kg kg Less than 40 kg/m Other Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Bars and rods, hot-rolled, in irregularly wound, etc.—<i>continued</i> — Other— <i>continued</i> — Of circular cross-section measuring less than, etc.— <i>continued</i>		
7213.91.90			--- Other:	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01J	kg Containing by weight less than 0.25 % of carbon		
	05A	kg Containing by weight 0.25 % or more but less than 0.6 % of carbon		
	09D	kg Other		
7213.99			-- Other:		
7213.99.10			--- Of cross-section in the shape of “flattened circles” or “modified rectangles” Of a height of 80 mm or more:	Free	Free
	01A	kg Less than 40 kg/m		
	05D	kg Other		
	09G	kg Other		
7213.99.90			--- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01E	kg Containing by weight less than 0.25 % of carbon		
	05H	kg Containing by weight 0.25 % or more but less than 0.6 % or carbon		
	09L	kg Other		
72.14			Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:		
7214.10.00			– Forged	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: Worked:		
	01D	kg Of a height of 80 mm or more		
	09K	kg Other		
		 Other: Of a height of 80 mm or more:		
	11A	kg Galvanised		
	15D	kg Other		
	19G	kg Other		
	29D	kg	. . . Other		
7214.20			– Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:		
7214.20.10			-- Of cross-section in the shape of “flattened circles” or “modified rectangles” Of a height of 80 mm or more:	Free	Free
	01C	kg Less than 40 kg/m		
	05F	kg Other		
	09J	kg	. . . Other		
7214.20.90			-- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Of circular cross-section measuring:		
	01G	kg Less than 14 mm in diameter		
	05K	kg 14 mm or more, but less than 42 mm in diameter		
	09B	kg 42 mm or more in diameter		
	19K	kg	. . . Other		
7214.30			– Of free-cutting steel:		
7214.30.10			-- Of cross-section in the shape of “flattened circles” or “modified rectangles” Of a height of 80 mm or more:	Free	Free
	01G	kg Less than 40 kg/m		
	05K	kg Other		
	09B	kg	. . . Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Other bars and rods of iron or non-alloy steel, etc.—continued — Of free-cutting steel— <i>continued</i>		
7214.30.90	00B	kg	-- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			— Other:		
7214.91.00			-- Of rectangular (other than square) cross-section	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Containing by weight less than 0.25 % of carbon:		
	01H	kg Less than 50 mm in width		
	09C	kg 50 mm or more, but less than 110 mm in width		
	11E	kg 110 mm or more in width		
	19L	kg Containing by weight 0.25 % or more but less than 0.6 % of carbon		
	29H	kg Other		
7214.99			-- Other:		
7214.99.10			--- Of cross-section in the shape of “flattened circles” or “modified rectangles”	Free	Free
		 Of a height of 80 mm or more:		
	01K	kg Less than 40 kg/m		
	05B	kg Other		
	09E	kg Other		
7214.99.90			--- Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Containing by weight less than 0.25 % of carbon:		
		 Of circular cross-section measuring:		
	01C	kg Less than 14 mm in diameter		
	03K	kg 14 mm or more, but less than 42 mm in diameter		
	05F	kg 42 mm or more in diameter		
	07B	kg Of square cross-section		
	09J	kg Other		
		 Containing by weight 0.25 % or more but less than 0.6 % of carbon:		
		 Of circular cross-section measuring:		
	11L	kg Less than 14 mm in diameter		
	13G	kg 14 mm or more, but less than 42 mm in diameter		
	15C	kg 42 mm or more in diameter		
	19F	kg Other		
		 Other:		
	21H	kg Of circular cross-section		
	29C	kg Other		
72.15			Other bars and rods of iron or non-alloy steel:		
7215.10.00			— Of free-cutting steel, not further worked than cold-formed or cold-finished	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
		 Of a height of 80 mm or more:		
	02L	kg Angles and tees		
	05E	kg Channels, girders, beams and joists		
	08K	kg Other		
		 Less than 80 mm:		
	11K	kg Angles and tees		
	15B	kg Channels, girders, beams and joists		
	19E	kg Other		
			. . . Other:		
	21G	kg Of circular cross-section		
	29B	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Other bars and rods of iron or non-alloy steel—<i>continued</i>					
7215.50			— Other, not further worked than cold-formed or cold-finished:		
7215.50.10			— Of cross-section in the shape of “flattened circles” or “modified rectangles”	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
	01B	kg	. . . Angles and tees		
	05E	kg	. . . Channels, girders, beams and joists		
	09H	kg	. . . Other		
			. . . Less than 80 mm:		
	11K	kg	. . . Angles and tees		
	15B	kg	. . . Channels, girders, beams and joists		
	19E	kg	. . . Other		
			— Other:		
7215.50.20			— Containing by weight less than 0.6 % of carbon	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Containing by weight less than 0.25 % of carbon:		
			. . . Straightened wire not exceeding 13 mm in diameter:		
	01H	kg Welding wire		
		 Other, plated or coated with zinc:		
	02F	kg Less than 1.6 mm in diameter		
	03D	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	04B	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	05L	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	06J	kg 4.5 mm or more, but less than 5.5 mm in diameter		
	09C	kg 5.5 mm or more in diameter		
		 Other:		
	11E	kg Less than 0.9 mm in diameter		
	12C	kg 0.9 mm or more, but less than 1.6 mm in diameter		
	13A	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	14K	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	15H	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	16F	kg 4.5 mm or more, but less than 6 mm in diameter		
	17D	kg 6 mm or more, but less than 7.5 mm in diameter		
	18B	kg 7.5 mm or more, but less than 11.5 mm in diameter		
	19L	kg 11.5 mm or more in diameter		
		 Other:		
		 Of circular cross-section:		
	21B	kg Welding		
		 Other, measuring:		
	23J	kg Less than 14 mm in diameter		
	24G	kg 14 mm or more, but less than 42 mm in diameter		
	25E	kg 42 mm or more in diameter		
	29H	kg Of square cross-section		
		 Other:		
	31K	kg Welding		
	39E	kg Other		
		 Other:		
		 Straightened wire not exceeding 13 mm in diameter:		
	41G	kg Welding wire		
		 Other, plated or coated with zinc:		
	43C	kg Less than 1.6 mm in diameter		
	44A	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	45K	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	46H	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	49B	kg 4.5 mm or more in diameter		
		 Other:		
	51D	kg Less than 0.9 mm in diameter		
	52B	kg 0.9 mm or more, but less than 1.6 mm in diameter		
	53L	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	54J	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	55G	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	56E	kg 4.5 mm or more, but less than 6 mm in diameter		
	57C	kg 6 mm or more, but less than 9 mm in diameter		
	59K	kg 9 mm or more in diameter		
		 Other:		
	71J	kg Of circular cross-section		
	79D	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Other bars and rods of iron or non-alloy steel—continued — Other, not further worked than cold-formed, etc.— <i>continued</i> -- Other— <i>continued</i> --- Containing by weight 0.6 % or more of carbon: ---- Straightened wire not exceeding 13 mm in diameter		
7215.50.30				6.5 7/2008 5	CA Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
	01C	kg Welding wire		
		 Other, plated or coated with zinc:		
	11L	kg Less than 1.6 mm in diameter		
	13G	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	15C	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	17K	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	19F	kg 4.5 mm or more in diameter		
		 Other:		
	21H	kg Less than 0.9 mm in diameter		
	23D	kg 0.9 mm or more, but less than 1.6 mm in diameter		
	25L	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	26J	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	28E	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	29C	kg 4.5 mm or more in diameter		
7215.50.90			---- Other	6.5 7/2008 5	CA Free TH 6.5 1/2008 5 1/2010 Free TPA 6.5 1/2008 5 1/2010 Free
		 Of circular cross-section:		
	01F	kg Welding		
		 Other, measuring:		
	11C	kg Less than 14 mm in diameter		
	13K	kg 14 mm or more, but less than 42 mm in diameter		
	15F	kg 42 mm or more in diameter		
	19J	kg Of square cross-section		
		 Other:		
	21L	kg Welding		
	29F	kg Other		
7215.90.00			— Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
	02K	kg Angles and tees		
	05D	kg Channels, girders, beams and joists		
	08J	kg Other		
		 Less than 80 mm:		
	11J	kg Angles and tees		
	15A	kg Channels, girders, beams and joists		
	19D	kg Other		
		 Other:		
	21F	kg Welding		
	29A	kg Other		
72.16			Angles, shapes and sections of iron or non-alloy steel:		
7216.10			— U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:		
7216.10.01	00J	kg	-- U sections 76 mm x 38 mm x 6.7 kg/m	6.5 7/2008 5	CA Free TH 6.5 1/2008 5 1/2010 Free TPA 6.5 1/2008 5 1/2010 Free
7216.10.09	00K	kg	-- Other — L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:	Free	Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Angles, shapes and sections of iron or non-alloy steel—<i>continued</i> – L or T sections, not further worked than hot-rolled, etc.— <i>continued</i>		
7216.21			– – L sections:		
7216.21.01	00G	kg	– – – Equal angles	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
7216.21.09	00H	kg	– – – Other	Free	Free
7216.22.00	00E	kg	– – T sections – U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:	Free	Free
7216.31			– – U sections:		
7216.31.01	00L	kg	– – – 102 mm x 51 mm x 10.4 kg/m	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
7216.31.09	00A	kg	– – – Other	Free	Free
7216.32.00			– – I sections	Free	Free
	01G	kg	. . . Less than 40 kg/m		
	09B	kg	. . . Other		
7216.33.00			– – H sections	Free	Free
	01A	kg	. . . Less than 40 kg/m		
	09G	kg	. . . Other		
7216.40			– L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:		
7216.40.01	00K	kg	– – Equal angled L sections, 80 mm x 80 mm by 5 mm to 13 mm in thickness	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
7216.40.09	00L	kg	– – Other	Free	Free
7216.50.00			– Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded . . . Of a height of 80 mm or more:	Free	Free
	01E	kg	. . . Less than 40 kg/m		
	09L	kg	. . . Other		
	19H	kg	. . . Other		
			– Angles, shapes and sections, not further worked than cold-formed or cold-finished:		
7216.61.00			– – Obtained from flat-rolled products	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Of a height of 80 mm or more:		
	01C	kg Angles and tees		
	05F	kg Channels, girders, beams and joists		
	09J	kg Other		
		 Less than 80 mm:		
	11L	kg Angles and tees		
	15C	kg Channels, girders, beams and joists		
	19F	kg Other		
7216.69.00			– – Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
		 Of a height of 80 mm or more:		
	01K	kg Angles and tees		
	05B	kg Channels, girders, beams and joists		
	09E	kg Other		
		 Less than 80 mm:		
	11G	kg Angles and tees		
	15K	kg Channels, girders, beams and joists		
	19B	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Angles, shapes and sections of iron or non-alloy steel—continued					
– Other:					
7216.91.00			– – Cold-formed or cold-finished from flat-rolled products	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Worked:		
	01D	kg Of a height of 80 mm or more		
	09K	kg Other		
			. . . Other:		
		 Of a height of 80 mm or more:		
	11A	kg Galvanised		
	15D	kg Other		
	19G	kg Other		
7216.99.00			– – Other	5	CA Free TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Worked:		
	01L	kg Of a height of 80 mm or more		
	09F	kg Other		
			. . . Other:		
		 Of a height of 80 mm or more:		
	11H	kg Galvanised		
	15L	kg Other		
	19C	kg Other		
72.17	Wire of iron or non-alloy steel:				
7217.10.00			– Not plated or coated, whether or not polished	6.5 7/2008 5	CA Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Containing by weight less than 0.25 % of carbon:		
			. . . Nail wire:		
	01J	kg 0.9 mm or more, but less than 1.6 mm in diameter		
	02G	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	03E	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	04C	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	05A	kg 4.5 mm or more, but less than 6 mm in diameter		
	06K	kg 6 mm or more, but less than 7.5 mm in diameter		
	07H	kg 7.5 mm or more, but less than 11.5 mm in diameter		
	08F	kg 11.5 mm or more in diameter		
			. . . Spring wire:		
	09D	kg 0.9 mm or more, but less than 1.6 mm in diameter		
	10H	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	11F	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	12D	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	13B	kg 4.5 mm or more, but less than 6 mm in diameter		
	14L	kg 6 mm or more, but less than 7.5 mm in diameter		
	15J	kg 7.5 mm or more, but less than 11.5 mm in diameter		
	16G	kg 11.5 mm or more in diameter		
			. . . Welding wire:		
	17E	kg Less than 0.9 mm in diameter		
	18C	kg 0.9 mm or more, but less than 1.6 mm in diameter		
	19A	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	20E	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	21C	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	22A	kg 4.5 mm or more, but less than 6 mm in diameter		
	23K	kg 6 mm or more, but less than 7.5 mm in diameter		
	24H	kg 7.5 mm or more, but less than 11.5 mm in diameter		
	25F	kg 11.5 mm or more in diameter		
			. . . Other:		
	26D	kg Less than 0.9 mm in diameter		
	27B	kg 0.9 mm or more, but less than 1.6 mm in diameter		
	28L	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	29J	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	30B	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	31L	kg 4.5 mm or more, but less than 6 mm in diameter		
	32J	kg 6 mm or more, but less than 7.5 mm in diameter		
	33G	kg 7.5 mm or more, but less than 11.5 mm in diameter		
	34E	kg 11.5 mm or more in diameter		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Wire of iron or non-alloy steel—<i>continued</i>					
– Not plated or coated, whether or not polished— <i>continued</i>					
. . . Containing by weight 0.25 % or more but less than 0.6 % of carbon:					
. . . Nail wire:					
35C	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
36A	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
37K	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
38H	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
39F	kg	 4.5 mm or more, but less than 6 mm in diameter		
40K	kg	 6 mm or more, but less than 9 mm in diameter		
41H	kg	 9 mm or more in diameter		
. . . Spring wire:					
42F	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
43D	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
44B	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
45L	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
46J	kg	 4.5 mm or more, but less than 6 mm in diameter		
47G	kg	 6 mm or more, but less than 9 mm in diameter		
48E	kg	 9 mm or more in diameter		
. . . Welding wire:					
49C	kg	 Less than 0.9 mm in diameter		
50G	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
51E	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
52C	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
53A	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
54K	kg	 4.5 mm or more, but less than 6 mm in diameter		
55H	kg	 6 mm or more, but less than 9 mm in diameter		
56F	kg	 9 mm or more in diameter		
. . . Other:					
57D	kg	 Less than 0.9 mm in diameter		
58B	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
59L	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
60D	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
61B	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
62L	kg	 4.5 mm or more, but less than 6 mm in diameter		
63J	kg	 6 mm or more, but less than 9 mm in diameter		
64G	kg	 9 mm or more in diameter		
. . . Containing by weight 0.6 % or more of carbon:					
. . . Nail wire:					
65E	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
66C	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
67A	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
68K	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
69H	kg	 4.5 mm or more in diameter		
. . . Spring wire:					
70A	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
71K	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
72H	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
73F	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
74D	kg	 4.5 mm or more in diameter		
. . . Welding wire:					
75B	kg	 Less than 0.9 mm in diameter		
76L	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
77J	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
78G	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
79E	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
80J	kg	 4.5 mm or more in diameter		
. . . Other:					
81G	kg	 Less than 0.9 mm in diameter		
82E	kg	 0.9 mm or more, but less than 1.6 mm in diameter		
83C	kg	 1.6 mm or more, but less than 2.5 mm in diameter		
84A	kg	 2.5 mm or more, but less than 3.55 mm in diameter		
85K	kg	 3.55 mm or more, but less than 4.5 mm in diameter		
86H	kg	 4.5 mm or more in diameter		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Wire of iron or non-alloy steel—continued		
7217.20			– Plated or coated with zinc:		
7217.20.10			– – Containing by weight less than 0.6 % carbon	6.5 7/2008 5	CA Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
		 Containing by weight less than 0.25 % carbon:		
		 Fencing wire:		
		 Less than 1.6mm in diameter:		
	01H	kg Coils, not exceeding 50 kg		
	03D	kg Other		
		 1.6 mm or more, but less than 2.5 mm in diameter:		
	05L	kg Coils, not exceeding 50 kg		
	07G	kg Other		
		 2.5 mm or more, but less than 4 mm in diameter:		
	08E	kg Coils, not exceeding 50 kg		
	09C	kg Other		
		 4 mm or more in diameter:		
	11E	kg Coils, not exceeding 50 kg		
	13A	kg Other		
		 Other:		
	14K	kg Less than 1.6 mm in diameter		
	15H	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	16F	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	17D	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	18B	kg 4.5 mm or more, but less than 5.5 mm in diameter		
	19L	kg 5.5 mm or more in diameter		
		 Other:		
		 Fencing wire:		
		 Less than 1.6 mm in diameter:		
	21B	kg Coils, not exceeding 50 kg		
	23J	kg Other		
		 1.6 mm or more, but less than 2.5 mm in diameter:		
	25E	kg Coils, not exceeding 50 kg		
	27A	kg Other		
		 2.5 mm or more, but less than 4 mm in diameter:		
	28K	kg Coils, not exceeding 50 kg		
	29H	kg Other		
		 4 mm or more in diameter:		
	31K	kg Coils, not exceeding 50 kg		
	33F	kg Other		
		 Other:		
	34D	kg Less than 1.6 mm in diameter		
	35B	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	36L	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	37J	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	39E	kg 4.5 mm or more in diameter		
7217.20.90			– – Other	6.5 7/2008 5	CA Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
		 Fencing wire:		
		 Less than 1.6 mm in diameter:		
	01A	kg Coils, not exceeding 50 kg		
	03H	kg Other		
		 1.6 mm or more, but less than 2.5 mm in diameter:		
	05D	kg Coils, not exceeding 50 kg		
	07L	kg Other		
		 2.5 mm or more, but less than 4 mm in diameter:		
	08J	kg Coils, not exceeding 50 kg		
	09G	kg Other		
		 4 mm or more in diameter:		
	11J	kg Coils, not exceeding 50 kg		
	13E	kg Other		
		 Other:		
	14C	kg Less than 1.6 mm in diameter		
	15A	kg 1.6 mm or more, but less than 2.5 mm in diameter		
	16K	kg 2.5 mm or more, but less than 3.55 mm in diameter		
	17H	kg 3.55 mm or more, but less than 4.5 mm in diameter		
	18F	kg 4.5 mm or more in diameter		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Wire of iron or non-alloy steel—continued					
7217.30.00			– Plated or coated with other base metals	6.5 7/2008 5	CA Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Containing by weight less than 0.25 % of carbon:		
		 Less than 1.8 mm in any cross-sectional dimension:		
	01F	kg Welding		
	09A	kg Other		
		 Other:		
	11C	kg Welding		
	19J	kg Other		
			. . . Containing by weight 0.25 % or more but less than 0.6 % of carbon:		
		 Less than 1.8 mm in any cross-sectional dimension		
	21L	kg Other		
	29F	kg Other:		
			. . . Pre-stressed wire		
	31H	kg Other		
	39C	kg Other		
7217.90.00			– Other	6.5 7/2008 5	CA Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
			. . . Containing by weight less than 0.25 % of carbon:		
		 Less than 1.8 mm in any cross-sectional dimension:		
	01H	kg Welding		
	09C	kg Other		
		 Other:		
	11E	kg Welding		
	19L	kg Other		
			. . . Containing by weight 0.25 % or more but less than 0.6 % of carbon:		
		 Less than 1.8 mm in any cross-sectional dimension		
	21B	kg Other		
	29H	kg Other:		
			. . . Pre-stressed wire		
	31K	kg Other		
	39E	kg Other		
III.- STAINLESS STEEL					
72.18					
Stainless steel in ingots or other primary forms; semi-finished products of stainless steel:					
7218.10.00	00J	kg	– Ingots and other primary forms	Free	Free
			– Other:		
7218.91.00	00B	kg	-- Of rectangular (other than square) cross-section	Free	Free
7218.99.00	00J	kg	-- Other	Free	Free
72.19					
Flat-rolled products of stainless steel, of a width of 600 mm or more:					
			– Not further worked than hot-rolled, in coils:		
7219.11.00	00A	kg	-- Of a thickness exceeding 10 mm	Free	Free
7219.12.00	00F	kg	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	Free	Free
7219.13.00	00L	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	Free	Free
7219.14.00	00E	kg	-- Of a thickness of less than 3 mm	Free	Free
			– Not further worked than hot-rolled, not in coils:		
7219.21.00	00E	kg	-- Of a thickness exceeding 10 mm	Free	Free
7219.22.00	00K	kg	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	Free	Free
7219.23.00	00D	kg	-- Of a thickness of 3 mm or more but less than 4.75 mm	Free	Free
7219.24.00	00J	kg	-- Of a thickness of less than 3 mm	Free	Free
			– Not further worked than cold-rolled (cold-reduced):		
7219.31.00			-- Of a thickness of 4.75 mm or more	Free	Free
	01G	kg	. . . Coiled		
	09B	kg	. . . Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Flat-rolled products of stainless steel, of a width, etc.—continued — Not further worked than cold-rolled (cold-reduced)—continued		
7219.32.00	01A 09G	kg kg	-- Of a thickness of 3 mm or more but less than 4.75 mm . . . Coiled . . . Other	Free	Free
7219.33.00	01F 09A	kg kg	-- Of a thickness exceeding 1 mm but less than 3 mm . . . Coiled . . . Other	Free	Free
7219.34.00	01L 09F	kg kg	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm . . . Coiled . . . Other	Free	Free
7219.35.00	01E 09L	kg kg	-- Of a thickness of less than 0.5 mm . . . Coiled . . . Other	Free	Free
7219.90.00	01D 11A 19G	kg kg kg	-- Other . . Coiled . . Other: . . . Perforated or cellular but not further worked . . . Other	Free	Free
72.20			Flat-rolled products of stainless steel, of a width of less than 600 mm: — Not further worked than hot-rolled:		
7220.11.00	01C 09J 11L 19F	kg kg kg kg	-- Of a thickness of 4.75 mm or more . . . Coiled: 153 mm or more in width Other . . . Other: 153 mm or more in width Other	Free	Free
7220.12.00	01H 09C 11E 19L	kg kg kg kg	-- Of a thickness of less than 4.75 mm . . . Coiled: 153 mm or more in width Other . . . Other: 153 mm or more in width Other	Free	Free
7220.20.00	01B 09H 11K 19E	kg kg kg kg	-- Not further worked than cold-rolled (cold-reduced) . . Coiled: . . . 153 mm or more in width . . . Other . . Other: . . . 153 mm or more in width . . . Other	Free	Free
7220.90			-- Other:		
7220.90.01	00F	kg	-- Not exceeding 500 mm in width	6.5 7/2008 5	CA 1 7/2008 Free LDC 5 TH 5 1/2010 Free TPA 5 1/2010 Free
7220.90.09	01E 09L	kg kg	-- Other . . . Coiled . . . Other	Free	Free
72.21			Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel . Of cross-section in the shape of "flattened circles" or "modified rectangles":		
7221.00.00	02A 08L 11L 19F	kg kg kg kg	. . 80 mm or more . . Other . Other: . . Wire rod . . Other	Free	Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
72.22			Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:		
			– Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:		
7222.11.00	00A	kg	-- Of circular cross-section	Free	Free
7222.19.00			-- Other	Free	Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
	01F	kg 80 mm or more		
	09A	kg Other		
	19J	kg Other		
7222.20.00			– Bars and rods, not further worked than cold-formed or cold-finished	Free	Free
			. . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
	01J	kg	. . . 80 mm or more		
	09D	kg	. . . Other		
	19A	kg	. . . Other		
7222.30.00			– Other bars and rods	Free	Free
			. . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
	02L	kg	. . . 80 mm or more		
	08K	kg	. . . Other		
			. . . Other:		
	11K	kg	. . . Welding		
	19E	kg	. . . Other		
7222.40.00			– Angles, shapes and sections	Free	Free
	02D	kg	. . Welding		
	08C	kg	. . Other		
72.23			Wire of stainless steel		
7223.00.00			. Welding	Free	Free
	01K	kg	. Other		
	09E	kg	. Other		
			IV.- OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL		
72.24			Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel:		
7224.10.00	00C	kg	– Ingots and other primary forms	Free	Free
7224.90.00	00B	kg	– Other	Free	Free
72.25			Flat-rolled products of other alloy steel, of a width of 600 mm or more:		
			– Of silicon-electrical steel:		
7225.11			-- Grain-oriented:		
7225.11.10	00A	kg	---- Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.11.90			---- Other	Free	Free
	01C	kg Worked		
		 Other:		
	05F	kg Coiled		
	09J	kg Other		
7225.19			-- Other:		
7225.19.10	00H	kg	---- Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.19.90			---- Other	Free	Free
	01K	kg Worked		
		 Other:		
	05B	kg Coiled		
	09E	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Flat-rolled products of other alloy steel, etc.—continued					
7225.30			— Other, not further worked than hot-rolled, in coils:		
			— Of high speed steel:		
7225.30.01	00E	kg	— Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.30.09	00F	kg	— Other	Free	Free
7225.30.19	00A	kg	— Other	Free	Free
7225.40			— Other, not further worked than hot rolled, not in coils:		
			— Of high speed steel:		
7225.40.01	00J	kg	— Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.40.09	00K	kg	— Other	Free	Free
7225.40.19			— Other	Free	Free
	10B	kg	. . . Exceeding 4.75 mm in thickness		
	19F	kg	. . . Other		
7225.50			— Other, not further worked than cold-rolled (cold-reduced):		
			— Of high speed steel:		
7225.50.01	00B	kg	— Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7225.50.09			— Other	Free	Free
	13E	kg Coiled		
	19D	kg Other		
7225.50.19			— Other	Free	Free
	10F	kg	. . . Coiled		
	19K	kg	. . . Other		
			— Other:		
7225.91			— Electrolytically plated or coated with zinc:		
7225.91.10			— Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10H	kg Of high speed steel		
		 Other:		
	13B	kg Exceeding 4.75 mm in thickness, not in coils		
	19A	kg Other		
7225.91.90			— Other	Free	Free
		 Of high speed steel:		
	10A	kg Worked		
		 Other:		
	13F	kg Coiled		
	17J	kg Other		
		 Other:		
		 Worked:		
	21G	kg Exceeding 4.75 mm in thickness, not in coils		
	25K	kg Other		
		 Other:		
	27F	kg Coiled		
	29B	kg Exceeding 4.75 mm in thickness, not in coils		
	39K	kg Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
Flat-rolled products of other alloy steel, etc.—continued					
— Other—continued					
7225.92			-- Otherwise plated or coated with zinc:		
7225.92.10			--- Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10B	kg Of high speed steel		
		 Other:		
	13G	kg Exceeding 4.75 mm in thickness, not in coils		
	19F	kg Other		
7225.92.90			--- Other	Free	Free
		 Of high speed steel:		
	10F	kg Worked		
		 Other:		
	13L	kg Coiled		
	17C	kg Other		
		 Other:		
		 Worked:		
	21A	kg Exceeding 4.75 mm in thickness, not in coils		
	25D	kg Other		
		 Other:		
	27L	kg Coiled		
	29G	kg Exceeding 4.75 mm in thickness, not in coils		
	39D	kg Other		
7225.99			-- Other:		
7225.99.10			--- Galvanised	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10D	kg Of high speed steel		
		 Other:		
	13J	kg Exceeding 4.75 mm in thickness, not in coils		
	19H	kg Other		
7225.99.90			--- Other	Free	Free
		 Of high speed steel:		
	10H	kg Worked		
		 Other:		
	13B	kg Coiled		
	17E	kg Other		
		 Other:		
		 Worked:		
	21C	kg Exceeding 4.75 mm in thickness, not in coils		
	25F	kg Other		
		 Other:		
	27B	kg Coiled		
	29J	kg Exceeding 4.75 mm in thickness, not in coils		
	39F	kg Other		
72.26			Flat-rolled products of other alloy steel, of a width of less than 600 mm:		
— Of silicon-electrical steel:					
7226.11			-- Grain-oriented:		
7226.11.10	00K	kg	--- Galvanised or worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7226.11.90			--- Other	Free	Free
	01A	kg Coiled		
	09G	kg Other		
7226.19			-- Other:		
7226.19.10	00F	kg	--- Galvanised or worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Flat-rolled products of other alloy steel, of a width, etc.—continued — Of silicon-electrical steel— <i>continued</i> — Other— <i>continued</i>		
7226.19.90	01H 09C	kg kg	--- Other Coiled Other	Free	Free
7226.20			— Of high speed steel:		
7226.20.01	00K	kg	-- Galvanised or worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
7226.20.18	01H 09C	kg kg	-- Other . . . Coiled . . . Other	Free	Free
7226.91.00	01A 11J 19D	kg kg kg	-- Not further worked than hot-rolled . . . Coiled . . . Other: Over 500 mm in width, of a thickness exceeding 4.75 mm Other	Free	Free
7226.92.00	01F 09A	kg kg	-- Not further worked than cold-rolled (cold-reduced) . . . Coiled . . . Other	Free	Free
7226.99			-- Other:		
7226.99.01			--- Galvanised or worked	5	CA Free LDC 4 TH 4 1/2010 Free TPA 4 1/2010 Free
	10C 13H 15D 17L 19G 29D	kg kg kg kg kg kg Electrolytically plated or coated with zinc: Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils Other Otherwise plated or coated with zinc: Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils Other Other: Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils Other		
7226.99.18	10C 13H 15D 17L 21J 29D 31F 33B 39A	kg kg kg kg kg kg kg kg kg	--- Other Electrolytically plated or coated with zinc: Coiled Other: Over 500 mm in width, of a thickness exceeding 4.75 mm Other Otherwise plated or coated with zinc: Coiled Other: Over 500 mm in width, of a thickness exceeding 4.75 mm Other Coiled Other: Over 500 mm in width, of a thickness exceeding 4.75 mm Other	Free	Free
72.27			Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel:		
7227.10.00	02D 05J 08C 11C 19J	kg kg kg kg kg	— Of high speed steel . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: . . . Of a height of 80 mm or more: Channels, girders, beams and joists Other . . . Other: . . . Wire rod . . . Other	Free	Free

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—*continued*
Iron and steel—*continued*

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Bars and rods, hot-rolled, in irregularly wound coils, etc.—<i>continued</i>		
7227.20.00			– Of silico-manganese steel	Free	Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
		 Of a height of 80 mm or more:		
	02H	kg Channels, girders, beams and joists		
	05B	kg Other		
	08G	kg Other		
			. . . Other:		
		 For welding electrodes:		
	11G	kg Wire rod		
	19B	kg Other		
			. . . Other:		
	21D	kg Wire rod		
	29K	kg Other		
7227.90.00			– Other	Free	Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
		 Of a height of 80 mm or more:		
	02C	kg Channels, girders, beams and joists		
	05H	kg Other		
	08B	kg Other		
			. . . Other:		
	11B	kg	. . . Wire rod		
	19H	kg	. . . Other		
72.28			Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:		
7228.10.00			– Bars and rods, of high speed steel	Free	Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
		 Of a height of 80 mm or more:		
	02B	kg Channels, girders, beams and joists		
	05G	kg Other		
	08A	kg Other		
			. . . Other:		
	11A	kg	. . . Wire rod		
	19G	kg	. . . Other		
7228.20.00			– Bars and rods, of silico-manganese steel	Free	Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
		 Of a height of 80 mm or more:		
	02F	kg Channels, girders, beams and joists		
	05L	kg Other		
	08E	kg Other		
			. . . Other:		
		 Wire rod:		
	12C	kg Welding		
	18B	kg Other		
			. . . Other:		
	21B	kg Welding		
	29H	kg Other		
7228.30.00			– Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	Free	Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
		 Of a height of 80 mm or more:		
	02K	kg Channels, girders, beams and joists		
	05D	kg Other		
	08J	kg Other		
			. . . Other:		
	11J	kg	. . . Wire rod		
	19D	kg	. . . Other		
7228.40.00			– Other bars and rods, not further worked than forged	Free	Free
			. . . Of cross-section in the shape of “flattened circles” or “modified rectangles”:		
		 Of a height of 80 mm or more:		
	02C	kg Channels, girders, beams and joists		
	05H	kg Other		
	08B	kg Other		
	19H	kg	. . . Other		

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

Chapter 72—continued
Iron and steel—continued

Number	Statistical Key		Goods	Rates of Duty	
	Code	Unit		Normal Tariff	*Preferential Tariff
			Other bars and rods of other alloy steel; angles, etc.—continued		
7228.50.00			– Other bars and rods, not further worked than cold-formed or cold-finished . . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: Of a height of 80 mm or more: Channels, girders, beams and joists Other Other Other	Free	Free
	02G	kg Channels, girders, beams and joists		
	05A	kg Other		
	08F	kg Other		
	19A	kg Other		
7228.60.00			– Other bars and rods . . . Of cross-section in the shape of “flattened circles” or “modified rectangles”: Of a height of 80 mm or more: Channels, girders, beams and joists Other Other Other: Welding Other	Free	Free
	02L	kg Channels, girders, beams and joists		
	05E	kg Other		
	08K	kg Other		
	11K	kg Welding		
	19E	kg Other		
7228.70.00			– Angles, shapes and sections . . . Of a height of 80 mm or more: Channels, girders, beams and joists Other Other	Free	Free
	01F	kg Channels, girders, beams and joists		
	09A	kg Other		
	19J	kg Other		
7228.80.00	00A	kg	– Hollow drill bars and rods	Free	Free
72.29			Wire of other alloy steel:		
7229.20.00			– Of silico-manganese steel . . . Coated: Welding Other Other: Welding Other	Free	Free
	02D	kg Welding		
	08C	kg Other		
	12A	kg Welding		
	18L	kg Other		
7229.90.00			– Other . . . Of high speed steel: Coated Other Other: Coated: Welding Other Other: Welding Other	Free	Free
	10L	kg Coated		
	13E	kg Other		
	15A	kg Welding		
	17H	kg Other		
	21F	kg Welding		
	29A	kg Other		

* * *

*Unless otherwise indicated, AU, LLDC, Pac and OPS (Other Preferential Sources—see page v) rates in the Preferential Tariff are Free.

