Section XV

Base metals and articles of base metal

NOTES-

- 1. This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15):
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, luminaires and lighting fittings, illuminated signs, prefabricated buildings);
 - (1) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs, monopods, bipods, tripods and similar articles or other articles of chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of Chapter 97 (for example, works of art).
- 2. Throughout the Tariff, the expression "parts of general use" means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal, other than articles specially designed for use exclusively in implants in medical, surgical, dental or veterinary sciences (heading 90.21);
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

- 3. Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).
- 5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) În this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- 6. Unless the context otherwise requires, any reference in the Tariff to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the General Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
- (c) A cermet of heading 81.13 is regarded as a single base metal.
- 8. In this Section, the following expressions have the meanings hereby assigned to them:
 - (a) Waste and scrap
 - (i) All metal waste and scrap;
 - (ii) Metal goods definitely not useable as such because of breakage, cutting-up, wear or other reasons.
 - (b) Powders

Products of which 90 % or more by weight passes through a sieve having a mesh aperture of 1 mm.

Section XV—continued

Base metals and articles of base metal—continued

9. For the purposes of Chapters 74 to 76 and 78 to 81, the following expressions have the meanings hereby assigned to them:

(a) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire-bars and billets of Chapter 74 with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire-rod) or tubes, are however to be taken to be unwrought copper of heading 74.03. This provision applies *mutatis mutandis* to the products of Chapter 81.

(b) Profiles

Rolled, extruded drawn, forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not confirm to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width.

(d) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width;
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings for plates, sheets, strip, and foil apply, *inter alia*, to plates, sheets, strip, and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

NEW ZEALAND NOTE-

- 1. In relation to products classified within headings 72.10, 72.12, 72.16, 72.25, 72.26, 74.09 and 76.06, the expression "worked" is to be taken not to apply to base metals which have been subjected only to one or more of the following treatments:
 - (i) Heat treatments such as annealing or tempering, designed to improve the properties of the metal;
 - (ii) Processes to remove scale or crust formed during the heating of the metal;
 - (iii) Coating to prevent rusting (for example, with oil or grease);
 - (iv) Finishing treatments, the following:

Polishing, glazing, electro-plating or other forms of metallisation (including cladding), coating with paint, lacquer, bitumen or the like, or covering with other material (except vitreous enamel).

Iron and steel—continued

Chapter 72

Iron and steel

NOTES-

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Tariff, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 % of chromium
- not more than 6 % of manganese
- not more than 3 % of phosphorus
- not more than 8 % of silicon
- a total of not more than 10 % of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following:

- more than 10 % of chromium
- more than 30 % of manganese
- more than 3 % of phosphorus
- more than 8 % of silicon
- a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10 % in the case of copper.

(d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 % or more of aluminium
- 0.0008 % or more of boron
- 0.3 % or more of chromium
- 0.3 % or more of cobalt
- 0.4 % or more of copper
- 0.4 % or more of lead
- 1.65 % or more of manganese
- 0.08 % or more of molybdenum
- 0.3 % or more of nickel
- 0.06 % or more of niobium
- 0.6 % or more of silicon
- 0.05 % or more of titanium
- 0.3 % or more of tungsten (wolfram)
- 0.1 % or more of vanadium
- 0.05 % or more of zirconium
- 0.1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of 5 mm.

Iron and steel—continued

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(1) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(a) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

SUBHEADING NOTES—

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 % of chromium
- more than 0.3 % of copper
- more than 0.3 % of nickel
- more than 0.1 % of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08 % or more of sulphur
- 0.1 % or more of lead
- more than 0.05 % of selenium
- more than 0.01 % of tellurium
- more than 0.05 % of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6 % but not more than 6 % of silicon and not more than 0.08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6 % or more of carbon and 3 % to 6 % of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7 % of carbon.
- 0.5 % or more but not more than 1.9 % of manganese, and
- 0.6 % or more but not more than 2.3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1 (c) must each exceed 10 % by weight.

* *

Section XV Chapter 72/6

| | Statistic | cal Key | | Rates | of Duty |
|------------|------------|----------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | I PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM | | |
| 72.01 | | | Pig iron and spiegeleisen in pigs, blocks or other primary forms: | | |
| 7201.10.00 | 00D | kg | – Non-alloy pig iron containing by weight 0.5 $\%$ or less of phosphorus | Free | Free |
| 7201.20.00 | 00H | kg | – Non-alloy pig iron containing by weight more than 0.5 $\%$ of phosphorus | Free | Free |
| 7201.50.00 | 01G 09B | kg kg | Alloy pig iron; spiegeleisen:. Alloy pig iron. Spiegeleisen | Free | Free |
| 72.02 | ODD | ĸg | Ferro-alloys: | | |
| 72.02 | | | - Ferro-manganese: | | |
| 7202.11.00 | 00G | kg | - Containing by weight more than 2 % of carbon | Free | Free |
| 7202.11.00 | 00C | kg | - Other | Free | Free |
| 7202.17.00 | 000 | ĸg | - Ferro-silicon: | Tiec | Ticc |
| 7202.21.00 | 00L | kg | - Containing by weight more than 55 % of silicon | Free | Free |
| 7202.29.00 | 00G | kg | - Other | Free | Free |
| 7202.30.00 | 00K | kg | - Ferro-silico-manganese | Free | Free |
| 7202.30.00 | OOK | ĸg | - Ferro-chromium: | 1100 | 1100 |
| 7202.41.00 | 00H | kg | - Containing by weight more than 4 % of carbon | Free | Free |
| 7202.49.00 | 00D | kg | - Other | Free | Free |
| 7202.50.00 | 00G | kg | - Ferro-silico-chromium | Free | Free |
| 7202.60.00 | 00L | kg | - Ferro-nickel | Free | Free |
| 7202.70.00 | 00D | kg | - Ferro-molybdenum | Free | Free |
| 7202.80.00 | 00H | kg | - Ferro-tungsten and ferro-silico-tungsten | Free | Free |
| 7202.00.00 | 0011 | ĸg | - Other: | Tiec | 1100 |
| 7202.91.00 | 00F | kg | Ferro-titanium and ferro-silico-titanium | Free | Free |
| 7202.92.00 | 00L | kg | – – Ferro-vanadium | Free | Free |
| 7202.93.00 | 00E | kg | – – Ferro-niobium | Free | Free |
| 7202.99.00 | 00B | kg | Other | Free | Free |
| 72.03 | | | Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 %, in lumps, pellets or similar forms: | | |
| 7203.10.00 | 00L | kg | - Ferrous products obtained by direct reduction of iron ore | Free | Free |
| 7203.90.00 | 00K | kg | – Other | Free | Free |
| 72.04 | | | Ferrous waste and scrap; remelting scrap ingots of iron or steel: | | |
| 7204.10.00 | 00J | tne | - Waste and scrap of cast iron | Free | Free |
| | | | - Waste and scrap of alloy steel: | | |
| 7204.21.00 | 00G | tne | Of stainless steel | Free | Free |
| 7204.29.00 | 00C | tne | Other | Free | Free |
| 7204.30.00 | 00F | tne | - Waste and scrap of tinned iron or steel | Free | Free |
| | | | - Other waste and scrap: | | |
| 7204.41.00 | 00D | tne | - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles | Free | Free |
| 7204.49.00 | 00L | tne | Other | Free | Free |
| 7204.50.00 | 01A 09G | kg kg | Remelting scrap ingots. Ferro-alloy. Other | Free | Free |
| 72.05 | | | Granules and powders, of pig iron, spiegeleisen, iron or steel: | | |
| 7205.10.00 | 00G | kg | - Granules | Free | Free |
| | | Č | - Powders: | | |
| | | | | | |
| 7205.21.00 | 00E | kg | Of alloy steel | Free | Free |

| | Statistical Key | | | Rates | of Duty |
|-----------------------|--------------------------|----------------------|---|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | II IRON AND NON-ALLOY STEEL | | |
| 72.06 | | | Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03): | | |
| 7206.10.00 | 00E | kg | - Ingots | Free | Free |
| 7206.90.00 | 00D | kg | - Other | Free | Free |
| 72.07 | | | Semi-finished products of iron or non-alloy steel: | | |
| | | | - Containing by weight less than 0.25 % of carbon: | | |
| 7207.11.00 | 01F 09A | kg kg | Of rectangular (including square) cross-section, the width measuring less than twice the thickness Blooms and billets: Less than 80 mm 80 mm and above but less than 120 mm | Free | Free |
| | 19J 29F | kg kg | Other Other | | |
| 7207.12.00 | 01L 09F | kg kg | Other, of rectangular (other than square) cross-section Slabs Other | Free | Free |
| 7207.19.00 | 00D | kg | Other | Free | Free |
| 7207.20.00 | 01E | kg | Containing by weight 0.25 % or more of carbon . Blooms and billets: Less than 80 mm | Free | Free |
| | 09L 19H 21K 29E | kg kg kg kg | 80 mm and above but less than 120 mm Other . Slabs . Other | | |
| 72.08 | | | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: | | |
| 7208.10.00 | | | – In coils, not further worked than hot-rolled, with patterns in relief | 5 | Free *See Below RCEP 3.5 1/2025 3 |
| | 01K 09E 11G 19B | kg kg kg kg | . Of a thickness exceeding 10 mm . Of a thickness of 4.75 mm or more but not exceeding 10 mm . Of a thickness of 3 mm or more but less than 4.75 mm . Of a thickness of less than 3 mm | | |
| | | | - Other, in coils, not further worked than hot-rolled, pickled: | | |
| 7208.25.00 | 00H | kg | Of a thickness of 4.75 mm or more | 5 | Free *See Below RCEP 4 1/2025 3.7 |
| 7208.26.00 | 00B | kg | Of a thickness of 3 mm or more but less than 4.75 mm | 5 | Free *See Below RCEP 4 1/2025 3.7 |
| 7208.27.00 | 00G | kg | Of a thickness of less than 3 mm | 5 | Free |
| | | | - Other, in coils, not further worked than hot-rolled: | | *See Below |
| 7208.36.00 | 00F | kg | Of a thickness exceeding 10 mm | 5 | Free *See Below RCEP 5 1/2025 5 |
| 7208.37.00 | 00L | kg | Of a thickness of 4.75 mm or more but not exceeding 10 mm | 5 | Free *See Below RCEP 3.5 1/2025 3 |
| 7208.38.00 | 00E | kg | Of a thickness of 3 mm or more but less than 4.75 mm | 5 | Free *See Below RCEP 3.5 1/2025 3 |
| 7208.39.00 | 00K | kg | Of a thickness of less than 3 mm | 5 | Free *See Below RCEP 5 1/2025 5 |
| 7208.40 7208.40.10 | 01F 09A | kg kg | Not in coils, not further worked than hot-rolled, with patterns in relief: Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm Of a thickness of 4.75 mm or more but not exceeding 10 mm Of a thickness exceeding 10 mm | Free | Free |

| | Statistical Key | | | Rates | of Duty |
|------------|--------------------------|----------------------|---|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 7208.40.90 | | | Flat-rolled products of iron or non-alloy steel, etc.—continued Not in coils, not further worked than hot-rolled, etc.—continued Other | 5 | Free |
| | | | | | *See Below RCEP 4 1/2025 3.7 |
| | 01K 09E 11G 19B | kg kg kg kg | Of a thickness exceeding 10 mm Of a thickness of 4.75 mm or more but not exceeding 10 mm Of a thickness of 3 mm or more but less than 4.75 mm Of a thickness of less than 3 mm | | |
| | | | - Other, not in coils, not further worked than hot-rolled: | | |
| 7208.51 | | | − − Of a thickness exceeding 10 mm: | | |
| 7208.51.10 | 00F | kg | Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa | 5 | Free *See Below CA Free RCEP 5 |
| | | | Other: | | 1/2025 5 |
| 7208.51.50 | 00H | kg | Of a width exceeding 1.95 m | Free | Free |
| 7208.51.90 | 00K | kg | Other | 5 | Free *See Below RCEP 3.5 1/2025 3 |
| 7208.52 | | | Of a thickness of 4.75 mm or more but not exceeding 10 mm: | | 172023 3 |
| 7208.52.10 | OOL | kg | Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | | | Other: | | 1/2023 3 |
| 7208.52.50 | 00B | kg | Of a width exceeding 1.95 m | Free | Free |
| 7208.52.90 | 00D | kg | Other | 5 | Free *See Below CPT Free RCEP 5 1/2025 5 |
| 7208.53 | | | − Of a thickness of 3 mm or more but less than 4.75 mm: | | |
| 7208.53.10 | 00E | kg | Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa | 5 | Free *See Below CA Free |
| 7208.53.90 | ООЈ | kg | Other | 5 | Free *See Below RCEP 3.5 1/2025 3 |
| 7208.54.00 | 00D | kg | Of a thickness of less than 3 mm | 5 | Free *See Below RCEP 4 1/2025 3.7 |
| 7208.90 | | | - Other: | | |
| | | | – 3 mm or more in thickness: | | |
| 7208.90.02 | 01A 09G | kg kg | Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm Coiled Other | Free | Free |

| Statistical Key | | cal Key | | Rates | of Duty |
|-----------------|------------|----------|--|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued | | |
| | | | Other – continued - 3 mm or more in thickness – continued | | |
| 7208.90.05 | | | Other | 5 | Free |
| | | | | | *See Below RCEP 4 |
| | | | Coiled: | | 1/2025 3.7 |
| | 01L | kg | Exceeding 4.75 mm in thickness | | |
| | 09F | kg | Other Other: | | |
| | 11H 19C | kg kg | Exceeding 4.75 mm in thickness Other | | |
| 7208.90.09 | 170 | ĸş | - Less than 3 mm in thickness | 5 | Free |
| | | | | | *See Below CA Free |
| | 01F | kg | Perforated or cellular but not further worked | | CAFIEE |
| 72 00 | 09A | kg | Other | | |
| 72.09 | | | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated: | | |
| | | | - In coils, not further worked than cold-rolled (cold-reduced): | | |
| 7209.15.00 | 00B | kg | Of a thickness of 3 mm or more | 5 | Free |
| | | | | | *See Below RCEP 4 |
| | | | | | 1/2025 3.7 |
| 7209.16.00 | 00G | kg | Of a thickness exceeding 1 mm but less than 3 mm | 5 | Free *See Below |
| | | | | | RCEP 5 |
| | | | | _ | 1/2025 5 |
| 7209.17.00 | 00A | kg | Of a thickness of 0.5 mm or more but not exceeding 1 mm | 5 | Free *See Below |
| | | | | | RCEP 4 1/2025 3.7 |
| 7209.18.00 | 00F | kg | Of a thickness of less than 0.5 mm | 5 | Free |
| 7207.10.00 | 001 | Kς | of a differences of less than 0.5 min | 5 | *See Below |
| | | | | | RCEP 5 1/2025 5 |
| | | | – Not in coils, not further worked than cold-rolled (cold-reduced): | | |
| 7209.25.00 | 00F | kg | Of a thickness of 3 mm or more | 5 | Free *See Below |
| | | | | | RCEP 4 |
| 7209.26.00 | 00L | 1 | Of a thickness areas dies 1 mm but less than 2 mm | 5 | 1/2025 3.7 |
| 7209.26.00 | OOL | kg | Of a thickness exceeding 1 mm but less than 3 mm | 3 | Free *See Below |
| | | | | | RCEP 3.5 1/2025 3 |
| 7209.27.00 | 00E | kg | Of a thickness of 0.5 mm or more but not exceeding 1 mm | 5 | Free |
| | | 0 | | | *See Below |
| 7209.28.00 | 00K | kg | Of a thickness of less than 0.5 mm | 5 | Free *See Below |
| | | | | | RCEP 4 |
| 7200 00 00 | | | Od. | F | 1/2025 3.7 |
| 7209.90.00 | | | - Other 3 mm or more in thickness: | Free | Free |
| | 01G 09B | kg kg | Coiled Other | | |
| | | | Less than 3 mm in thickness: | | |
| | 11D 19K | kg kg | Perforated or cellular but not further worked Other | | |
| 72.10 | | C | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or | | |
| | | | more, clad, plated or coated: | | |
| 7010 11 00 | | | - Plated or coated with tin: | Ε. | Ε |
| 7210.11.00 | 01F | kg | Of a thickness of 0.5 mm or more Worked | Free | Free |
| | 11C | kg | Other: Coiled | | |
| | 19J | kg | Other | | |
| | | | | | |

| | Statisti | cal Key | | Rates | of Duty |
|------------|--------------------------|----------------------|--|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued – Plated or coated with tin—continued | | |
| 7210.12.00 | | | Of a thickness of less than 0.5 mm | Free | Free |
| | 01L | kg | Worked Other: Coiled: | | |
| | 11H 19C | kg kg | Painted, lacquered or similarly coated Other Other: | | |
| | 21E 29L | kg kg | Painted, lacquered or similarly coated Other | | |
| 7210.20.00 | 01E 09L | kg kg | Plated or coated with lead, including terne-plate . Coiled, not worked: 3 mm or more in thickness Other | Free | Free |
| | 11B 21K 29E | kg kg kg | Other: Exceeding 4.75 mm in thickness Exceeding 3 mm but not exceeding 4.75 mm in thickness Other | | |
| 7210.30 | 271 | Кg | - Electrolytically plated or coated with zinc: | | |
| | | | Exceeding 1.6 mm in thickness: | | |
| 7210.30.10 | 00F | kg | Coiled | 5 | Free *See Below RCEP 4 1/2025 3.7 |
| 7210.30.20 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 |
| | 01K 09E | kg kg | Exceeding 4.75 mm in thickness Other | | 1/2025 3 |
| | | | Other: | | |
| 7210.30.30 | 00G | kg | Worked | 5 | Free *See Below LDC 4 RCEP 4 1/2025 3.7 |
| 7210 20 40 | | | Other: | ~ | |
| 7210.30.40 | | | Coiled | 5 | Free *See Below RCEP 5 1/2025 5 |
| | 01L 09F 11H 19C | kg kg kg kg | Not further clad, plated or coated Painted, lacquered or similarly coated Plastic laminated Other | | 1/2023 3 |
| 7210.30.90 | | | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01H 09C 11E 19L | kg kg kg kg | Not further clad, plated or coated Painted, lacquered or similarly coated Plastic laminated Other | | 1/2023 3./ |
| | _ | .0 | - Otherwise plated or coated with zinc: | | |
| 7210.41.00 | ООЈ | kg | Corrugated | 5 | Free *See Below CA Free LDC 4 RCEP 5 1/2025 5 |
| 7210.49 | | | - Other:- Exceeding 1.9 mm in thickness: | | |
| | | | Exceeding 1.5 mm in directions. | | |

| | Statistical Key | | Кеу | | of Duty |
|------------|-----------------|------|---|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued - Otherwise plated or coated with zinc—continued - Other—continued - Exceeding 1.9 mm in thickness—continued | | |
| 7210.49.01 | | | Worked | 5 | Free *See Below CA Free LDC 4 RCEP 5 1/2025 5 |
| | 01K 09E | | Exceeding 4.75 mm in thickness, not in coils Other | | |
| | | | Other: | | |
| 7210.49.11 | | | Coiled | 5 | Free *See Below RCEP 3.5 1/2025 3 |
| | | | Containing in the plating or coating, not less than 50 % and not more than 80 % zinc by weight, alloyed with aluminium: Painted, laquered or similarly coated: | | |
| | 10D | kg | Of a thickness exceeding 1.9 mm or more but less than 3.0 r | nm | |
| | 15E | kg | Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 19H | | Of a thickness of 4.75 mm or more Plastic laminated: | | |
| | 21K | kg | Of a thickness exceeding 1.9 mm or more but less than 3.0 r | nm | |
| | 25B 29E | | Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Other: | | |
| | 31G | kg | Of a thickness exceeding 1.9 mm or more but less than 3.0 m | nm | |
| | 35K | kg | Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 39B | | Of a thickness of 4.75 mm or more Containing in the plating or coating, more than 80 % zinc by weight, alloyed with aluminium: Painted, laquered or similarly coated: | | |
| | 41D | kg | Of a thickness exceeding 1.9 mm or more but less than 3.0 r | nm | |
| | 45G | kg | Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 49K | Č | Of a thickness of 4.75 mm or more Plastic laminated: | | |
| | 51A | | Of a thickness exceeding 1.9 mm or more but less than 3.0 r | nm | |
| | 55D 59G | kg | Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Other: | | |
| | 61J | | Of a thickness exceeding 1.9 mm or more but less than 3.0 r | nm | |
| | 65A | kg | Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 69D | kg | Of a thickness of 4.75 mm or more Other: Painted, laquered or similarly coated: | | |
| | 71F | kg | Of a thickness exceeding 1.9 mm or more but less than 3.0 r | nm | |
| | 75J | kg | Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 79A | | Of a thickness of 4.75 mm or more Other: | | |
| | 81C | kg | Of a thickness exceeding 1.9 mm or more but less than 3.0 r | nm | |
| | 85F | kg | Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 89J | kg | Of a thickness of 4.75 mm or more | | |

| | Statistic | cal Key | | Rates | of Duty |
|------------|---|----------------------------------|--|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued - Otherwise plated or coated with zinc—continued - Other—continued - Exceeding 1.9 mm in thickness—continued - Other—continued | | |
| 7210.49.19 | | | Other | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 10E 15F 19J 21L 25C 29F 31H 35L 39C | kg kg kg kg kg kg | Containing in the plating or coating, not less than 50 % and not more than 80 % zinc by weight, alloyed with aluminium: Painted, laquered or similarly coated: Of a thickness exceeding 1.9 mm or more but less than 3.0 m Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Plastic laminated: Of a thickness exceeding 1.9 mm or more but less than 3.0 m Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Other: Of a thickness exceeding 1.9 mm or more but less than 3.0 m Of a thickness of 4.75 mm or more Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Containing in the plating or coating, more than 80 % zinc by weight, alloyed with aluminium: | nm | 172023 |
| | 41E 45H 49L 51B 55E 59H 61K 65B 69E | kg kg kg kg kg kg | Painted, laquered or similarly coated: Of a thickness exceeding 1.9 mm or more but less than 3.0 m Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Plastic laminated: Of a thickness exceeding 1.9 mm or more but less than 3.0 m Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Other: Of a thickness exceeding 1.9 mm or more but less than 3.0 m Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more | nm | |
| | 71G 75K 79B 81D 85G 89K | kg kg kg kg kg | Painted, laquered or similarly coated: | | |
| 7210.49.21 | | | Worked | 5 | Free *See Below CA Free LDC 4 RCEP 5 1/2025 5 |
| | 01L 09F | | Rollformed but not further worked Other | | |

| | Statistical Key | | | Rates | of Duty | |
|--|-----------------|------|------|-------|------------------|-------------------------|
| | Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | | | | |

| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
|------------|--|--|--|------------------|-----------------------------------|
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued - Otherwise plated or coated with zinc—continued - Other—continued - Other—continued | | |
| | | | Other: | | |
| 7210.49.31 | | | Coiled | 5 | Free |
| , | | | | J | * See below RCEP 5 1/2025 5 |
| | 10E 13K 15F 17B 23G 25C 27K 31H 33D 35L 37G 41E 43A 45H 47D 49L | kg kg kg kg kg kg kg kg kg | | | |
| | 51B 53J | kg kg | Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but not exceeding 1.9 mm | | |
| | 55E 57A 59H 61K 63F 65B | kg kg kg kg kg | Painted, lacquered or similarly coated: Of a thickness of less than 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but not exceeding 1.9 mm Plastic laminated: | | |
| | 67J 69E 71G 73C 75K 79B | kg kg kg kg kg | Of a thickness of less than 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but not exceeding 1.9 mm . Other: | | |
| | 81D 83L 85G 87C 89K 99G | | Of a thickness of less than 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but not exceeding 1.9 mm | | |

| | Statistical Key | | | Rates | of Duty |
|------------|--|--|--|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 7210.49.39 | | | Flat-rolled products of iron or non-alloy steel, etc.—continued - Otherwise plated or coated with zinc—continued - Other—continued - Other—continued - Other—continued - Other—continued | 5 | Free * See below CA Free RCEP 5 |
| | 10F 13L 15G 17C 23H 25D 27L 31J 33E 35A 37H 41F 43B 45J 47E 49A 51C 53K 55F 57B 59J 61L 63G 65C 67K 69F 71H 73D 75L 79C 81E 83A | kggggg gggggg gggggg ggggggg kk kkkkk kkkkk kkkkkk | Not further clad, plated or coated: Containing in the plating or coating, not less than 50 % and not more than 80 % zinc by weight, alloyed with aluminium: Of a thickness of less than 0.4 mm Of a thickness of 0.5 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.0 mm Of a thickness of 1.6 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 0.5 mm Of a thickness of less than 0.4 mm Of a thickness of 0.5 mm or more but less than 0.5 mm Of a thickness of 0.7 mm or more but less than 1.6 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.0 mm Of a thickness of 1.6 mm or more but less than 1.7 mm Of a thickness of 1.0 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 1.0 mm Of a thickness of 0.5 mm or more but less than 1.0 mm Of a thickness of 0.5 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.0 mm Of a thickness of 1.6 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 0.5 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 0.5 mm or more but less than 1.0 mm Of a thickness of 0.5 mm or more but less than 1.0 mm Of a thickness of 0.5 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 1.0 mm Of a thickness of 0.5 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.0 mm Of a thickness of 0.4 mm or more but less than 1.0 mm Of a thickness of 0.4 mm or more but less than 1.0 mm Of a thickness of 0.4 mm or more but l | | 1/2025 5 |
| 7210.50.00 | 85H 87D 89L 99H | kg kg kg kg | Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but not exceeding 1.9 mm - Plated or coated with chromium oxides or with chromium and chromium | | |
| | 01F 09A | kg kg | oxides . Coiled, not worked: 3 mm or more in thickness . Other . Other: | Free | Free |
| | 11C 21L 29F | kg kg kg | Exceeding 4.75 mm in thickness Exceeding 3 mm but not exceeding 4.75 mm in thickness Other | | |

| | Statisti | cal Key | | Rates of Duty | | |
|--------------------|------------|----------|--|------------------|-------------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued | | | |
| | | | - Plated or coated with aluminium: | | | |
| 7210.61 | | | – Plated or coated with aluminium-zinc alloys: | | | |
| 7210.61.10 | | | Containing, in the plating or coating, not less than 95 % aluminium | Euro o | - Francis | |
| | | | by weight Worked: | Free | Free | |
| | 01K 09E | kg kg | Exceeding 4.75 mm in thickness Other | | | |
| | ODL | ĸg | Other: | | | |
| | 11G | kg | Coiled: 3 mm or more in thickness | | | |
| | 19B | kg | Other | | | |
| | 21D | kg | Other: Exceeding 4.75 mm in thickness | | | |
| | 31A 39G | kg kg | Exceeding 3 mm but not exceeding 4.75 mm in thickness Other | | | |
| | 370 | ĸg | Other: | | | |
| 7210.61.20 | | | Worked | Free | Free | |
| | 01E | kg | Exceeding 4.75 mm in thickness, not in coils | | | |
| | 09L | kg | Other | | | |
| 7210 61 20 | | | Other: Coiled | 5 | - Francis | |
| 7210.61.30 | | | Colled | 5 | Free *See Below | |
| | | | | | RCEP 5 1/2025 5 | |
| | 01L | | 1.9 mm or more in thickness | | 1/2023 3 | |
| 72 10 <1 00 | 09F | kg | Other | _ | | |
| 7210.61.90 | | | Other | 5 | Free *See Below | |
| | | | | | CA Free | |
| | | | | | RCEP 4 1/2025 3.7 | |
| | 01C 05F | | Exceeding 4.75 mm in thickness Exceeding 1.9 mm but not exceeding 4.75 mm in thickness | | | |
| | 19F | kg kg | Other | | | |
| 7210.69 | | | Other: | | | |
| 7210.69.10 | | | Containing, in the plating or coating, not less than 95 % aluminium | F | Г | |
| | | | by weight Worked: | Free | Free | |
| | 01F 09A | kg kg | Exceeding 4.75 mm in thickness Other | | | |
| | OJA | ĸg | Other: | | | |
| | 11C | kg | Coiled: 3 mm or more in thickness | | | |
| | 19J | kg | Other | | | |
| | 21L | kg | Other: Exceeding 4.75 mm in thickness | | | |
| | 31H 39C | kg | Exceeding 3 mm but not exceeding 4.75 mm in thickness Other | | | |
| | 390 | kg | Other: | | | |
| 7210.69.20 | | | Worked | Free | Free | |
| , 210.09.20 | 01A | kg | Exceeding 4.75 mm in thickness, not in coils | 1100 | 1100 | |
| | 09G | kg | Other | | | |
| 7210 (0.20 | | | Other: Coiled | = | F | |
| 7210.69.30 | | | Colled | 5 | Free * See below | |
| | | | | | RCEP 4 1/2025 3.7 | |
| | 01G | kg | 1.9 mm or more in thickness | | 1/2023 3.7 | |
| 7210 (0.00 | 09B | kg | Other | ~ | F | |
| 7210.69.90 | | | Other | 5 | Free *See Below | |
| | | | | | CA Free | |
| | | | | | RCEP 4 1/2025 3.7 | |
| | 01K 05B | kg kg | Exceeding 4.75 mm in thickness Exceeding 1.9 mm but not exceeding 4.75 mm in thickness | | | |
| | 19B | kg | Other | | | |
| | | | | | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statistical Key | | Statistical Key | | | Rates | of Duty |
|--------------------|-----------------|----------------|---|------------------|-------------------------|-------|---------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | | |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued | | | | |
| 7210.70 | | | - Painted, varnished or coated with plastics: | | | | |
| 7210.70.01 | 01K | kg | – Worked Exceeding 4.75 mm in thickness, not in coils | Free | Free | | |
| | 09E | kg | Other | | | | |
| 7210 70 11 | | | Other: | ~ | F. | | |
| 7210.70.11 | | | Coiled | 5 | Free *See Below | | |
| | | | | | CA Free LDC Free | | |
| | 01E 09L | kg kg | Exceeding 1.6 mm in thickness Other | | | | |
| 7210.70.19 | OPL | Кg | Other | 5 | Free | | |
| | | | | | *See Below CA Free | | |
| | | | | | RCEP 4 | | |
| | 01F | kg | Exceeding 4.75 mm in thickness | | 1/2025 3.7 | | |
| | 09A 19J | kg kg | Exceeding 1.6 mm but not exceeding 4.75 mm in thickness Other | | | | |
| 7210.90 | | | - Other: | | | | |
| 7210.90.01 | 01G | lr o | Worked Exceeding 4.75 mm in thickness, not in soils | Free | Free | | |
| | 09B | kg kg | Exceeding 4.75 mm in thickness, not in coils Other | | | | |
| | | | Other: | | | | |
| 7210.90.11 | | | Coiled | 5 | Free *See Below | | |
| | | | | | CA Free LDC Free | | |
| | | | | | RCEP 5 | | |
| | 01B | kg | 3 mm or more in thickness | | 1/2025 5 | | |
| 531 0.00.10 | 09H | kg | Other | - | | | |
| 7210.90.19 | | | Other | 5 | Free *See Below | | |
| | | | | | CA Free RCEP 3.5 | | |
| | 01C | kg | Exceeding 4.75 mm in thickness | | 1/2025 3 | | |
| | 09J 19F | kg kg | Exceeding 3 mm but not exceeding 4.75 mm in thickness Other | | | | |
| 72.11 | 171 | **5 | Flat-rolled products of iron or non-alloy steel, of a width of less than | | | | |
| | | | 600 mm, not clad, plated or coated: - Not further worked than hot-rolled: | | | | |
| 7211.13.00 | | | Rolled on four faces or in a closed box pass, of a width exceeding | | | | |
| | | | 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief | 5 | Free | | |
| | | | L | - | *See Below CA Free | | |
| | 01C 05F | kg kg | Of a width not exceeding 500 mm Over 500 mm in width, exceeding 4.75 mm in thickness | | CATIC | | |
| | 09J | kg kg | Other | | | | |
| 7211.14 | | | - Other, of a thickness of 4.75 mm or more: | _ | | | |
| 7211.14.10 | | | Coiled | 5 | Free * See below | | |
| | | | | | RCEP 4 1/2025 3.7 | | |
| | 01C 05F | kg kg | Over 500 mm in width 153 mm and over, but not exceeding 500 mm in width | | 1/2023 3.7 | | |
| | 09J | kg | Other | | | | |
| 7211.14.90 | | | Other | 5 | Free *See Below | | |
| | | | | | CA Free RCEP 3.5 | | |
| | 01G | leα | Over 500 mm in width | | 1/2025 3 | | |
| | 05K | kg kg kg | Over 500 mm in width 153 mm and over, but not exceeding 500 mm in width | | | | |
| | 09B | кg | Other | | | | |
| | | | | | | | |

| | Statisti | cal Key | | Rates | of Duty |
|-----------------------|-------------------|----------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 7011 10 | | | Flat-rolled products of iron or non-alloy steel, etc.—continued Not further worked than cold-rolled (cold-reduced)—continued | | |
| 7211.19 7211.19.10 | | | Other: Coiled | 5 | Free * See below RCEP 4 1/2025 3.7 |
| | 01F 05J 09A | kg kg kg | Over 500 mm in width 153 mm and over, but not exceeding 500 mm in width Other | | |
| 7211.19.90 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01K 05B 09E | kg kg kg | Over 500 mm in width 153 mm and over, but not exceeding 500 mm in width Other | | |
| | | | Not further worked than cold-rolled (cold-reduced): | | |
| 7211.23 | | | Containing by weight less than 0.25 % of carbon: | _ | _ |
| 7211.23.10 | | | Not exceeding 500 mm in width | 5 | Free *See Below CA Free |
| | 01B 09H | kg kg | Coiled Other | | |
| | 0,11 | 8 | Other: | | |
| 7211.23.20 | 00K | kg | Coiled | 5 | Free *See Below |
| 7211.23.90 | 00H | kg | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7211.29 | | | Other: | _ | _ |
| 7211.29.10 | 01K | kg | Not exceeding 500 mm in width Coiled | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 09E | kg | Other Other: | | |
| 7211.29.20 | 00G | kg | Coiled | 5 | Free *See Below RCEP 5 1/2025 5 |
| 7211.29.90 | 00E | kg | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7211.90 | | | - Other: | - | - |
| 7211.90.01 | 01E 09L | kg kg | - Not exceeding 500 mm in width Coiled Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7211.90.09 | 371 | ng | - Other | Free | Free |
| . 211.5 5.05 | 01F | kg | Coiled | 1.00 | 1.00 |
| | 11C | kg | Other: Perforated or cellular but not further worked | | |
| | 19J | kg | Other | | |

| | Statistical Key | | | Rates of Duty | |
|-------------------|-----------------|----------|--|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 72.12 | | | Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated: | | |
| 7212.10 | | | – Plated or coated with tin: | | |
| 7212.10.01 | 00F | kg | Worked | 5 | Free *See Below CA Free |
| 7212.10.09 | 01E 09L | kg kg | Other Not exceeding 500 mm in width: Coiled Other Other: | Free | Free |
| | 11B | kg | Coiled | | |
| | 21K | kg | Other: Of a thickness of 0.5 mm or more Other: | | |
| | 31G 39B | kg kg | Painted, lacquered or similarly coated Other | | |
| 7212.20 | 2,2 | 8 | - Electrolytically plated or coated with zinc: | | |
| 7212.20.10 | | | Not exceeding 500 mm in width | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01G 09B | kg kg | Coiled Other | | 1/2023 3.7 |
| | | | Other: | | |
| 7010 00 00 | 005 | | Exceeding 1.6 mm in thickness: | - | |
| 7212.20.20 | 00D | kg | Coiled | 5 | Free * See below RCEP 4 1/2025 3.7 |
| 7212.20.30 | | | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01H 09C | kg kg | Exceeding 4.75 mm in thickness Other Other: | | |
| 7212.20.40 | 00E | kg | Worked | 5 | Free |
| 7212.20.40 | OOE | кg | worked | 3 | *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 |
| 7212.20.90 | 044 | , | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01L 09F | kg kg | Coiled Other | | |
| 7212.30 | | Ü | - Otherwise plated or coated with zinc: | | |

| | Statisti | cal Kev | | Rates | of Duty |
|------------|--------------------|----------|--|--------|-----------------------|
| Number | | | Goods | Normal | *Preferential |
| | Code | Unit | | Tariff | Tariff |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued | | |
| | | | - Otherwise plated or coated with zinc—continued | | |
| 7212.30.01 | | | Not exceeding 500 mm in width | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 |
| | 01A | kg | Worked | | 1/2025 3 |
| | 0111 | 8 | Other: | | |
| | | | Coiled: Not further clad, plated or coated: | | |
| | | | Containing in the plating or coating, not less than 50 % and not | | |
| | 10L | kg | more than 80 % zinc by weight, alloyed with aluminium: Of a thickness of less than 0.4 mm | | |
| | 12G | kg | Of a thickness of 0.4 mm or more but less than 0.5 mm | | |
| | 13E 14C | kg kg | Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm | | |
| | 15A | kg | Of a thickness of 1.0 mm or more but less than 1.6 mm | | |
| | 16K | kg | Of a thickness of 1.6 mm or more but less than 1.9 mm | | |
| | 17H 18F | kg kg | Of a thickness of 1.9 mm or more but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 19D | kg | Of a thickness of 4.75 mm or more | | |
| | | | Containing in the plating or coating, more than 80 % zinc by weight, alloyed with aluminium: | | |
| | 20H | kg | Of a thickness of less than 0.4 mm | | |
| | 22D | kg | Of a thickness of 0.4 mm or more but less than 0.5 mm | | |
| | 23B 24L | kg kg | Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm | | |
| | 25J | kg | Of a thickness of 0.7 min of more but less than 1.6 mm | | |
| | 26G | kg | Of a thickness of 1.6 mm or more but less than 1.9 mm | | |
| | 27E 30E | kg ka | Of a thickness of 1.9 mm or more but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 32A | kg kg | Of a thickness of 3.5 mm of more but less than 4.75 mm Of a thickness of 4.75 mm or more | | |
| | 2277 | 1 | Other: | | |
| | 33K 34H | kg kg | Of a thickness of less than 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm | | |
| | 35F | kg | Of a thickness of 0.5 mm or more but less than 0.7 mm | | |
| | 36D 37B | kg | Of a thickness of 0.7 mm or more but less than 1.0 mm | | |
| | 37 B 38L | kg kg | Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 1.9 mm | | |
| | 40B | kg | Of a thickness of 1.9 mm or more but less than 3.0 mm | | |
| | 41L 42J | kg kg | Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more | | |
| | 423 | ĸg | Painted, lacquered or similarly coated: | | |
| | | | Containing in the plating or coating, not less than 50 % and | | |
| | 43G | kg | not more than 80 % zinc by weight, alloyed with aluminium: Of a thickness of less than 0.4 mm | | |
| | 44E | kg | Of a thickness of 0.4 mm or more but less than 0.5 mm | | |
| | 45C 46A | kg ka | Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm | | |
| | 47K | kg kg | Of a thickness of 0.7 mm or more but less than 1.6 mm | | |
| | 48H | kg | Of a thickness of 1.6 mm or more but less than 1.9 mm | | |
| | 50K 51H | kg kg | Of a thickness of 1.9 mm or more but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 52F | kg kg | Of a thickness of 4.75 mm or more | | |
| | | | Containing in the plating or coating, more than 80 % zinc by | | |
| | 53D | kg | weight, alloyed with aluminium: Of a thickness of less than 0.4 mm | | |
| | 54B | kg | Of a thickness of 0.4 mm or more but less than 0.5 mm | | |
| | 55L 56J | kg kg | Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm | | |
| | 57G | kg kg | Of a thickness of 0.7 mm or more but less than 1.6 mm | | |
| | 58E | kg | Of a thickness of 1.6 mm or more but less than 1.9 mm | | |
| | 59C 60G | kg kg | Of a thickness of 1.9 mm or more but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm | | |
| | 61E | kg kg | Of a thickness of 4.75 mm or more | | |
| | 62C | kg | Other: Of a thickness of less than 0.4 mm | | |
| | 63A | kg kg | Of a thickness of less than 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm | | |
| | 64K | kg | Of a thickness of 0.5 mm or more but less than 0.7 mm | | |
| | 65H 66F | kg kg | Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm | | |
| | 67D | kg | Of a thickness of 1.6 mm or more but less than 1.9 mm | | |
| | 68B | kg | Of a thickness of 1.9 mm or more but less than 3.0 mm | | |
| | 69L 70D | kg kg | Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more | | |
| | 100 | ng | | | |

Rates of Duty

Chapter 72—continued

Iron and steel—continued

Statistical Key

| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
|------------|---|----------------------------------|--|------------------|--|
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued Otherwise plated or coated with zinc—continued Not exceeding 500 mm in width—continued Other—continued Colled—continued | | , |
| | 71B 72L | kg kg | Plastic laminated: Exceeding 1.9 mm in thickness Other Other: | | |
| | 73J 74G 75E 76C 77A 78K 79H 80A 81K | kg kg kg kg kg kg | Of a thickness of less than 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 1.9 mm Of a thickness of 1.9 mm or more but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Other: | | |
| | 82H 83F 84D 85B 86L 87J 88G 89E | kg kg kg kg kg kg | Of a thickness of less than 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 1.9 mm Of a thickness of 1.9 mm or more but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more | | |
| | | | - Other: Exceeding 1.9 mm in thickness: | | |
| 7212.30.11 | | | Worked | 5 | Free *See Below CA Free LDC 4 |
| | 01G 09B | kg kg | Exceeding 4.75 mm in thickness, not in coils Other | | LDC 4 |
| 7212.30.19 | | | Other | 5 | Free * See Below CA Free |
| | 10G 13A 17D | kg kg kg | Coiled: Containing in the plating or coating, not less than 50 % and not more than 80 % zinc by weight, alloyed with aluminium: Of a thickness exceeding 1.9 mm but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Containing in the plating or coating, more than 80 % zinc by weight, alloyed with aluminium: | | |
| | 21B 25E 29H | kg kg kg | Of a thickness exceeding 1.9 mm but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Other: | | |
| | 31K 35B 39E | kg kg kg | Of a thickness exceeding 1.9 mm but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more Other: | | |
| | 41G 49B | kg kg | Exceeding 4.75 mm in thickness, not in coils Other Other: | | |
| 7212.30.21 | 00D | kg | Other: Worked | 5 | Free *See Below CA Free LDC 4 RCEP 5 1/2025 5 |

| | Statisti | cal Key | | Rates | of Duty |
|------------|-------------------|----------------|--|--------|--|
| Number | Code | Unit | Goods | Normal | *Preferential |
| | | | | Tariff | Tariff |
| 7212.30.29 | | | Flat-rolled products of iron or non-alloy steel, etc.—continued Otherwise plated or coated with zinc—continued Other—continued Other—continued Other—continued | 5 | Free *See Below CA Free RCEP 3.5 |
| | | | Coiled: | | 1/2025 3 |
| | 01C 09J | kg kg | Not further clad, plated or coated: Exceeding 1.6 mm in thickness Other Painted, lacquered or similarly coated: | | |
| | 11L 19F | kg kg | Exceeding 1.6 mm in thickness Other Plastic laminated: | | |
| | 21H 29C 39L | kg kg kg | Exceeding 1.6 mm in thickness Other Other Other: Not further clad, plated or coated: | | |
| | 41B 49H | kg kg | Exceeding 1.6 mm in thickness Other Painted, lacquered or similarly coated: | | |
| | 51K 59E | kg kg | Exceeding 1.6 mm in thickness Other Plastic laminated: | | |
| | 61G 69B 79K | kg kg kg | | | |
| 7212.40 | 75K | ĸş | Painted, varnished or coated with plastics: Not exceeding 500 mm in width: | | |
| 7212.40.01 | 00G | kg | Worked | 5 | Free |
| 7212.40.09 | | | Other | 5 | *See Below CA Free RCEP 4 1/2025 3.7 Free *See Below CA Free LDC Free RCEP 4 1/2025 3.7 |
| | 01F 09A 19J | kg kg kg | Coiled: Exceeding 1.6 mm in thickness Other Other | | 172025 3.7 |
| 7212.40.11 | 01L 09F | kg kg | - Other: Worked Exceeding 4.75 mm in thickness Other | Free | Free |
| 7212.40.19 | | 2 | Other | 5 | Free *See Below CA Free |
| | 01A 09G | kg kg | Coiled: Exceeding 1.6 mm in thickness Other Other: | | |
| | 11J 19D | kg kg | Exceeding 4.75 mm in thickness Other | | |
| 7212.50 | | 2 | Otherwise plated or coated:Not exceeding 500 mm in width: | | |
| 7212.50.01 | 00L | kg | Worked | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |

| | Statisti | ical Key | | Rates | of Duty |
|------------|--|--|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Flat-rolled products of iron or non-alloy steel, etc.—continued Otherwise plated or coated—continued Not exceeding 500 mm in width—continued | | |
| 7212.50.09 | | | Other | Free | Free |
| | 10J 13C 15K 17F 19B 21D 23L 25G 29K 39G | kgg kgg kgg kgg kg kg kg | Coiled: Of a thickness not exceeding 0.4 mm Of a thickness of 0.4 mm or more but less than 0.5 mm Of a thickness of 0.5 mm or more but less than 0.7 mm Of a thickness of 0.7 mm or more but less than 1.0 mm Of a thickness of 1.0 mm or more but less than 1.6 mm Of a thickness of 1.6 mm or more but less than 1.9 mm Of a thickness of 1.9 mm or more but less than 3.0 mm Of a thickness of 3.0 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more | | |
| 7212.50.18 | | | Other | Free | Free |
| | 01J | kg | Coiled | | |
| | 11F 19A | kg kg | Other: Exceeding 4.75 mm in thickness Other | | |
| 7212.60 | | | - Clad: | | |
| | | | Not exceeding 500 mm in width: | _ | _ |
| 7212.60.01 | 00D | kg | Worked | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7212.60.09 | 0.1.0 | | Other | Free | Free |
| | 01C 09J | kg kg | Coiled Other | | |
| 7212.60.18 | 01B | kg | Other Coiled Other: | Free | Free |
| | 11K 19E | kg kg | Exceeding 4.75 mm in thickness Other | | |
| 72.13 | 191 | ĸg | Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel: | | |
| 7213.10 | | | Containing indentations, ribs, grooves or other deformations produced during the rolling process: | | |
| 7213.10.10 | 01A 05D | kg kg kg | - Of cross-section in the shape of "flattened circles" or "modified rectangles" Of a height of 80 mm or more: Less than 40 kg/m Other | Free | Free |
| 7213.10.90 | 09G | кg | Other Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01E 09L | kg kg | Of a circular cross-section measuring less than 14 mm in diameter Other | | 1/2023 3.7 |
| 7213.20 | | | - Other, of free-cutting steel: | | |
| 7213.20.10 | 01E 05H 09L | kg kg | - Of cross-section in the shape of "flattened circles" or "modified rectangles" Of a height of 80 mm or more: Less than 40 kg/m Other Other | Free | Free |
| 7213.20.90 | 09L | kg kg | Other - Other | 5 | Free |
| 1213.20.70 | 30 <u>L</u> | ĸg | | 3 | *See Below CA Free |

| | Statistic | cal Key | | Rates o | of Duty |
|-----------------------|------------|----------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Bars and rods, hot-rolled, in irregularly wound, etc.—continued | | |
| | | | - Other: | | |
| 7213.91 7213.91.10 | | | Of circular cross-section measuring less than 14 mm in diameter: Of cross-section in the shape of "flattened circles" or "modified | | |
| 7213.91.10 | | | rectangles" | Free | Free |
| | 01E | kg | Of a height of 80 mm or more: Less than 40 kg/m | | |
| | 05H 09L | kg kg | Other Other | | |
| 7213.91.90 | | | Other: | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | CPT Free RCEP 3.5 |
| | 01J | kg | Containing by weight less than 0.25 % of carbon | | 1/2025 3 |
| | 05A 09D | kg kg | Containing by weight 0.25 % or more but less than 0.6 % of carbon Other | | |
| 7213.99 | | | Other: | | |
| 7213.99.10 | | | - Of cross-section in the shape of "flattened circles" or "modified rectangles" | Free | Free |
| | 01A | kg | Of a height of 80 mm or more: Less than 40 kg/m | | |
| | 05D 09G | kg kg | Other | | |
| 7213.99.90 | 070 | ĸg | Other | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| | 01E 05H | kg kg | Containing by weight less than 0.25 % of carbon Containing by weight 0.25 % or more but less than 0.6 % or carbon | | |
| | 09L | kg | Other | | |
| 72.14 | | | Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling: | | |
| 7214.10.00 | | | – Forged | 5 | Free *See Below |
| | | | | | CA Free RCEP 4 |
| | | | Of cross-section in the shape of "flattened circles" or "modified | | 1/2025 3.7 |
| | | | rectangles": Worked: | | |
| | 01D 09K | kg ka | Of a height of 80 mm or more Other | | |
| | 091 | kg | Other: | | |
| | 11A | kg | Of a height of 80 mm or more: Galvanised | | |
| | 15D 19G | kg kg | Other Other | | |
| 7214.20 | 29D | kg | Other - Containing indentations, ribs, grooves or other deformations produced | | |
| 7214.20.10 | | | during the rolling process or twisted after rolling: - Of cross-section in the shape of "flattened circles" or "modified | | |
| | | | rectangles" Of a height of 80 mm or more: | Free | Free |
| | 01C 05F | kg kg | Less than 40 kg/m Other | | |
| | 09J | kg | Other | | |
| 7214.20.90 | | | Other | 5 | Free *See Below |
| | | | | | CA Free RCEP 5 |
| | | | Of singular cross section messaging: | | 1/2025 5 |
| | 01G | kg | Of circular cross-section measuring: Less than 14 mm in diameter | | |
| | 05K 09B | kg kg | 14 mm or more, but less than 42 mm in diameter 42 mm or more in diameter | | |
| | 19K | kg | Other | | |
| | | | | | |

| | Statistic | cal Key | | Rates o | of Duty |
|------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Other bars and rods of iron or non-alloy steel, not, etc.—continued | | |
| 7214.30 | | | – Other, of free-cutting steel: | | |
| 7214.30.10 | | | Of cross-section in the shape of "flattened circles" or "modified rectangles" | Free | Free |
| | 01G | kg | Of a height of 80 mm or more: Less than 40 kg/m | | |
| | 05K | kg | Other | | |
| 7214.30.90 | 09B 00B | kg kg | Other – Other | 5 | Free |
| 7211.30.30 | оод | Кg | | J | *See Below CA Free RCEP 4 1/2025 3.7 |
| 7214.91.00 | | | Other:Of rectangular (other than square) cross-section | 5 | Free |
| 7214.91.00 | | | – Of fectangular (other than square) cross-section | 3 | *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01H | kg | Containing by weight less than 0.25 % of carbon: Less than 50 mm in width | | |
| | 09C 11E | kg | 50 mm or more, but less than 110 mm in width | | |
| | 19L | kg kg | 110 mm or more in width Containing by weight 0.25 % or more but less than 0.6 % of carbon | | |
| 7214.99 | 29H | kg | Other - Other: | | |
| 7214.99 | | | - Officer. - Officers-section in the shape of "flattened circles" or "modified | | |
| | | | rectangles" Of a height of 80 mm or more: | Free | Free |
| | 01K | kg | Less than 40 kg/m | | |
| | 05B 09E | kg kg | Other Other | | |
| 7214.99.90 | | | Other | 5 | Free *See Below |
| | | | | | CA Free RCEP 4 1/2025 3.7 |
| | 01.0 | , | Containing by weight less than 0.25 % of carbon: Of circular cross-section measuring: | | |
| | 01C 03K | kg kg | Less than 14 mm in diameter 14 mm or more, but less than 42 mm in diameter | | |
| | 05F 07B | kg kg | 42 mm or more in diameter Of square cross-section | | |
| | 09J | kg | Other Containing by weight 0.25 % or more but less than 0.6 % of carbon: | | |
| | 11L | ka | Of circular cross-section measuring: Less than 14 mm in diameter | | |
| | 13G | kg kg | 14 mm or more, but less than 42 mm in diameter | | |
| | 15C 19F | kg kg | 42 mm or more in diameter Other | | |
| | 21H | kg | Other: Of circular cross-section | | |
| 72.15 | 29C | kg | Other bars and rods of iron or non-alloy steel: | | |
| 72.13 | | | - Of free-cutting steel, not further worked than cold-formed or | | |
| | | | cold-finished | 5 | Free *See Below CA Free RCEP 4 |
| | | | Of cross-section in the shape of "flattened circles" or "modified | | 1/2025 3.7 |
| | | | rectangles": Of a height of 80 mm or more: | | |
| | 02L 05E | kg kg | Angles and tees Channels, girders, beams and joists | | |
| | 08K | kg | Other Less than 80 mm: | | |
| | 11K | kg | Angles and tees | | |
| | 15B 19E | kg kg | Channels, girders, beams and joists Other | | |
| | 21G | kg | . Other: Of circular cross-section | | |
| | 29B | kg | Other | | |

| | Statistic | cal Key | | Rates o | of Duty |
|-----------------------|--|--|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Other bars and rods of iron or non-alloy steel—continued | | |
| 7215.50 7215.50.10 | | | Other, not further worked than cold-formed or cold-finished: Of cross-section in the shape of "flattened circles" or "modified rectangles" | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 01B 05E 09H 11K 15B 19E | kg kg kg kg kg | . Angles and tees . Channels, girders, beams and joists . Other . Less than 80 mm: . Angles and tees . Channels, girders, beams and joists . Other | | |
| 7215.50.20 | | | Containing by weight less than $0.6%$ of carbon | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 01H 02F 03D 04B 05L 06J 09C 11E 12C 13A | kg kg kg kg kg kg kg | Containing by weight less than 0.25 % of carbon: Straightened wire not exceeding 13 mm in diameter: Welding wire Other, plated or coated with zinc: Less than 1.6 mm in diameter 1.6 mm or more, but less than 2.5 mm in diameter 2.5 mm or more, but less than 3.55 mm in diameter 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more, but less than 5.5 mm in diameter 5.5 mm or more in diameter Other: Less than 0.9 mm in diameter 0.9 mm or more, but less than 1.6 mm in diameter | | |
| | 14K 15H 16F 17D 18B 19L | kg kg kg kg kg kg | | | |
| | 23J | kg | Other, measuring: Less than 14 mm in diameter | | |
| | 24G 25E 29H 31K | kg kg kg kg | | | |
| | 39E | kg | Other Other: Straightened wire not exceeding 13 mm in diameter: | | |
| | 41G 43C | kg kg | Welding wire Other, plated or coated with zinc: Less than 1.6 mm in diameter | | |
| | 44A 45K | kg kg | 1.6 mm or more, but less than 2.5 mm in diameter 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 46H 49B | kg kg | 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more in diameter Other: | | |
| | 51D 52B 53L 54J 55G 56E 57C 59K | kg kg kg kg kg kg kg | Less than 0.9 mm in diameter 0.9 mm or more, but less than 1.6 mm in diameter 1.6 mm or more, but less than 2.5 mm in diameter 2.5 mm or more, but less than 3.55 mm in diameter 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more, but less than 6 mm in diameter 6 mm or more, but less than 9 mm in diameter 9 mm or more in diameter Other: Of circular cross-section | | |
| | 79D | kg | Other | | |

| | Statisti | cal Key | | Rates o | of Duty |
|------------|--|--|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Other bars and rods of iron or non-alloy steel—continued Other, not further worked than cold-formed or cold-finished—continued Other—continued | | |
| | | | Containing by weight 0.6 % or more of carbon: | | |
| 7215.50.30 | | | Straightened wire not exceeding 13 mm in diameter | 5 | Free *See Below CA Free |
| | 01C 11L 13G 15C 17K 19F 21H 23D 25L 26J | kg kg kg kg kg kg kg kg kg | | | |
| | 28E | kg | 3.55 mm or more, but less than 4.5 mm in diameter | | |
| 7215.50.90 | 29C | kg | 4.5 mm or more in diameter Other | 5 | Free *See Below |
| | | | Of circular cross-section: | | CA Free RCEP 4 1/2025 3.7 |
| | 01F | kg | Welding Other, measuring: | | |
| | 11C | kg | Less than 14 mm in diameter | | |
| | 13K | kg | 14 mm or more, but less than 42 mm in diameter | | |
| | 15F 19J | kg kg | | | |
| | | | Other: | | |
| | 21L 29F | kg kg | Welding Other | | |
| 7215.90.00 | | | – Other | 5 | Free *See Below CA Free |
| | | | Of cross-section in the shape of "flattened circles" or "modified | | |
| | 02K | kg | rectangles": Angles and tees | | |
| | 05D | kg | Channels, girders, beams and joists | | |
| | 08J | kg | Other Less than 80 mm: | | |
| | 11J | kg | Angles and tees | | |
| | 15A | kg | Channels, girders, beams and joists | | |
| | 19D | kg | Other Other: | | |
| | 21F 29A | kg kg | Welding Other | | |
| 72.16 | | - | Angles, shapes and sections of iron or non-alloy steel: | | |
| 7216.10 | | | U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm: | | |
| 7216.10.01 | 00J | kg | U sections 76 mm x 38 mm x 6.7 kg/m | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7216.10.09 | 00K | kg | – Other – L or T sections, not further worked than hot-rolled, hot-drawn or | Free | Free |
| 7216.21 | | | extruded, of a height of less than 80 mm: - L sections: | | |
| 7216.21.01 | 00G | kg | – – Equal angles | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7216.21.09 | 00H | kg | Other | Free | Free |
| 7216.22.00 | 00E | kg | T sections | Free | Free |
| | | J | | | |

| | Statisti | cal Key | | Rates | of Duty |
|-----------------------|--|----------------------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Angles, shapes and sections of iron or non-alloy steel—continued - U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more: | | |
| 7216.31 7216.31.01 | 00L | kg | U sections: 102 mm x 51 mm x 10.4 kg/m | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7216.31.09 | 00A | kg | Other | Free | Free |
| 7216.32.00 | 01G 09B | kg kg | - I sections Less than 40 kg/m Other | Free | Free |
| 7216.33.00 | 01A 09G | kg kg | - H sections . Less than 40 kg/m . Other | Free | Free |
| 7216.40 | | | L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more: | | |
| 7216.40.01 | 00K | kg | – Equal angled L sections, 80 mm x 80 mm by 5 mm to 13 mm in thickness | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7216.40.09 | 00L | kg | Other | Free | Free |
| 7216.50.00 | 01E 09L 19H | kg kg kg | - Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded . Of a height of 80 mm or more: . Less than 40 kg/m . Other - Angles, shapes and sections, not further worked than cold-formed or | Free | Free |
| 7216.61.00 | | | cold-finished: | 5 | Erron |
| 7210.01.00 | 01C 05F 09J 11L 15C 19F | kg kg kg kg | - Obtained from flat-rolled products Of a height of 80 mm or more: Angles and tees Channels, girders, beams and joists Other . Less than 80 mm: Angles and tees Channels, girders, beams and joists | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7216.69.00 | 191 | kg | Of a height of 80 mm or more: | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01K 05B 09E 11G 15K 19B | kg kg kg kg kg | Of a height of 80 mm or more: Angles and tees Channels, girders, beams and joists Other Less than 80 mm: Angles and tees Channels, girders, beams and joists Other | | |

| | Statistic | cal Key | | Rates | of Duty |
|------------|------------|----------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Angles, shapes and sections of iron or non-alloy steel—continued | | |
| | | | - Other: | | |
| 7216.91.00 | | | Cold-formed or cold-finished from flat-rolled products | 5 | Free *See Below CA Free |
| | | | Worked: | | CATTCC |
| | 01D 09K | kg kg | Of a height of 80 mm or more Other | | |
| | | 8 | Other: | | |
| | 11A | kg | Of a height of 80 mm or more: Galvanised | | |
| | 15D 19G | kg | Other Other | | |
| 7216.99.00 | 190 | kg | - Other | 5 | Free |
| 7210.99.00 | | | Other | 3 | *See Below |
| | | | | | CA Free RCEP 4 1/2025 3.7 |
| | 017 | 1 | Worked: | | 1,2023 3.1 |
| | 01L 09F | kg kg | Of a height of 80 mm or more Other | | |
| | | 0 | Other: | | |
| | 11H | kg | Of a height of 80 mm or more: Galvanised | | |
| | 15L 19C | kg kg | Other Other | | |
| 72.17 | 150 | ĸg | Wire of iron or non-alloy steel: | | |
| | | | · | 5 | Ena |
| 7217.10.00 | | | - Not plated or coated, whether or not polished | 5 | Free *See Below CA Free RCEP 4 |
| | | | Containing by weight less than 0.25 % of carbon: Nail wire: | | 1/2025 3.7 |
| | 01J | kg | 0.9 mm or more, but less than 1.6 mm in diameter | | |
| | 02G 03E | kg kg | 1.6 mm or more, but less than 2.5 mm in diameter 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 04C | kg | 3.55 mm or more, but less than 4.5 mm in diameter | | |
| | 05A | kg | 4.5 mm or more, but less than 6 mm in diameter | | |
| | 06K 07H | kg kg | 6 mm or more, but less than 7.5 mm in diameter 7.5 mm or more, but less than 11.5 mm in diameter | | |
| | 08F | kg | 11.5 mm or more in diameter | | |
| | 09D | kg | Spring wire: 0.9 mm or more, but less than 1.6 mm in diameter | | |
| | 10H | kg | 1.6 mm or more, but less than 2.5 mm in diameter | | |
| | 11F | kg | 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 12D 13B | kg kg | 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more, but less than 6 mm in diameter | | |
| | 14L | kg | 6 mm or more, but less than 7.5 mm in diameter | | |
| | 15J 16G | kg kg | 7.5 mm or more, but less than 11.5 mm in diameter 11.5 mm or more in diameter | | |
| | | | Welding wire: | | |
| | 17E 18C | kg ka | Less than 0.9 mm in diameter 0.9 mm or more, but less than 1.6 mm in diameter | | |
| | 19A | kg kg | 1.6 mm or more, but less than 2.5 mm in diameter | | |
| | 20E | kg | 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 21C 22A | kg kg | 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more, but less than 6 mm in diameter | | |
| | 23K | kg | 6 mm or more, but less than 7.5 mm in diameter | | |
| | 24H 25F | kg kg | 7.5 mm or more, but less than 11.5 mm in diameter 11.5 mm or more in diameter | | |
| | | мg | Other: | | |
| | 26D | kg | Less than 0.9 mm in diameter | | |
| | 27B 28L | kg kg | 0.9 mm or more, but less than 1.6 mm in diameter 1.6 mm or more, but less than 2.5 mm in diameter | | |
| | 29J | kg | 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 30B 31L | kg kg | 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more, but less than 6 mm in diameter | | |
| | 32J | kg | 6 mm or more, but less than 7.5 mm in diameter | | |
| | 33G 34E | kg | 7.5 mm or more, but less than 11.5 mm in diameter | | |
| | 34£ | kg | 11.5 mm or more in diameter | | |

| | Statistic | cal Key | Goods Normal *Prefe | | | | |
|--------|-----------|---------|---------------------|------------------|-------------------------|--|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | | |

| | | Wire of iron or non-alloy steel—continued - Not plated or coated, whether or not polished—continued Containing by weight 0.25 % or mare but less than 0.6 % continued |
|--------------------|----------|---|
| | | Containing by weight 0.25 % or more but less than 0.6 %— $continued$ |
| | | Nail wire: |
| 35C | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 36A | kg | 1.6 mm or more, but less than 2.5 mm in diameter |
| 37K | kg | 2.5 mm or more, but less than 3.55 mm in diameter |
| 38H | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 39F | kg | 4.5 mm or more, but less than 6 mm in diameter |
| 40K | kg | 6 mm or more, but less than 9 mm in diameter |
| 41H | kg | 9 mm or more in diameter |
| 7111 | ĸς | Spring wire: |
| 42F | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 43D | kg | 1.6 mm or more, but less than 2.5 mm in diameter |
| 44B | | 2.5 mm or more, but less than 3.55 mm in diameter |
| 44B 45L | kg | |
| | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 46J | kg | 4.5 mm or more, but less than 6 mm in diameter |
| 47G | kg | 6 mm or more, but less than 9 mm in diameter |
| 48E | kg | 9 mm or more in diameter |
| 400 | | Welding wire: |
| 49C | kg | Less than 0.9 mm in diameter |
| 50G | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 51E | kg | 1.6 mm or more, but less than 2.5 mm in diameter |
| 52C | kg | 2.5 mm or more, but less than 3.55 mm in diameter |
| 53A | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 54K | kg | 4.5 mm or more, but less than 6 mm in diameter |
| 55H | kg | 6 mm or more, but less than 9 mm in diameter |
| 56F | kg | 9 mm or more in diameter |
| | | Other: |
| 57D | kg | Less than 0.9 mm in diameter |
| 58B | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 59L | kg | 1.6 mm or more, but less than 2.5 mm in diameter |
| 60D | kg | 2.5 mm or more, but less than 3.55 mm in diameter |
| 61B | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 62L | kg | 4.5 mm or more, but less than 6 mm in diameter |
| 63J | kg | 6 mm or more, but less than 9 mm in diameter |
| 64G | kg | 9 mm or more in diameter |
| | 8 | . Containing by weight 0.6 % or more of carbon: |
| | | Nail wire: |
| 65E | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 66C | kg | 1.6 mm or more, but less than 2.5 mm in diameter |
| 67A | kg | 2.5 mm or more, but less than 3.55 mm in diameter |
| 68K | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 69H | kg | 4.5 mm or more in diameter |
| 0711 | ĸg | Spring wire: |
| 70A | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 70A 71K | | |
| 71K 72H | kg kg | 1.6 mm or more, but less than 2.5 mm in diameter 2.5 mm or more, but less than 3.55 mm in diameter |
| 72 n 73F | | |
| | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 74D | kg | 4.5 mm or more in diameter |
| 75D | 1 | Welding wire: |
| 75B | kg | Less than 0.9 mm in diameter |
| 76L | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 77J | kg | 1.6 mm or more, but less than 2.5 mm in diameter |
| 78G | kg | 2.5 mm or more, but less than 3.55 mm in diameter |
| 79E | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 80J | kg | 4.5 mm or more in diameter |
| 04~ | | Other: |
| 81G | kg | Less than 0.9 mm in diameter |
| 82E | kg | 0.9 mm or more, but less than 1.6 mm in diameter |
| 83C | kg | 1.6 mm or more, but less than 2.5 mm in diameter |
| 84A | kg | 2.5 mm or more, but less than 3.55 mm in diameter |
| 85K | kg | 3.55 mm or more, but less than 4.5 mm in diameter |
| 86H | kg | 4.5 mm or more in diameter |
| | | |

| | Statisti | cal Key | | Rates | of Duty |
|------------|------------|----------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Wire of iron or non-alloy steel—continued | | |
| 7217.20 | | | Plated or coated with zinc: | | |
| 7217.20.10 | | | Containing by weight less than 0.6 % carbon | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | | | Containing by weight less than 0.25 % carbon: Fencing wire: | | |
| | 0111 | 1 | Less than 1.6mm in diameter: | | |
| | 01H 03D | kg kg | Coils, not exceeding 50 kg | | |
| | 05L | kg | 1.6 mm or more, but less than 2.5 mm in diameter: Coils, not exceeding 50 kg | | |
| | 07G | kg | Other | | |
| | 08E | kg | 2.5 mm or more, but less than 4 mm in diameter: Coils, not exceeding 50 kg | | |
| | 09C | kg | Other 4 mm or more in diameter: | | |
| | 11E | kg | Coils, not exceeding 50 kg | | |
| | 13A | kg | Other Other: | | |
| | 14K 15H | kg kg | Less than 1.6 mm in diameter 1.6 mm or more, but less than 2.5 mm in diameter | | |
| | 16F 17D | kg | 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 18B | kg kg | 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more, but less than 5.5 mm in diameter | | |
| | 19L | kg | 5.5 mm or more in diameter Other: | | |
| | | | Fencing wire: Less than 1.6 mm in diameter: | | |
| | 21B | kg | Coils, not exceeding 50 kg | | |
| | 23J | kg | Other 1.6 mm or more, but less than 2.5 mm in diameter: | | |
| | 25E 27A | kg kg | Coils, not exceeding 50 kg Other 2.5 mm or more, but less than 4 mm in diameter: | | |
| | 28K 29H | kg kg | Coils, not exceeding 50 kg | | |
| | 31K | kg | 4 mm or more in diameter: Coils, not exceeding 50 kg | | |
| | 33F | kg | Other Other: | | |
| | 34D | kg | Less than 1.6 mm in diameter | | |
| | 35B 36L | | 1.6 mm or more, but less than 2.5 mm in diameter 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 37J 39E | kg kg | 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more in diameter | | |
| 7217.20.90 | | 8 | - Other | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 4 |
| | | | Fencing wire: | | 1/2025 3.7 |
| | 01A | kg | Less than 1.6 mm in diameter: Coils, not exceeding 50 kg | | |
| | 03H | kg | Other 1.6 mm or more, but less than 2.5 mm in diameter: | | |
| | 05D | kg | Coils, not exceeding 50 kg | | |
| | 07L | kg | Other 2.5 mm or more, but less than 4 mm in diameter: | | |
| | 08J 09G | kg kg | Coils, not exceeding 50 kg | | |
| | | | 4 mm or more in diameter: | | |
| | 11J 13E | kg kg | Coils, not exceeding 50 kg Other | | |
| | 14C | kg | Other: Less than 1.6 mm in diameter | | |
| | 15A 16K | kg kg | 1.6 mm or more, but less than 2.5 mm in diameter 2.5 mm or more, but less than 3.55 mm in diameter | | |
| | 17H 18F | kg kg | 3.55 mm or more, but less than 4.5 mm in diameter 4.5 mm or more in diameter | | |
| | 101 | ĸg | 7.5 mm or more in diameter | | |

Chapter 72—continued Iron and steel—continued

| | Statisti | cal Key | | Rates | of Duty | |
|----------------------------|------------|----------|--|------------------|---|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | |
| | | | Wire of iron or non-alloy steel—continued | | | |
| 7217.30.00 | | | - Plated or coated with other base metals | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| | 01F 09A | kg kg | Containing by weight less than 0.25 % of carbon: Less than 1.8 mm in any cross-sectional dimension: Welding Other: | | 1. 202 0 0 | |
| | 11C 19J | kg kg | Welding Other | | | |
| | 21L 29F | kg kg | Containing by weight 0.25 % or more but less than 0.6 % of carbon: Less than 1.8 mm in any cross-sectional dimension Other Other: | | | |
| | 31H 39C | kg kg | Pre-stressed wire Other | | | |
| 7217.90.00 | | | - Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 | |
| | 01H 09C | kg kg | Containing by weight less than 0.25 % of carbon: Less than 1.8 mm in any cross-sectional dimension: Welding Other | | 1/2023 3.7 | |
| | 11E 19L | kg kg | Other: Welding Other | | | |
| | 21B 29H | kg kg | . Containing by weight 0.25 % or more but less than 0.6 % of carbon: Less than 1.8 mm in any cross-sectional dimension Other . Other: | | | |
| | 31K 39E | kg kg | Pre-stressed wire Other | | | |
| | | | III STAINLESS STEEL | | | |
| 72.18 | | | Stainless steel in ingots or other primary forms; semi-finished products of stainless steel: | | | |
| 7218.10.00 | 00J | kg | Ingots and other primary formsOther: | Free | Free | |
| 7218.91.00 | 00B | kg | Of rectangular (other than square) cross-section | Free | Free | |
| 7218.99.00 72.19 | 00Ј | kg | Other Flat-rolled products of stainless steel, of a width of 600 mm or more: Not further worked than hot-rolled, in coils: | Free | Free | |
| 7219.11.00 | 00A | kg | - Of a thickness exceeding 10 mm | Free | Free | |
| 7219.12.00 | 00F | kg | Of a thickness of 4.75 mm or more but not exceeding 10 mm | Free | Free | |
| 7219.13.00 | 00L | kg | Of a thickness of 3 mm or more but less than 4.75 mm | Free | Free | |
| 7219.14.00 | 00E | kg | Of a thickness of less than 3 mm | Free | Free | |
| | | | – Not further worked than hot-rolled, not in coils: | | | |
| 7219.21.00 | 00E | kg | Of a thickness exceeding 10 mm | Free | Free | |
| 7219.22.00 | 00K | kg | - Of a thickness of 4.75 mm or more but not exceeding 10 mm | Free | Free | |
| 7219.23.00 7219.24.00 | 00D 00J | kg | Of a thickness of 3 mm or more but less than 4.75 mm Of a thickness of less than 3 mm | Free Free | Free | |
| 7219.24.00 | 003 | kg | Of a thickness of less than 3 minNot further worked than cold-rolled (cold-reduced): | rice | Free | |
| 7219.31.00 | 01G 09B | kg kg | - Of a thickness of 4.75 mm or more Coiled Other | Free | Free | |
| 7219.32.00 | 01A 09G | kg kg | - Of a thickness of 3 mm or more but less than 4.75 mm Coiled Other | Free | Free | |
| 7219.33.00 | 01F 09A | kg kg | Of a thickness exceeding 1 mm but less than 3 mm Coiled Other | Free | Free | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | 1 | | | | |
|--------------------------|-------------------|----------------|---|------------------|---|
| | Statisti | cal Key | | Rates | of Duty |
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Flat-rolled products of stainless steel, of a width of, etc.—continued Not further worked than cold-rolled (cold-reduced)—continued | | |
| 7219.34.00 | 01L 09F | kg kg | Of a thickness of 0.5 mm or more but not exceeding 1 mm Coiled Other | Free | Free |
| 7219.35.00 | 01E 09L | kg kg | - Of a thickness of less than 0.5 mm Coiled Other | Free | Free |
| 7219.90.00 | 01D | kg | - Other . Coiled . Other: | Free | Free |
| | 11A 19G | kg kg | Perforated or cellular but not further worked Other | | |
| 72.20 | | | Flat-rolled products of stainless steel, of a width of less than 600 mm: - Not further worked than hot-rolled: | | |
| 7220.11.00 | 01C 09J | kg kg | Of a thickness of 4.75 mm or more Coiled: 153 mm or more in width Other | Free | Free |
| | 11L 19F | kg kg | Other: 153 mm or more in width Other | | |
| 7220.12.00 | 01H | kg | Of a thickness of less than 4.75 mm Coiled: 153 mm or more in width | Free | Free |
| | 09C 11E | kg kg | Other Other: 153 mm or more in width | | |
| 7220.20.00 | 19L | kg | Other - Not further worked than cold-rolled (cold-reduced) Coiled: | Free | Free |
| | 01B 09H 11K | kg kg kg | 153 mm or more in width Other Other: 153 mm or more in width | | |
| 7220.90 | 19E | kg | Other Other: | | |
| 7220.90.01 | 00F | kg | - Not exceeding 500 mm in width | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7220.90.09 | 01E 09L | kg kg | Other Coiled Other | Free | Free |
| 72.21 | | J | | | |
| 7221.00.00 | | | Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel. Of cross-section in the shape of "flattened circles" or "modified rectangles": | Free | Free |
| | 02A 08L | kg kg | 80 mm or more . Other | | |
| | 11L 19F | kg kg | Wire rod Other | | |
| 72.22 | | | Other bars and rods of stainless steel; angles, shapes and sections of stainless steel: | | |
| | | | - Bars and rods, not further worked than hot-rolled, hot-drawn or extruded: | | _ |
| 7222.11.00 7222.19.00 | 00A | kg | Of circular cross-section Other Of cross-section in the shape of "flattened circles" or "modified rectangles": | Free Free | Free Free |
| | 01F 09A 19J | kg kg kg | 80 mm or more Other Other | | |

| | Statistical Key | | | Rates of Duty | | | |
|------------|--|----------------|---|------------------|--|--|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | | |
| | Other bars and rods of stainless steel; angles, shapes, etc.—continued | | | | | | |
| 7222.20.00 | 01J 09D 19A | kg kg kg | Bars and rods, not further worked than cold-formed or cold-finished Of cross-section in the shape of "flattened circles" or "modified rectangles": 80 mm or more Other | Free | Free | | |
| 7222.30.00 | | | Other bars and rods Of cross-section in the shape of "flattened circles" or "modified rectangles": | Free | Free | | |
| | 02L 08K 11K | kg kg kg | 80 mm or more Other . Other: Welding | | | | |
| 7222 40 00 | 19E | kg | Other | - | | | |
| 7222.40.00 | 02D 08C | kg kg | Angles, shapes and sections. Welding. Other | Free | Free | | |
| 72.23 | | | | | | | |
| 7223.00.00 | 01K 09E | kg kg | Wire of stainless steel . Welding . Other | Free | Free | | |
| | | | IV OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL | | | | |
| 72.24 | | | Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel: | | | | |
| 7224.10.00 | 00C | kg | - Ingots and other primary forms | Free | Free | | |
| 7224.90.00 | 00B | kg | – Other | Free | Free | | |
| 72.25 | | | Flat-rolled products of other alloy steel, of a width of 600 mm or more: - Of silicon-electrical steel: | | | | |
| 7225.11 | | | Grain-oriented: | | | | |
| 7225.11.10 | 00A | kg | – – – Galvanised | 5 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 | | |
| 7225.11.90 | 01C | kg | Other Other: | Free | Free | | |
| | 05F | kg | Coiled | | | | |
| 7225.19 | 09J | kg | Other – Other: | | | | |
| 7225.19.10 | 00Н | kg | Galvanised | 5 | Free *See Below CA Free LDC 4 | | |
| 7225.19.90 | 01K | kg | Other Worked | Free | Free | | |
| | 05B 09E | kg kg | Other: Coiled Other | | | | |
| 7225.30 | | | Other, not further worked than hot-rolled, in coils:Of high speed steel: | | | | |
| 7225.30.01 | 00E | kg | – – Galvanised | 5 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 | | |
| 7225.30.09 | 00F | kg | Other | Free | Free | | |
| 7225.30.19 | 00A | kg | Other | Free | Free | | |

| | Statisti | ical Key | | Rates of Duty | |
|-----------------------|---------------------------------|----------------------|--|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 7225.40 | | | Flat-rolled products of other alloy steel, of a width of, etc.—continued Other, not further worked than hot-rolled, not in coils: Of high speed steel: | | |
| 7225.40.01 | 00J | kg | Galvanised | 5 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 |
| 7225.40.09 | 00K | kg | Other | Free | Free |
| 7225.40.19 | 10B 19F | kg kg | OtherExceeding 4.75 mm in thicknessOther | Free | Free |
| 7225.50 | | | Other, not further worked than cold-rolled (cold-reduced): Of high speed steel: | | |
| 7225.50.01 | 00B | kg | Galvanised | 5 | Free *See Below CA Free LDC 4 RCEP 3.5 1/2025 3 |
| 7225.50.09 | 13E 19D | kg kg | Other Coiled Other | Free | Free |
| 7225.50.19 | 10F 19K | kg kg | Other Coiled Other - Other: | Free | Free |
| 7225.91 7225.91.10 | | | – Electrolytically plated or coated with zinc: – – Galvanised | 5 | Free *See Below CA Free LDC 4 |
| 7225.91.90 | 10H 13B 19A | kg kg kg | Of high speed steel Other: Exceeding 4.75 mm in thickness, not in coils Other Other | Free | RCEP 4 1/2025 3.7 Free |
| | 10A 13F 17J | kg kg kg | Of high speed steel: Worked Other: Coiled Other Other: Worked: | | |
| | 21G 25K 27F 29B 39K | kg kg kg kg | Exceeding 4.75 mm in thickness, not in coils Other Other: Coiled Exceeding 4.75 mm in thickness, not in coils Other | | |
| 7225.92 7225.92.10 | 10B | kg | Otherwise plated or coated with zinc: Galvanised Of high speed steel | 5 | Free *See Below CA Free LDC 4 |
| | | | Other: | | |
| | 13G 19F | kg kg | Exceeding 4.75 mm in thickness, not in coils Other | | |

| | Statistical Key | | itistical Key | | of Duty | |
|---|-----------------|----------------|---|------------------|-------------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | |
| Flat-rolled products of other alloy steel, etc.—continued | | | | | | |
| | | | Other—continued Otherwise plated or coated with zinc—continued | | | |
| 7225.92.90 | | | Other | Free | Free | |
| | 10F | kg | Of high speed steel: Worked | | | |
| | 13L | kg | Other: Coiled | | | |
| | 17C | kg | Other Other: | | | |
| | 21A | kg | Worked: Exceeding 4.75 mm in thickness, not in coils | | | |
| | 21A 25D | kg | Other Other: | | | |
| | 27L 29G | kg kg | Coiled Exceeding 4.75 mm in thickness, not in coils | | | |
| | 29G 39D | kg kg | Other | | | |
| 7225.99 | | | Other: | _ | | |
| 7225.99.10 | | | – – – Galvanised | 5 | Free *See Below | |
| | | | | | CA Free LDC 4 | |
| | | | | | RCEP 4 1/2025 3.7 | |
| | 10D | kg | Of high speed steel | | 1/2023 3.7 | |
| | 13J | kg kg | Other: Exceeding 4.75 mm in thickness, not in coils | | | |
| 7225.99.90 | 19H | kg | Other Other | Free | Free | |
| 1223.99.90 | 10H | 1 | Of high speed steel: Worked | Tice | Tiee | |
| | | kg | Other: | | | |
| | 13B 17E | kg kg | Coiled Other | | | |
| | | | Other: Worked: | | | |
| | 21C 25F | kg kg | Exceeding 4.75 mm in thickness, not in coils Other | | | |
| | 27B | | Other: Coiled | | | |
| | 29J 39F | kg kg kg | Exceeding 4.75 mm in thickness, not in coils Other | | | |
| 72.26 | 331 | "S | Flat-rolled products of other alloy steel, of a width of less than 600 mm: | : | | |
| | | | - Of silicon-electrical steel: | | | |
| 7226.11 | | | Grain-oriented: | | | |
| 7226.11.10 | 00K | kg | – – Galvanised or worked | 5 | Free *See Below | |
| | | | | | CA Free LDC 4 | |
| | | | | | RCEP 4 | |
| 7226.11.90 | | | Other | Free | 1/2025 3.7 Free | |
| 7220.11.50 | 01A 09G | kg | Coiled Other | 1100 | 1100 | |
| 7226.19 | 090 | kg | - Other: | | | |
| 7226.19.10 | 00F | kg | Galvanised or worked | 5 | Free | |
| | | | | | *See Below CA Free | |
| | | | | | LDC 4 RCEP 3.5 | |
| | | | | | 1/2025 3 | |
| 7226.19.90 | 0.111 | , | Other | Free | Free | |
| | 01H 09C | kg kg | Coiled Other | | | |
| 7226.20 | | ٥ | - Of high speed steel: | | | |
| 7226.20.01 | 00K | kg | – – Galvanised or worked | 5 | Free | |
| | | | | | *See Below CA Free | |
| | | | | | LDC 4 RCEP 4 | |
| | | | | | 1/2025 3.7 | |
| 7226.20.18 | 01H | kg | Other Coiled | Free | Free | |
| | 09C | kg | Other | | | |
| | | | | | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

Iron and steel—continued

| | Statisti | cal Key | | Rates | of Duty |
|--------------------|------------|----------|---|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Flat-rolled products of other alloy steel, of a width, etc.—continued | | |
| | | | - Other: | | |
| 7226.91.00 | 01A | kg | Not further worked than hot-rolled Coiled Other: | Free | Free |
| | 11J 19D | kg kg | Over 500 mm in width, of a thickness exceeding 4.75 mm Other | | |
| 7226.92.00 | 01F 09A | kg kg | Not further worked than cold-rolled (cold-reduced) Coiled Other | Free | Free |
| 7226.99 | | | Other: | | |
| 7226.99.01 | | | Galvanised or worked | 5 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 |
| | 10C 13H | kg kg | Electrolytically plated or coated with zinc: Over 500 mm in width, of a thickness exceeding 4.75 mm, not in Other Otherwise plated or coated with zinc: | coils | |
| | 15D 17L | kg kg | Other Other Other | coils | |
| 700 (00 10 | 19G 29D | kg kg | Over 500 mm in width, of a thickness exceeding 4.75 mm, not in Other | | F |
| 7226.99.18 | | | Other Electrolytically plated or coated with zinc: | Free | Free |
| | 10C | kg | Coiled Other: | | |
| | 13H 15D | kg kg | Over 500 mm in width, of a thickness exceeding 4.75 mm Other | | |
| | 17L | kg | Otherwise plated or coated with zinc: Coiled | | |
| | 21J 29D | kg kg | Other: Over 500 mm in width, of a thickness exceeding 4.75 mm Other | | |
| | 31F | kg | Other: Coiled | | |
| | 33B | kg | Other: Over 500 mm in width, of a thickness exceeding 4.75 mm | | |
| 72.27 | 39A | kg | Bars and rods, hot-rolled, in irregularly wound coils, of other alloy | | |
| | | | steel: | | |
| 7227.10.00 | | | Of high speed steel Of cross-section in the shape of "flattened circles" or "modified rectangles": Of cross-section in the shape of "flattened circles" or "modified rectangles": Of high state of 80 mm and account. | Free | Free |
| | 02D | kg | Of a height of 80 mm or more: Channels, girders, beams and joists | | |
| | 05J 08C | kg kg | Other Other | | |
| | 11C 19J | kg kg | . Other: Wire rod Other | | |
| 7227.20.00 | 19J | кg | Of silico-manganese steel Of cross-section in the shape of "flattened circles" or "modified rectangles": Of a height of 80 mm or more: | Free | Free |
| | 02H | kg | Channels, girders, beams and joists | | |
| | 05B 08G | kg kg | Other Other Other: For welding electrodes: | | |
| | 11G 19B | kg kg | Wire rod Other | | |
| | 21D | _ | Other: Wire rod | | |
| | 29K | kg kg | Other | | |

Iron and steel—continued

| | Statisti | cal Key | | Rates | of Duty |
|------------|---|----------------------------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 7227.90.00 | 02C 05H | kg | Bars and rods, hot-rolled, in irregularly wound coils, etc.—continued Other Of cross-section in the shape of "flattened circles" or "modified rectangles": Of a height of 80 mm or more: Other | Free | Free |
| | 08B 11B 19H | kg kg kg kg | Other | | |
| 72.28 | | | Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: | | |
| 7228.10.00 | 02B 05G 08A 11A 19G | kg kg kg kg | - Bars and rods, of high speed steel . Of cross-section in the shape of "flattened circles" or "modified rectangles": Of a height of 80 mm or more: Channels, girders, beams and joists Other Other Other Wire rod Other | Free | Free |
| 7228.20.00 | 02F 05L 08E 12C 18B 21B 29H | kg kg kg kg kg | - Bars and rods, of silico-manganese steel . Of cross-section in the shape of "flattened circles" or "modified rectangles": . Of a height of 80 mm or more: . Channels, girders, beams and joists . Other . Other . Other . Other: . Wire rod: . Welding . Other: . Other: . Other . Other | Free | Free |
| 7228.30.00 | 02K 05D 08J 11J 19D | kg kg kg kg kg | Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded Of cross-section in the shape of "flattened circles" or "modified rectangles": Of a height of 80 mm or more: Channels, girders, beams and joists Other Other Other: Wire rod Other | Free | Free |
| 7228.40.00 | 02C 05H 08B 19H | kg kg kg kg | Other bars and rods, not further worked than forged . Of cross-section in the shape of "flattened circles" or "modified rectangles": Of a height of 80 mm or more: Channels, girders, beams and joists Other Other . Other | Free | Free |
| 7228.50.00 | 02G 05A 08F 19A | kg kg kg kg | Other bars and rods, not further worked than cold-formed or cold-finished . Of cross-section in the shape of "flattened circles" or "modified rectangles": . Of a height of 80 mm or more: Channels, girders, beams and joists Other . Other . Other | l Free | Free |

Iron and steel—continued

| | Statisti | cal Key | | Rates | of Duty |
|------------|------------|----------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 7228.60.00 | | | Other bars and rods of other alloy steel; angles, etc.—continued Other bars and rods | Free | Free |
| | | | . Of cross-section in the shape of "flattened circles" or "modified rectangles": | | |
| | 02L | kg | Of a height of 80 mm or more: Channels, girders, beams and joists | | |
| | 05E 08K | kg kg | Other Other | | |
| | 11K 19E | kg kg | . Other: Welding Other | | |
| 7228.70.00 | | | Angles, shapes and sections. Of a height of 80 mm or more: | Free | Free |
| | 01F 09A | kg kg | Channels, girders, beams and joists Other | | |
| | 19J | kg | Other | | |
| 7228.80.00 | 00A | kg | Hollow drill bars and rods | Free | Free |
| 72.29 | | | Wire of other alloy steel: | | |
| 7229.20.00 | | | Of silico-manganese steel. Coated: | Free | Free |
| | 02D 08C | kg kg | Welding Other Other: | | |
| | 12A 18L | kg kg | Welding Other | | |
| 7229.90.00 | | | Other. Of high speed steel: | Free | Free |
| | 10L 13E | kg kg | Coated Other Other: | | |
| | 15 4 | 1 | Coated: | | |
| | 15A 17H | kg kg | Welding Other | | |
| | 21F 29A | kg kg | Other: Welding Other | | |
| | | - | | | |

Section XV Chapter 72/40

Chapter 73

Articles of iron or steel

NOTES-

- 1. In this Chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1 (d) to Chapter 72.
- 2. In this Chapter the word "wire" means hot or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

* * *

Section XV Chapter 73/2

| | Statistic | cal Key | | Rates | of Duty |
|-----------------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 73.01 | | | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel: | | |
| 7301.10.00 | 00L | kg | - Sheet piling | Free | Free |
| 7301.20.00 | 00D | kg | – Angles, shapes and sections | 5 | Free *See Below CA Free |
| 73.02 | | | Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: | | |
| 7302.10.00 | 00J | kg | – Rails | Free | Free |
| 7302.30.00 | 00F | kg | - Switch blades, crossing frogs, point rods and other crossing pieces | Free | Free |
| 7302.40.00 | 00K | kg | – Fish-plates and sole plates | Free | Free |
| 7302.90.00 | 11C | kα | - Other Sleepers (cross-ties) | Free | Free |
| | 19J | kg kg | . Other | | |
| 73.03 | | | | | |
| 7303.00.00 | 00C | kg | Tubes, pipes and hollow profiles, of cast iron | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 73.04 | | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: | | 1,2020 0 |
| | | | Line pipe of a kind used for oil or gas pipelines: | | |
| 7304.11.00 | | | - Of stainless steel | 5 | Free *See Below CA Free RCEP 4 |
| | 10G 19L | kg kg | Of a nominal internal diameter less than 100 mm Other | | 1/2025 3.7 |
| 7304.19.00 | | | – – Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 10C 19G | kg kg | Of a nominal internal diameter less than 100 mm Other - Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: | | 1,2023 3 |
| 7304.22.00 | 00H | 1 | Casing, tuoning and drift pipe, of a kind used in drifting for on or gas. Drill pipe of stainless steel | 5 | Free |
| 7304.22.00 | оон | kg | – – Dim pipe of staimess steer | 3 | *See Below CA Free RCEP 3.5 1/2025 3 |
| 7304.23.00 | 00B | kg | – – Other drill pipe | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7304.24.00 | 00G | kg | Other, of stainless steel | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7304.29.00 | 10G | kg | Other of simples are setting of increases allow steel | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 7204 21 | | | - Other, of circular cross-section, of iron or non-alloy steel | | |
| 7304.31 7304.31.01 | 01A 09G | kg kg | - Cold-drawn or cold-rolled (cold-reduced): Boiler tubes Of a nominal internal diameter less than 100 mm Other | Free | Free |

| | Statisti | cal Key | | Rates | of Duty |
|-----------------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Tubes, pipes and hollow profiles, seamless, of iron, etc.—continued Other, of circular cross-section, of iron or non-alloy steel—continued - Cold-drawn or cold-rolled (cold-reduced)—continued | | |
| 7304.31.09 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01B | kg | Blanks for tubes and pipes Other: Steam pipes: | | 172025 5 |
| | 11K 19E | kg kg | Of a nominal internal diameter less than 100 mm Other Other: | | |
| 7304.39 | 21G 29B | kg kg | Of a nominal internal diameter less than 100 mm | | |
| 7304.39 | 01H 19L | kg kg | Other: Boiler tubes Of a nominal internal diameter less than 100 mm Other | Free | Free |
| 7304.39.09 | 15L | ĸg | Other | 5 | Free *See Below CA Free RCEP 4 |
| | 01J | kg | Blanks for tubes and pipes Other: | | 1/2025 3.7 |
| | 11F 19A | kg kg | Steam pipes: Of a nominal internal diameter less than 100 mm Other | | |
| | 21C 39F | kg kg | Other: Of a nominal internal diameter less than 100 mm Other | | |
| 7304.41 | | | Other, of circular cross-section, of stainless steel:– Cold-drawn or cold-rolled (cold-reduced): | | |
| 7304.41.01 | 01E 19H | kg kg | Boiler tubes Of a nominal internal diameter less than 100 mm Other | Free | Free |
| 7304.41.09 | | 3 | Other | 5 | Free *See Below CA Free RCEP 3.5 |
| | 01F | kg | Blanks for tubes and pipes Other: | | 1/2025 3 |
| | 11C 19J | kg kg | Steam pipes: Of a nominal internal diameter less than 100 mm Other Other: | | |
| | 21L 29F | kg kg | Of a nominal internal diameter less than 100 mm Other | | |
| 7304.49 7304.49.01 | 01A | kg | Other: Boiler tubes Of a nominal internal diameter less than 100 mm | Free | Free |
| 7304.49.09 | 19D | kg | Other Other | 5 | Free *See Below CA Free RCEP 3.5 |
| | 01B | kg | Blanks for tubes and pipes Other: | | 1/2025 3 |
| | 11K 19E | kg kg | Steam pipes: Of a nominal internal diameter less than 100 mm Other | | |
| | 21G 29B | kg kg | Other: Of a nominal internal diameter less than 100 mm Other | | |
| 7304.51 | | | Other, of circular cross-section, of other alloy steel:– Cold-drawn or cold-rolled (cold-reduced): | | |
| 7304.51.01 | 01J 19A | kg kg | Boiler tubes Of a nominal internal diameter less than 100 mm Other | Free | Free |

| | Statisti | cal Key | | Rates | of Duty |
|-----------------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Tubes, pipes and hollow profiles, seamless, of iron, etc.—continued—Other, of circular cross-section, of other alloy steel—continued—Cold-drawn or cold-rolled (cold-reduced)—continued | | |
| 7304.51.09 | | | Other | 5 | Free *See Below |
| | 01K | kg | Blanks for tubes and pipes Other: Steam pipes: | | CA Free |
| | 11G 19B | kg kg | Of a nominal internal diameter less than 100 mm Other Other: | | |
| 7204.50 | 22B 29K | kg kg | Of a nominal internal diameter less than 100 mm Other | | |
| 7304.59 7304.59.01 | 02C 09L | kg kg | Other: Boiler tubes Of a nominal internal diameter less than 100 mm Other | Free | Free |
| 7304.59.09 | | | Other | 5 | Free *See Below CA Free RCEP 4 |
| | 01F | kg | Blanks for tubes and pipes Other: Steam pipes: | | 1/2025 3.7 |
| | 11C 19J | kg kg | Of a nominal internal diameter less than 100 mm Other: | | |
| | 21L 29F | kg kg | Of a nominal internal diameter less than 100 mm Other | | |
| 7304.90 7304.90.01 | 01J 09D | kg kg | Other: Boiler tubes Of a nominal internal diameter less than 100 mm Other | Free | Free |
| 7304.90.09 | | | Other | 5 | Free *See Below CA Free |
| | | | | | CPT Free RCEP 4 1/2025 3.7 |
| | 01K | kg | Blanks for tubes and pipes Other: Steam pipes: | | |
| | 11G 19B | kg kg | Of a nominal internal diameter less than 100 mm Other Other: | | |
| | 21D 29K | kg kg | Of a nominal internal diameter less than 100 mm Other | | |
| 73.05 | | | Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel: | | |
| 7205 11 00 | | | - Line pipe of a kind used for oil or gas pipelines: | ~ | |
| 7305.11.00 | | | Longitudinally submerged arc welded | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01F | kg | Screwed Unscrewed: | | |
| 7205 12 00 | 11C 19J | kg kg | Of a nominal internal diameter exceeding 600 mm Other | <i>r</i> | |
| 7305.12.00 | 0.17 | | Other, longitudinally welded | 5 | Free *See Below CA Free CPT Free RCEP 3.5 1/2025 3 |
| | 01L | kg | Screwed Unscrewed: | | |
| | 11H 19C | kg kg | Of a nominal internal diameter exceeding 600 mm Other | | |

| | Statisti | cal Key | | Rates | of Duty |
|--------------------------|--------------------------|----------------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 7305.19.00 | | | Other tubes and pipes (for example, welded, riveted, etc.—continued – Line pipe of a kind used for oil or gas pipelines—continued – Other | 5 | Free *See Below CA Free RCEP 3.5 |
| 7305.20.00 | 01B 12H 19E 29B | kg kg kg kg | Welded: Screwed Unscrewed: Of a nominal internal diameter exceeding 600 mm Other Other - Casing of a kind used in drilling for oil or gas | 5 | Free *See Below |
| | 01E 11B 19H 39B | kg kg kg kg | Welded: Screwed Unscrewed: Of a nominal internal diameter exceeding 600 mm Other . Other | | CA Free |
| 7305.31 | | | - Longitudinally welded: | | |
| 7305.31.01 | 00A | kg | Boiler tubes | Free | Free |
| 7305.31.09 | 00B | kg | – – High-pressure hydro-electric conduits of steel, whether or not reinforced | 5 | Free *See Below CA Free LDC 4 RCEP 4 |
| 7305.31.19 | | | Other | 5 | 1/2025 3.7 Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01F 11C | kg | Steam pipes Other: | | 112023 3 |
| | 21L 39C | kg kg kg | Screwed Unscrewed: Of a nominal internal diameter exceeding 600 mm Other | | |
| 7305.39 | | | Other: | | |
| 7305.39.01 | 00H | kg | Boiler tubes | Free | Free |
| 7305.39.09 | 10F | kg | – High-pressure hydro-electric conduits of steel, whether or not reinforced | 5 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 |
| 7305.39.19 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01B | kg | Steam pipes Other: | | |
| | 11K | kg | Screwed | | |
| 5005 00 | 21G 29B | kg kg | Unscrewed: Of a nominal internal diameter exceeding 600 mm Other | | |
| 7305.90 | 001 | 1, . | - Other: | E | F |
| 7305.90.01 7305.90.09 | 00J 00K | kg ka | Boiler tubes High pressure hydro electric conduits of steel, whether or not | Free | Free |
| 7.50.5.09 | AUU | kg | – High-pressure hydro-electric conduits of steel, whether or not reinforced | 5 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statisti | cal Key | | Rates | of Duty |
|------------|------------|----------|--|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Other tubes and pipes (for example, welded, riveted, etc.—continued | | |
| 7305.90.19 | 00E | lr o | - Other - continued Other | 5 | Free |
| 7303.90.19 | OOL | kg | Other | 3 | *See Below |
| | | | | | CA Free RCEP 3.5 |
| 73.06 | | | Other tubes, pipes and hollow profiles (for example, open seam or | | 1/2025 3 |
| 75.00 | | | welded, riveted or similarly closed), of iron or steel: | | |
| | | | – Line pipe of a kind used for oil or gas pipelines: | | |
| 7306.11.00 | | | Welded, of stainless steel | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 4 1/2025 3.7 |
| | 10C | kg | Screwed Unscrewed: | | |
| | 13H 15D | kg kg | Of a nominal internal diameter less than 102 mm 102 mm or more but less than 229 mm | | |
| | 19G | kg | Other | | |
| 7306.19.00 | | | Other | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 4 1/2025 3.7 |
| | 10K | kα | Welded: Screwed | | |
| | | kg | Unscrewed: | | |
| | 13D 15L | kg kg | Of a nominal internal diameter less than 102 mm 102 mm or more but less than 229 mm | | |
| | 17G 19C | kg kg | Other | | |
| | 150 | ĸg | Casing and tubing of a kind used in drilling for oil or gas: | | |
| 7306.21.00 | | | Welded, of stainless steel | 5 | Free |
| | | | | | *See Below CA Free |
| | 10G | kg | Screwed Unscrewed: | | |
| | 124 | , | Of a nominal internal diameter less than 102 mm: | | |
| | 13A 15H | kg kg | Of a wall thickness not exceeding 2.6 mm Of a wall thickness exceeding 2.6 mm | | |
| | 17D 19L | kg kg | 102 mm or more but less than 229 mm Other | | |
| 7306.29.00 | | 8 | - Other | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| | 100 | | Welded: | | 172025 5 |
| | 10C | kg | Screwed Unscrewed: | | |
| | 13H 15D | kg kg | Of a nominal internal diameter less than 102 mm 102 mm or more but less than 229 mm | | |
| | 17L 19G | kg | Other | | |
| 7306.30 | 19G | kg | OtherOther, welded, of circular cross-section, of iron or non-alloy steel: | | |
| 7306.30.01 | | | - Boiler tubes | Free | Free |
| | 01C 19F | kg kg | Of a nominal internal diameter less than 100 mm Other | | |
| 7306.30.09 | 00F | kg kg | - High-pressure hydro-electric conduits of steel, whether or not | | |
| | | 8 | reinforced | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | LDC 4 RCEP 5 |
| | | | | | 1/2025 5 |

| | Statisti | cal Key | | Rates | of Duty |
|--------------------|------------|----------|--|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Other tubes, pipes and hollow profiles, etc.—continued | | |
| 7 207 20 40 | | | - Other, welded, of circular cross-section, of iron, etc.— <i>continued</i> | _ | |
| 7306.30.19 | | | Other | 5 | Free *See Below |
| | | | | | CA Free RCEP 3.5 |
| | | | | | 1/2025 3 |
| | 01K | kg | Steam pipes: Of a nominal internal diameter less than 100 mm | | |
| | 08G | kg | Other | | |
| | | | Other: Plated or coated with zinc: | | |
| | 23L | lr o | Screwed: Of a nominal internal diameter less than 102 mm | | |
| | 25G | kg kg | Of a nominal internal diameter less than 102 mm Of a nominal internal diameter of 102 mm or more but less than | 1 229 mm | |
| | 27C | kg | Other Unscrewed: | | |
| | 31A | kg | Of a nominal internal diameter less than 102 mm | | |
| | 35D 37L | kg kg | Of a nominal internal diameter of 102 mm or more but less than Other | ı 229 mm | |
| | 371 | ĸg | Plated or coated with other metals: | | |
| | 41J | kg | Screwed: Of a nominal internal diameter less than 102 mm | | |
| | 45A | kg | Of a nominal internal diameter of 102 mm or more but less than | ı 229 mm | |
| | 49D | kg | Other Unscrewed | | |
| | 51F | kg | Of a nominal internal diameter less than 102 mm | ••• | |
| | 55J 59A | kg kg | Of a nominal internal diameter of 102 mm or more but less that Other | i 229 mm | |
| | | 0 | Painted, lacquered or similarly coated: | | |
| | 61C | kg | Screwed: Of a nominal internal diameter less than 102 mm | | |
| | 65F 69J | kg | Of a nominal internal diameter of 102 mm or more but less than | ı 229 mm | |
| | 093 | kg | Other Unscrewed: | | |
| | 71L 75C | kg kg | Of a nominal internal diameter less than 102 mm Of a nominal internal diameter of 102 mm or more but less than | 220 mm | |
| | 79F | kg | Other | (22) IIIII | |
| | | | Other: Screwed: | | |
| | 81H | kg | Of a nominal internal diameter less than 102 mm | 220 | |
| | 85L 89C | kg kg | Of a nominal internal diameter of 102 mm or more but less that Other | i 229 mm | |
| | 01E | | Unscrewed: | | |
| | 91E 95H | kg kg | Of a nominal internal diameter less than 102 mm Of a nominal internal diameter of 102 mm or more but less than | 1 229 mm | |
| | 99L | kg | Other | | |
| 7306.40 | | | - Other, welded, of circular cross-section, of stainless steel: | | |
| 7306.40.01 | 01G | kg | – Boiler tubes Of a nominal internal diameter less than 100 mm | Free | Free |
| | 09B | kg | Other | | |
| 7306.40.09 | 00K | kg | High-pressure hydro-electric conduits of steel, whether or not reinforced | 5 | Enna |
| | | | reinforced | 5 | Free *See Below |
| | | | | | CA Free LDC 4 |
| | | | | | RCEP 5 |
| | | | | | 1/2025 5 |
| 7306.40.19 | | | Other | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| | 010 | 1, . | Steam pipes: | | |
| | 01C 09J | kg kg | Of a nominal internal diameter less than 100 mm Other | | |
| | 11L | kg | Other: Screwed | | |
| | | | Unscrewed: | | |
| | 21H 29C | kg kg | Of a nominal internal diameter less than 102 mm Of a nominal internal diameter of 102 mm or more but less than | | |
| | | | 229 mm | | |
| | 39L | kg | Other | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statisti | cal Key | | Rates of Duty | | |
|-----------------------|--|--|--|------------------|---|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | |
| | | | Other tubes, pipes and hollow profiles, etc.—continued | | | |
| 7306.50 7306.50.01 | 01L 09F | kg kg | Other, welded, of circular cross-section, of other alloy steel: Boiler tubes Of a nominal internal diameter less than 100 mm Other | Free | Free | |
| 7306.50.09 | 00C | kg | High-pressure hydro-electric conduits of steel, whether or not reinforced | 5 | Free *See Below CA Free LDC 4 RCEP 5 | |
| 7306.50.19 | | | Other | 5 | 1/2025 5 Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 7306.61.00 | 01G 09B 11D 21A 29G 39D | kg kg kg kg | Steam pipes: Of a nominal internal diameter less than 100 mm Other Other: Screwed Unscrewed: Of a nominal internal diameter less than 102 mm Of a nominal internal diameter of 102 mm or more but less than 229 mm Other - Other, welded, of non-circular cross-section: - Of square or rectangular cross-section | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 | |
| | 10A 13F 15B 17J 51J 53E 54C 55A 56K 57H 58F 59D | kg kg kg kg kg kg kg | Of a nominal internal diameter less than 100 mm Other . Rectangular hollow sections: Of a maximum dimension less than 102 mm: Stainless steel: Of wall thickness not exceeding 2.6 mm Other Plated or coated with zinc: Of wall thickness not exceeding 2.6 mm Other Plated or coated with other metals: Of wall thickness not exceeding 2.6 mm Other Plated or coated with other metals: Of wall thickness not exceeding 2.6 mm Other Painted, lacquered or similarly coated: Of wall thickness not exceeding 2.6 mm Other Other Other Other Other Of wall thickness not exceeding 2.6 mm Other Other | | | |

| | Statistical Key | | Statistical Key | | Rates of Duty | | |
|--------|-----------------|------|-----------------|------------------|-------------------------|--|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | | |

| | | | Other tubes, pipes and hollow profiles, etc.—continued Other, welded, of circular cross-section, of other alloy steel—continued Of square or rectangular cross-section—continued Rectangular hollow sections—continued | | |
|------------|------------|----------|---|---|---|
| | | | Of a maximum dimension of 102 mm or more but less than 128 mm: | | |
| | 61E | lr o | Stainless steel: | | |
| | 61F 62D | kg kg | Of wall thickness not exceeding 2.6 mm | | |
| | 02D | ĸg | Plated or coated with zinc: | | |
| | 63B | kg | Of wall thickness not exceeding 2.6 mm | | |
| | 64L | kg | Other | | |
| | | | Plated or coated with other metals: | | |
| | 65J | kg | Of wall thickness not exceeding 2.6 mm | | |
| | 66G | kg | Other Painted, lacquered or similarly coated: | | |
| | 67E | kg | Of wall thickness not exceeding 2.6 mm | | |
| | 68C | kg | Other | | |
| | | 0 | Other: | | |
| | 69A | kg | Of wall thickness not exceeding 2.6 mm | | |
| | 70E | kg | Other | | |
| | | | Of a maximum dimension of 128 mm or more but less than 229 mm: | | |
| | 71C | kg | Stainless steel: Of wall thickness not exceeding 2.6 mm | | |
| | 72A | kg | Other | | |
| | | 8 | Plated or coated with zinc: | | |
| | 73K | kg | Of wall thickness not exceeding 2.6 mm | | |
| | 74H | kg | Other | | |
| | 750 | 1 | Plated or coated with other metals: | | |
| | 75F 76D | kg kg | Of wall thickness not exceeding 2.6 mm Other | | |
| | 700 | Kg | Painted, lacquered or similarly coated: | | |
| | 77B | kg | Of wall thickness not exceeding 2.6 mm | | |
| | 78L | kg | Other | | |
| | 701 | | Other: | | |
| | 79J 80B | kg ka | Of wall thickness not exceeding 2.6 mm | | |
| | 81L | kg kg | Other Other | | |
| | 012 | 8 | Other: | | |
| | | | Of a nominal internal diameter less than 102 mm: | | |
| | 021 | | Stainless steel: | | |
| | 82J 83G | kg | Of wall thickness not exceeding 2.6 mm | | |
| | 84E | kg kg | Other Other | | |
| | 85C | kg | Of a nominal internal diameter of 102 mm or more but less than 229 mm | | |
| | 89F | kg | Other | | |
| 7306.69.00 | | | Of other non-circular cross-section | 5 | Free |
| | | | | | *See Below CA Free RCEP 4 1/2025 3.7 |
| | 10H | kg | Steam pipes: Of a nominal internal diameter less than 100 mm | | |
| | 13B | kg | Other | | |
| | | 0 | Other: | | |
| | | | Of a nominal internal diameter less than 102 mm: | | |
| | 1.57 | | Stainless steel: | | |
| | 15J 17E | kg ka | Of wall thickness not exceeding 2.6 mm | | |
| | 17E 19A | kg kg | Other Other | | |
| | 21C | kg kg | Other Of a nominal internal diameter of 102 mm or more but less than | | |
| | | **5 | 229 mm | | |
| | 29J | kg | Other | | |
| 7306.90.00 | 00L | kg | – Other | 5 | Free |
| | | | | | *See Below CA Free RCEP 4 1/2025 3.7 |

| | Statisti | cal Key | | Rates | of Duty |
|-----------------------|------------|----------|--|------------------|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 73.07 | | | Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron | | |
| | | | or steel: - Cast fittings: | | |
| 7307.11.00 | | | Cast intings.Of non-malleable cast iron | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01B 09H | kg kg | Sockets Other | | |
| 7307.19.00 | 0911 | кg | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01J 09D | kg kg | Sockets Other | | |
| 7307.21 | OJD | ĸg | Other, of stainless steel:– Flanges: | | |
| 7307.21.01 | 00D | kg | Of circular cross-section | 5 | Free *See Below CA Free LDC 4 RCEP 3.5 1/2025 3 |
| 7307.21.09 | 00E | kg | Other | Free | Free |
| 7307.22.00 | 00B | kg | Threaded elbows, bends and sleeves | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7307.23 | | | Butt welding fittings: | _ | |
| 7307.23.01 | 00C | kg | Of circular cross-section | 5 | Free *See Below CA Free LDC 4 RCEP 3.5 1/2025 3 |
| 7307.23.09 | 00D | kg | Other | Free | Free |
| 7307.29 7307.29.01 | 001 | 1, | Other: | 5 | F |
| 7307.29.01 | 00L | kg | Screwed Unscrewed: | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7307.29.11 | 00F | kg | Of circular cross-section | 5 | Free *See Below CA Free LDC 4 RCEP 5 1/2025 5 |
| 7307.29.19 | 00G | kg | Other - Other: | Free | Free |
| 7307.91 | | | – Flanges: | | |
| 7307.91.01 | 00K | kg | Screwed | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7307.91.09 | | | Unscrewed | 5 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 |
| | 01J 09D | kg kg | Forged steel Other | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the Preferential Tariff are Free.$

| | Statisti | cal Key | | Rates of Duty | | |
|---------------------|-------------------|----------|---|------------------|--|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | |
| | | | Tube or pipe fittings (for example, couplings, elbows, etc. —continued – Other—continued | | | |
| 7307.92.00 | 00Н | kg | – Threaded elbows, bends and sleeves | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 | |
| 7307.93.00 | 00B | kg | Butt welding fittings | 5 | Free *See Below CA Free LDC 4 RCEP 3.5 1/2025 3 | |
| 7307.99 | | | Other: | | | |
| 7307.99.01 | 045 | | Screwed | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 | |
| | 01D 09K | kg kg | Sockets Other | | | |
| 7307.99.09 | 00G | kg | Unscrewed | 5 | Free *See Below CA Free LDC 4 RCEP 3.5 1/2025 3 | |
| 73.08 | | | Structures (excluding prefabricated buildings of heading 94.06) and parts of structures (for example, bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frame-works, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns), of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel: | | | |
| 7308.10.00 | 00Н | kg | - Bridges and bridge-sections | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| ▲ 7308.20 | | | - Towers and lattice masts: | | | |
| ▲ 7308.20.01 | 00H | kg | – – Wind turbine towers | Free | Free | |
| ▲ 7308.20.03 | 00L | kg | – – Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 7308.30.00 | 016 | Ŋ | – Doors, windows and their frames and thresholds for doors | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| | 01C 03K 05F | | . Doors. Door frames and their thresholds. Windows and their frames | | | |
| 7308.40.00 | | | - Equipment for scaffolding, shuttering, propping or pit-propping | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 7308.90 | 01G 09B | kg kg | . Scaffolding fittings. OtherOther: | | | |
| ★ 7308.90.05 | 00J | kg | - Parts specially designed for wind turbine towers | Free | Free | |
| 7308.90.10 | | J | Roofing tiles | 5 | Free *See Below CA Free CPT Free RCEP 5 1/2025 5 | |
| | 10K 19C | | Of galvanised steel, coated with a layer of bonded mineral substances Other $ \\$ | | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statisti | cal Key | | Rates o | of Duty |
|----------------------------|------------|----------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Structures (excluding prefabricated buildings of, etc.—continued | | |
| ▲ 7308.90.90 | | | - Other - continued Other | 5 | Free |
| ~ 7308.90.90 | | | Other | 3 | *See Below |
| | | | | | CA Free RCEP 4 |
| | 10C | kg | Channels, joists, girders, beams and columns | | 1/2025 3.7 |
| | 15D 19G | kg kg | Tubes and the like, prepared for use in structures Suspended ceiling systems | | |
| | 31F | kg | Other | | |
| 73.09 | 000 | 1 | Promise to be set on his illustration for any set illustration | | |
| 7309.00.00 | 00B | kg | Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity | | |
| | | | exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| 73.10 | | | Tanks, casks, drums, cans, boxes and similar containers, for any | | 1/2023 3 |
| | | | material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment: | | |
| 7310.10.00 | 01H | kg | Of a capacity of 50 l or more . Returned empty containers identifiable as such to the satisfaction of | Free | Free |
| | 09C | | Customs . Other | | |
| | 090 | kg | - Of a capacity of less than 50 l: | | |
| 7310.21 | | | Cans which are to be closed by soldering or crimping: | | |
| 7310.21.01 | 00D | kg | Not exceeding 30 l capacity | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| 7310.21.09 | 00E | kg | Other | Free | Free |
| 7310.29 | 001 | , | Other: | ~ | |
| 7310.29.01 | 00L | kg | Not exceeding 301 capacity | 5 | Free *See Below |
| | | | | | CA Free RCEP 3.5 |
| 7210 20 00 | 00.4 | 1 | | Г | 1/2025 3 |
| 7310.29.09 73.11 | 00A | kg | Other | Free | Free |
| 7311.00.00 | 00D | kg | Containers for compressed or liquefied gas, of iron or steel | 5 | Free |
| | | | | | *See Below RCEP 3.5 |
| = 2.42 | | | | | 1/2025 3 |
| 73.12 | | | Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated: | - | - |
| 7312.10.00 | | | - Stranded wire, ropes and cables | 5 | Free *See Below |
| | | | | | CA Free CPT Free |
| | | | | | RCEP 5 1/2025 5 |
| | 01D | kg | With fittings attached Other: | | ======================================= |
| | 11A | kg | Stress relieved strand (also known as pre-stressed or post-stressed) of | | |
| | 19G | kg | a kind used in pre-stressed concrete work Round strand ropes 2.5 mm to 56 mm diameter inclusive | | |
| 7312.90.00 | 29D 00E | kg kg | Other – Other | 5 | Free |
| 7512.70.00 | OOL | Λg | Out. | J | *See Below CA Free |
| | | | | | RCEP 4 |
| | | | | | 1/2025 3.7 |

| | Statisti | cal Key | | Rates | of Duty |
|------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 73.13 | | | | | |
| 7313.00 | | | Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel: | | |
| 7313.00.01 | 00G | kg | – Barbed iron or steel wire | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7313.00.09 | 00H | kg | – Other | Free | Free |
| 73.14 | | | Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: | | |
| 7314.12.00 | | | Woven cloth:- Endless bands for machinery, of stainless steel | 5 | Free |
| 7314.12.00 | | | · | 3 | *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01K 09E | kg kg | Size 0-17.5 SWG Other | | |
| 7314.14.00 | | | Other woven cloth, of stainless steel | 5 | Free *See Below CA Free RCEP 3.5 |
| | 01J | kg | Size 0-17.5 SWG | | 1/2025 3 |
| 7314.19.00 | 09D | kg | Other - Other | 5 | Free |
| 7314.19.00 | | | – – Oulei | 3 | *See Below CA Free RCEP 5 1/2025 5 |
| | 10L | kg | Other endless bands for machinery: Size 0-17.5 SWG | | |
| | 13E | kg | Other | | |
| | 17H 19D | kg kg | Other: Size 0-17.5 SWG Other | | |
| 7314.20.00 | 00F | kg | Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm² or more | 5 | Free *See Below |
| | | | | | CA Free RCEP 4 1/2025 3.7 |
| | | | - Other grill, netting and fencing, welded at the intersection: | | |
| 7314.31.00 | | | Plated or coated with zine | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01B 09H | kg kg | Size 0-17.5 SWG Other | | |
| 7314.39.00 | 0,911 | vŘ | - Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01J 09D | kg kg | Size 0-17.5 SWG Other | | |

| | Statisti | cal Key | | Rates | of Duty |
|--------------|------------|----------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Cloth (including endless bands), grill, netting and, etc.—continued | | |
| | | | - Other cloth, grill, netting and fencing: | | |
| 7314.41 | | | Plated or coated with zinc: | | |
| 7314.41.01 | | | Netting, hexagonal mesh | Free | Free |
| | 01B 09H | kg kg | 13 mm mesh 19 mm mesh | | |
| | 19E | kg | Other | | |
| 7314.41.09 | | | Other | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| | 01C | kg | Netting, chain link | | 1/2023 |
| | 11L | kg | Other: Size 0-17.5 SWG | | |
| | 19F | kg | Other | | |
| 7314.42 | | | Coated with plastics: | | |
| 7314.42.01 | 01G | kg | Netting, hexagonal mesh 13 mm mesh | Free | Free |
| | 09B | kg | 19 mm mesh | | |
| 7214 42 00 | 19K | kg | Other | ~ | |
| 7314.42.09 | | | Other | 5 | Free *See Below |
| | | | | | CA Free RCEP 4 |
| | | | | | 1/2025 3.7 |
| | 02F | kg | Netting, chain link Other: | | |
| | 12C | kg | Size 0-17.5 SWG | | |
| 7314.49 | 19L | kg | Other – Other: | | |
| 7314.49 | | | Other: Netting, hexagonal mesh | Free | Free |
| 7314.49.01 | 01J | kg | 13 mm mesh | Ticc | Tiec |
| | 09D 29J | kg kg | 19 mm mesh Other | | |
| 7314.49.09 | | 0 | Other | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 |
| | 01K | kg | Netting, chain link | | 1/2025 3 |
| | | | Other: | | |
| | 11G 19B | kg kg | Size 0-17.5 SWG Other | | |
| 7314.50.00 | 00G | kg | - Expanded metal | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 |
| 73.15 | | | Chain and parts thereof, of iron or steel: | | 1/2025 3 |
| | | | - Articulated link chain and parts thereof: | | |
| 7315.11 | | | Roller chain: | | |
| ▲ 7315.11.01 | 110 | | Transmission chain | Free | Free |
| | 11G 21D | kg kg | Of a type used on motorcycles Of a kind used on bicycles | | |
| | 25G | kg | Other | | |
| 7315.11.09 | 00B | kg | Other | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | LDC Free RCEP 5 |
| 7315.12 | | | – – Other chain: | | 1/2025 5 |
| 7315.12 | 00F | kg | Other chain: Chain 2 mm or less in thickness | Free | Free |
| 7315.12.09 | 00G | kg | Transmission chain | Free | Free |
| | 550 | 6 | | 1.00 | 1100 |

| | Statisti | cal Key | | Rates | of Duty |
|--------------------------|-------------------|----------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Chain and parts thereof, of iron or steel—continued - Articulated link chain and parts thereof—continued - Other chain—continued | | |
| 7315.12.19 | 00B | kg | Other | 5 | Free *See Below CA Free LDC Free RCEP 3.5 1/2025 3 |
| 7315.19 | 0011 | • | Parts: | | |
| 7315.19.01 | H00 | kg | Of chain 2 mm or less in thickness | Free | Free |
| 7315.19.09 | 00J | kg | Of transmission chain | Free | Free |
| 7315.19.19 | 00D | kg | Other | 5 | Free *See Below CA Free LDC Free |
| 7315.20.00 | 00D | kg | – Skid chain | 5 | Free *See Below CA Free LDC Free RCEP 4 1/2025 3.7 |
| | | | - Other chain: | | |
| 7315.81 | | | – – Stud-link: | | |
| 7315.81.01 | 00G | kg | Transmission chain | Free | Free |
| 7315.81.09 | 00H | kg | Other | 5 | Free *See Below CA Free LDC Free |
| 7315.82 | | | Other, welded link: | | |
| 7315.82.01 | 00A | kg | Chain 2 mm or less in thickness | Free | Free |
| 7315.82.09 | 01L 09F | kg kg | Transmission chain; conveyor chain Transmission chain Conveyor chain | Free | Free |
| 7315.82.19 | | | Other | 5 | Free *See Below CA Free LDC Free |
| | 01F 09A 19J | kg kg kg | Of a diameter: Not exceeding 13 mm Exceeding 13 mm but not exceeding 25.4 mm Other | | |
| 7315.89 | | | Other: | | |
| 7315.89.01 | 00C | kg | Chain 2 mm or less in thickness | Free | Free |
| 7315.89.09 7315.89.19 | 00D | kg | Transmission chain Other | Free 5 | Free Free *See Below CA Free LDC Free |
| | 01H | kg | Conveyor chain | | LDC riee |
| | 09C | kg | Other | | |
| 7315.90 | <u>.</u> | | - Other parts: | _ | _ |
| 7315.90.01 | 10C | kg | Of chain 2 mm or less in thickness | Free | Free |
| 7315.90.09 | 01E 09L | kg kg | Of transmission chain; of welded link conveyor chain Of transmission chain Of welded link conveyor chain | Free | Free |
| 7315.90.19 | | | Other | 5 | Free *See Below CA Free LDC Free |
| | 01L 09F | kg kg | Of conveyor chain Other | | |
| 73.16 | 071 | ĸg | · · · Other | | |
| 7316.00.00 | 00E | kg | Anchors, grapnels and parts thereof, of iron or steel | 5 | Free *See Below CA Free RCEP 3.5 |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statistic | cal Key | | Rates | of Duty |
|------------|------------|----------|--|--------|---|
| Number | Code | Unit | Goods | Normal | *Preferential |
| | 0000 | | | Tariff | Tariff |
| 73.17 | | | | | |
| 7317.00 | | | Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 83.05) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper: | | |
| | | | - Nails, hook-nails, corrugated nails: | | |
| 7317.00.01 | 00K | kg | Peculiar to use in footwear; escutcheon pins | Free | Free |
| 7317.00.09 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01J | kg | Made from wire, whether plain or coated: Collated or for collation | | |
| | 09D | kg | Other | | |
| | 19A | kg | Made from other materials - Staples: | | |
| 7317.00.11 | 00E | kg | - Insulated | Free | Free |
| 7317.00.19 | 00F | kg | - Other | 5 | Free |
| | | J | | | *See Below CA Free RCEP 4 1/2025 3.7 |
| 7317.00.29 | 01K | kg | - Other Tacks | Free | Free |
| | 09E 20F | kg kg | Spiked cramps, studs, spikes Other | | |
| 73.18 | | 2 | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter-pins, washers (including spring washers) and similar articles, of iron or steel: | | |
| | | | - Threaded articles: | | |
| 7318.11.00 | | | Coach screws | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 100 | | Of stainless steel: | | 172023 3 |
| | 10G 19L | kg kg | Socket head screws Other | | |
| | 21B | kg | Other: Socket head screws | | |
| | 29H | kg | Other | | |
| 7318.12.00 | | | – – Other wood screws | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 10A 19E | kg kg | Of stainless steel Other | | |
| 7318.13.00 | 10F | Ü | Screw hooks and screw rings | Free | Free |
| | 19K | kg kg | Of stainless steel Other | | |
| 7318.14.00 | | | Self-tapping screws | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 12G 19D | kg kg | Of stainless steel Other | | |
| 7318.15 | | | Other screws and bolts, whether or not with their nuts or washers: | | |
| 7318.15.01 | | | Screw studs and studding | 5 | Free *See Below CA Free LDC Free RCEP 3.5 1/2025 3 |
| | 12H 19E | kg kg | Of stainless steel Other | | |
| | | | | | |

| | Statisti | cal Key | | Rates | of Duty |
|----------------------------|------------|----------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Screws, bolts, nuts, coach screws, screw hooks, rivets, etc.—continued | | |
| | | | Threaded articles—continued Other screws and bolts, whether or not with their nuts, etc.—continued | | |
| 7318.15.09 | | | Other | 5 | Free |
| | | | | _ | *See Below |
| | | | | | CA Free CPT Free |
| | | | | | RCEP 4 1/2025 3.7 |
| | | | Of stainless steel: | | 1/2023 3.7 |
| | 50A | kg | Bolts and bolt ends: Forged | | |
| | | _ | Other: | | |
| | 52H 54D | kg kg | High tensile Other | | |
| | | 8 | Other screws: | | |
| | 56L | kg | Metal thread or machine forged; set screws: Socket head screws | | |
| | 58G 60J | kg | Other Other | | |
| | 003 | kg | Other: | | |
| | 70F | kg | Bolts and bolt ends: Forged | | |
| | | _ | Other: | | |
| | 72B 74J | kg kg | High tensile Other | | |
| | | υ | Other screws: Metal thread or machine forged; set screws: | | |
| | 76E | kg | Socket head screws | | |
| | 78A 80C | kg kg | Other Other | | |
| 7318.16.00 | 000 | | Nuts | 5 | Free |
| | | | | | *See Below |
| | | | | | CA Free RCEP 3.5 |
| | | | Of stainless steel: | | 1/2025 3 |
| | 12F | kg | Square or hexagonal, made by pressing or forging | | |
| | 14B | kg | Other Other: | | |
| | 15L 19C | kg kg | Square or hexagonal, made by pressing or forging Other | | |
| 7318.19 | 190 | ĸg | Other: | | |
| 7318.19.01 | | | Threaded spikes and studs for footwear | Free | Free |
| | 10K 19C | kg | Of stainless steel Other | | |
| 7318.19.09 | 190 | kg | Other | 5 | Free |
| 7510.17.07 | | | Oulei | 3 | *See Below |
| | | | | | CA Free RCEP 3.5 |
| | 12G | kα | Of stainless steel | | 1/2025 3 |
| | 19D | kg kg | Other | | |
| | | | - Non-threaded articles: | | |
| 7318.21.00 | 101 | ls.c. | – Spring washers and other lock washers Of stainless steel | Free | Free |
| | 10L 19D | kg kg | Other | | |
| 7318.22.00 | | | Other washers | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| | 12A | kg | Of stainless steel | | 172023 3 |
| 7 210 2 2 00 | 19J | kg | Other | - | |
| 7318.23.00 | 10K | kg | - Rivets Of stainless steel | Free | Free |
| | 19C | kg | Other | | |
| 7318.24.00 | 12L | kg | – Cotters and cotter-pins Of stainless steel | Free | Free |
| | 19H | kg | Other | | |
| 7318.29.00 | 12C | 1,0 | OtherOf stainless steel | Free | Free |
| | 12C 19L | kg kg | Of staffless steel Other | | |
| | | | | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statistic | cal Key | | Rates | of Duty |
|--------------------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 73.19 | | | Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles, for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included: | | |
| 7319.40.00 | 10A 19E | kg kg | Safety pins and other pinsSafety pinsOther pins | Free | Free |
| 7319.90.00 | 10K 19C | kg | Other . Sewing, darning or embroidery needles . Other | Free | Free |
| 73.20 | | 8 | Springs and leaves for springs, of iron or steel: | | |
| 7320.10 | | | - Leaf-springs and leaves therefor: | | |
| | | | Laminated under carriage springs (but not including shackles therefor): | | |
| | | | For use in the assembly of motor vehicles as may be determined by the Minister in accordance with Section 14 of this Act: | | |
| 7320.10.02 | 00K | | For the passenger motor vehicles of heading 87.03, and other vehicles of heading 87.04 of a g.v.w. not exceeding 3,500 kg | 10 | Free *See Below CA Free RCEP 10 |
| 7320.10.03 | 00F | | For the vehicles of headings 87.02 and 87.05, and road tractors of heading 87.01 and vehicles of heading 87.04 of a g.v.w. exceeding 3,500 kg but not exceeding 10,500 kg | 5 | 1/2025 10 Free *See Below |
| | | | | | CA Free RCEP 4 1/2025 3.7 |
| 7320.10.05 | 00J | | For other vehicles exceeding 10,500 kg | Free | Free |
| 7320.10.09 | 00D | • • | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7320.10.19 | 00K | | Other automotive springs | Free | Free |
| 7320.10.29 | 00E | • • | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7320.20 | | | – Helical springs: | | 1.2020 0 |
| | | | Coiled suspension and seat springs: | | |
| 7220 20 02 | 000 | | For use in the assembly of motor vehicles as may be determined by the Minister in accordance with Section 14 of this Act: | | |
| 7320.20.02 | 00C | • • | For the passenger motor vehicles of heading 87.03, and other vehicles of heading 87.04 of a g.v.w. not exceeding 3,500 kg | 10 | Free *See Below CA Free RCEP 8 |
| 7320.20.03 | 00K | • • | For the vehicles of headings 87.02 and 87.05, and road tractors of heading 87.01 and vehicles of heading 87.04 of a g.v.w. exceeding 3,500 kg but not exceeding 10,500 kg | 5 | 1/2025 7.3 Free *See Below CA Free RCEP 4 |
| 7220 20 05 | 000 | | For other vehicles are adjust 10 500 kg | Euro | 1/2025 3.7 |
| 7320.20.05 7320.20.09 | 00B 00H | | For other vehicles exceeding 10,500 kg | Free 5 | Free Free |
| 1320.20.07 | 0011 | •• | Oute | J | *See Below CA Free RCEP 3.5 1/2025 3 |
| 7320.20.19 7320.20.29 | 00C | • • | Other automotive springsOther | Free 5 | Free Free *See Below CA Free RCEP 5 |
| | 01G 09B | | Upholsterers' spiral springs Other | | 1/2025 5 |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the Preferential Tariff are Free.$

| | Statistic | cal Key | | Rates of Duty | | |
|---------------------|------------|------------|---|------------------|---|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | |
| 722 0.00 | | | Springs and leaves for springs, of iron or steel—continued | | | |
| 7320.90 | | | Other:– Coiled suspension and seat springs: | | | |
| | | | Coned suspension and seat springs. For use in the assembly of motor vehicles as may be determined by the Minister in accordance with Section 14 of this Act: | | | |
| 7320.90.02 | 00J | | For the passenger motor vehicles of heading 87.03, and other | 10 | F | |
| 7220 00 02 | 005 | | vehicles of heading 87.04 of a g.v.w. not exceeding 3,500 kg | 10 | Free *See Below CA Free RCEP 8 1/2025 7.3 | |
| 7320.90.03 | 00E | •• | For the vehicles of headings 87.02 and 87.05, and road tractors of heading 87.01 and vehicles of heading 87.04 of a g.v.w. exceeding 3,500 kg but not exceeding 10,500 kg | 5 | Free | |
| | | | | | *See Below CA Free RCEP 4 1/2025 3.7 | |
| 7320.90.05 | 00H | | For other vehicles exceeding 10,500 kg | Free | Free | |
| 7320.90.09 | 00C | •• | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 7320.90.19 | 00J | | Other automotive springs | Free | Free | |
| 7320.90.29 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| | 01B 09H | | Upholsterers' spiral springs Other | | | |
| 73.21 | 0311 | •• | Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas-rings, plate warmers and similar non-electric domestic appliances, and parts thereof, of iron or steel: | | | |
| | | | - Cooking appliances and plate warmers: | | | |
| ▲ 7321.11 | | | For gas fuel or for both gas and other fuels: | | | |
| ▲ 7321.11.03 | 01G | No. | Hydrogen-fuelled stoves | Free | Free | |
| 1 7221 11 05 | 0117 | NI. | Domestic gas fuel cooking stoves and ranges: | 5 | F | |
| ▲ 7321.11.05 | 01K | No. | Outdoor gas fuel cooking stoves | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| ▲ 7321.11.08 | 01J | No. | Other | Free | Free | |
| ▲ 7321.11.19 | 01L | No. | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 7321.12.00 | | | – – For liquid fuel | 5 | Free *See Below CA Free RCEP 5 1/2025 5 | |
| | 01B 09H | No. No. | Cooking stoves and ranges Other | | 1.2020 | |
| 7321.19 | | | - Other, including appliances for solid fuel: | 5 | Ema | |
| 7321.19.01 | 1017 | N. | For solid fuel | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| | 10K 19C | | Cooking stoves and ranges Other | | | |

| | Statistic | cal Key | | Rates | of Duty |
|---------------------|------------|------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Stoves, ranges, grates, cookers (including those with, etc.—continued—Cooking appliances and plate warmers:—continued—Other, including appliances for solid fuel:—continued | | |
| ★ 7321.19.05 | 00H | No. | Solar concentrator cooking appliances | Free | Free |
| ★ 7321.19.09 | 01A | No. | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | | | - Other appliances: | | |
| 7321.81.00 | | | For gas fuel or for both gas and other fuels | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 10B 19F | No. No. | Space heaters | | |
| 7321.82.00 | | 110. | – For liquid fuel | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01H 09C | No. No. | Space heaters Other | | |
| 7321.89 | 0,2 | 110. | - Other, including appliances for solid fuel: | | |
| 7321.89.01 | | | For solid fuel | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 10E | No. | Space heaters | | 172023 |
| 7221 90 00 | 19J | No. | Other | 5 | F |
| 7321.89.09 | | | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 10F 19K | No. No. | Space heaters Other | | |
| 7321.90 | 171 | 110. | - Parts: | | |
| 7321.90.01 | 00L | | Of domestic gas fuel cooking stoves and ranges | Free | Free |
| 7321.90.09 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01K 09E | | Of cooking stoves and ranges Of other stoves and of space heaters | | |
| | 19B | | Other | | |
| 73.22 | | | Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel: | | |
| 7222 11 00 | 00H | 1, ~ | - Radiators and parts thereof: | 5 | Free |
| 7322.11.00 | | kg | – – Of cast iron | 3 | *See Below CA Free |
| 7322.19.00 | 00D | kg | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7322.90.00 | 00B | kg | – Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |

| | Statistic | cal Key | | Rates | of Duty |
|------------|--|--------------------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 73.23 | | | Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: | | |
| 7323.10.00 | 00A | kg | Iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7323.91.00 | | | Other:Of cast iron, not enamelled | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01C 09J | kg kg | Hollowware Other | | |
| 7323.92.00 | | 8 | Of cast iron, enamelled | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01H 09C 19L | kg kg kg | Hollowware: Capacity measures Other Other | | |
| 7323.93.00 | | | – – Of stainless steel | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 02L 11K 15B 18G 21G 25K 29B 30F | No. No. No. No. | Hollowware: Capacity measures Cookware: Sets Saucepans Frypans Stockpots and dutch ovens Steamers Other cookware Other | | |
| 7323.94.00 | 90K | No. | Other - Of iron (other than cast iron) or steel, enamelled Hollowware: | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01G 09B 19K | kg kg kg | Capacity measures Other Other | | |
| 7323.99.00 | | | Other | 5 | Free *See Below CA Free CPT Free RCEP 3.5 1/2025 3 |
| 73.24 | 01K 09E 21D 29K | kg kg Th kg | Hollowware: Capacity measures Other Coat hangers Other Sanitary ware and parts thereof, of iron or steel: | | |
| 7324.10.00 | 100 | N¹- | - Sinks and wash basins, of stainless steel | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 10G 19L | | Wash basins Other | | |

| | Statisti | cal Key | Key | | of Duty |
|-----------------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Sanitary ware and parts thereof, of iron or steel—continued | | |
| | | | - Baths: | | |
| 7324.21.00 | 00Н | No. | Of cast iron, whether or not enamelled | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7324.29.00 | 00D | No. | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| ▲ 7324.90 | | | - Other, including parts: | | |
| ▲ 7324.90.01 | 00E | No. | – Composting toilets | Free | Free |
| ▲ 7324.90.03 | 00H | No. | – Water conserving showers (complete with a water-efficiency shower head) | Free | Free |
| ▲ 7324.90.05 | 00L | No. | Waterless urinals | Free | Free |
| ▲ 7324.90.07 | | | Other | 5 | Free *See Below CA Free |
| | 02K | kg | Bathroom and other toilet fittings (e.g., soap holders, toilet paper | | 0 |
| | 04F | kg | holders) Other | | |
| 73.25 | | C | Other cast articles of iron or steel: | | |
| 7325.10 | | | - Of non-malleable cast iron: | | |
| 7325.10.01 | 10A | kg | Iron castings in the rough state | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 7325.10.09 | | | Other | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 01C 09J | kg kg | Fittings for ships, boats and other vessels Other | | |
| 7227 04 00 | 00.4 | | - Other: | - | |
| 7325.91.00 7325.99 | 00A | kg | – Grinding balls and similar articles for mills– Other: | Free | Free |
| 7325.99.01 | 00D | kg | Steel castings in the rough state | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 7325.99.09 | 00E | No. | Rabbit traps and other double-jawed traps | Free | Free |
| 7325.99.19 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01J 09D | kg kg | Fittings for ships, boats and other vessels Other | | |

| | Statistical Key | | | Rates of Duty | |
|-----------------------|---------------------------------|---------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 73.26 | | | Other articles of iron or steel: | | |
| | | | - Forged or stamped, but not further worked: | | |
| 7326.11.00 7326.19 | 00L | kg | - Grinding balls and similar articles for mills- Other: | Free | Free |
| 7326.19.01 | 00C | kg | Forgings or stampings in the rough state | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 7326.19.11 | 00J | | Fencing posts, standards and droppers and accessories for use therewith | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 7326.19.19 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01H 09C | | Fittings for ships, boats and other vessels Plugs, clips and similar fittings specially suited for builders' use in fixing articles to concrete or plaster | | |
| | 11E 19L | | Bobbins, cops, cones, cores, and similar supports Turnbuckles, thimbles for eye-splices, boathooks; belt fasteners for joining belts for machinery | | |
| | 21B 29H | | Boxes specially designed to house electrical equipment Other | | |
| 7326.20 | | | - Articles of iron or steel wire: | | |
| 7326.20.01 | 00F | • • | Nose rings for animals; clips, tags, rings and the like for the identification of animals, birds or fish Other: | Free | Free |
| 7326.20.11 | 00A | | Animal vermin traps | Free | Free |
| ▲ 7326.20.15 | 00G | | Turtle or sea mammal excluder devices, being bar grids of a kind used for incorporation into fishing nets | Free | Free |
| ▲ 7326.20.19 | 01L | | Other: Spirally wound extending curtain wire | 5 | Free *See Below CA Free CPT Free RCEP 4 1/2025 3.7 |
| 7226.00 | 10K | | Other | | |
| 7326.90 7326.90.01 | | | Other: Bunsen burners; capacity measures, other than domestic; crucibles, chaplets for foundry moulding cores, solder pots; rock bolt sleeves and systems; spools, reels and similar supports for use with photographic and cinematographic film; other spools, reels, bobbins, cops, cones, cores and similar supports | Free | Free |
| | 01K 09E 11G 19B 21D | | Bunsen burners Capacity measures, other than domestic Crucibles, chaplets for foundry moulding cores, solder pots Rock bolt sleeves and systems Spools, reels and similar supports for use with photographic and cinematographic film Other spools, reels, bobbins, cops, cones, cores and similar supports | | |
| ▲ 7326.90.05 | 00G | | - Turtle or sea mammal excluder devices, being bar grids of a kind used for incorporation into fishing nets | Free | Free |
| ★ 7326.90.09 | 0.17 | | Other | 5 | Free *See Below CA Free CPT Free RCEP 4 1/2025 3.7 |
| | 01L 40A | No. | Motor vehicle assembly jigs Other | | |
| | | | * * * | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

Chapter 74

Copper and articles thereof

NOTE-

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Refined copper

Metal containing at least 99.85 % by weight of copper; or

Metal containing at least 97.5 % by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE—Other elements

| | Element | Limiting content % by weight |
|---------|-----------------|------------------------------|
| Ag | Silver | 0.25 |
| As | Arsenic | 0.5 |
| Cd | Cadmium | 1.3 |
| Cr | Chromium | 1.4 |
| Mg | Magnesium | 0.8 |
| Pb | Lead | 1.5 |
| S | Sulphur | 0.7 |
| Sn | Tin | 0.8 |
| Te | Tellurium | 0.8 |
| Zn | Zinc | 1.0 |
| Zr | Zirconium | 0.3 |
| Other e | elements*, each | 0.3 |

^{*} Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (i) the content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (ii) the total content by weight of such other elements exceeds 2.5 %.

(c) Master alloys

Alloys containing with other elements more than 10 % by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in the metallurgy of non-ferrous metals. However, copper phosphide (phosphor copper) containing more than 15 % by weight of phosphorus falls in heading 28.53.

SUBHEADING NOTE-

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements;
- any nickel content by weight is less than 5 % (see copper-nickel-zinc alloys (nickel silvers)); and
- any tin content by weight is less than 3 % (see copper-tin alloys (bronzes)).

(b) Copper-tin base alloys (bronzes)

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3 % or more the zinc content by weight may exceed that of tin but must be less than 10 %.

(c) Copper-nickel-zinc base alloys (nickel silvers)

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5 % or more by weight (see copper-zinc alloys (brasses)).

(d) Copper-nickel base alloys

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1 % of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

* * *

| | Statistical Key | | _ | Rates of Duty | |
|----------------------|-----------------|----------|--|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 74.01 | | | | | |
| 7401.00.00 | | | Copper mattes; cement copper (precipitated copper): | Free | Free |
| | 10L 19D | kg kg | . Copper mattes . Cement copper (precipitated copper) | | |
| 74.02 | | 8 | · · · · · · · · · · · · · · · · · · · | | |
| 7402.00.00 | 00A | kg | Unrefined copper; copper anodes for electrolytic refining | Free | Free |
| 74.03 | | | Refined copper and copper alloys, unwrought: | | |
| | | | - Refined copper: | | |
| 7403.11.00 | 00H | kg | Cathodes and sections of cathodes | Free | Free |
| 7403.12.00 | 00B | kg | – – Wire-bars | Free | Free |
| 7403.13.00 | 00G | kg | – – Billets | Free | Free |
| 7403.19.00 | 01D | 1 | Other | Free | Free |
| | 01B 09H | kg kg | Blooms, ingots, pellets and pigs Other | | |
| | | _ | - Copper alloys: | | |
| 7403.21.00 | | | Copper-zinc base alloys (brass) | Free | Free |
| | 01K 09E | kg kg | Billets, blooms, ingots, pellets and pigs Other | | |
| 7403.22.00 | 0,2 | 8 | - Copper-tin base alloys (bronze) | Free | Free |
| | 01D | kg | Billets, blooms, ingots, pellets and pigs | | |
| 7403.29.00 | 09K | kg | Other copper alloys (other than mester alloys of heading 74.05): | Free | Free |
| 7403.29.00 | | | Other copper alloys (other than master alloys of heading 74.05): Copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base | riee | riee |
| | 10E | kg | alloys (nickel silver): Billets, blooms, ingots, pellets and pigs | | |
| | 13K | kg | Other | | |
| | 17B | kg | Other: Billets, blooms, ingots, pellets and pigs | | |
| | 19J | kg | Other | | |
| 74.04 | | | | | |
| 7404.00.00 | 00H | kg | Copper waste and scrap | Free | Free |
| 74.05 | | | | | |
| 7405.00.00 | 00F | kg | Master alloys of copper | Free | Free |
| 74.06 | 0011 | | Copper powders and flakes: | | |
| 7406.10.00 | 00H | • • | - Powders of non-lamellar structure | Free | Free |
| 7406.20.00 | 00A | | - Powders of lamellar structure; flakes | Free | Free |
| 74.07 7407.10 | | | Copper bars, rods and profiles: Of refined copper: | | |
| 7407.10 | | | - Bars and rods: | | |
| 7407.10.01 | | | Wire rod | Free | Free |
| 7407.10.01 | 01L | kg | Welding | 1100 | 1100 |
| 7407 10 00 | 09F | kg | Other | ~ | F |
| 7407.10.09 | | | Other | 5 | Free *See Below |
| | | | | | CA Free RCEP 4 |
| | | | | | 1/2025 3.7 |
| | 01A 09G | kg kg | Welding Other | | |
| 7407.10.19 | 00J | kg | - Other | 5 | Free |
| | | C | | | *See Below |
| | | | | | CA Free RCEP 4 |
| | | | – Of copper alloys: | | 1/2025 3.7 |
| 7407.21 | | | Of copper anoys:Of copper-zinc base alloys (brass): | | |
| 7407.21 | | | Of copper-zine base anoys (brass) Bars and rods | 5 | Free |
| , 107.21.01 | | | Data una roda | J | *See Below |
| | | | | | CA Free RCEP 4 |
| | | | | | 1/2025 3.7 |
| | 01J | kg | Welding | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statistic | cal Key | | Rates o | of Duty |
|--------------------|------------|----------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Copper bars, rods and profiles—continued Of copper alloys—continued Of copper-zinc base alloys (brass)—continued | | |
| 7407.21.09 | 00A | kg | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7407.29 | | | Other: | | 1,2020 01, |
| 7407.29.01 | | | Bars and rods | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | | | Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver): | | |
| | 10D 13J | kg kg | Welding Other | | |
| | | kg | Other: | | |
| | 17A 19H | kg kg | Welding Other | | |
| 7407.29.09 | 1711 | "g | Other | 5 | Free |
| | | | | _ | *See Below |
| | 10E | kg | Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc | | CA Free |
| | 19J | kg | base alloys (nickel silver) Other | | |
| 74.08 | 173 | ĸg | Copper wire: | | |
| 7 1.00 | | | - Of refined copper: | | |
| 7408.11.00 | 00J | kg | - Of which the maximum cross-sectional dimension exceeds 6 mm | 5 | Free |
| | | | | | *See Below CA Free RCEP 4 1/2025 3.7 |
| 7408.19.00 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01C | kg | Welding | | 172023 |
| | 09J | kg | Of control land | | |
| 7408.21.00 | | | - Of copper alloys: | 5 | Evan |
| 7408.21.00 | | | – Of copper-zinc base alloys (brass) | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01L 09F | kg kg | Welding Other | | |
| 7408.22.00 | 071 | K _S | Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc | | |
| , 188 22 88 | | | base alloys (nickel silver) | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01E | kg | Welding | | 1.2020 0 |
| 7408.29.00 | 09L | kg | Other - Other | 5 | Free |
| 7408.29.00 | | | | 3 | *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01G 09B | kg kg | Welding Other | | |
| | עכט | кg | · · · · · · · · · · · · · · · · · · · | | |

| | Statistical Key | | Rates of Duty | | |
|--------------------------|-----------------|--|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 74.09 | | Copper plates, sheets and strip, of a thickness exceeding 0.15 mm: - Of refined copper: | | | |
| 7409.11.00 | 01E 09L | kg kg | In coils Worked Other | Free | Free |
| 7409.19.00 | 01A 09G | kg kg | Other Worked Other | Free | Free |
| 7409.21.00 | 01J 09D | kg kg | Of copper-zinc base alloys (brass): In coils Worked Other | Free | Free |
| 7409.29.00 | 01E 09L | kg kg | Other Worked Other Of copper-tin base alloys (bronze) | Free | Free |
| 7409.31.00 | 01B 09H | kg kg | - In coils Worked Other | Free | Free |
| 7409.39.00 | 01J 09D | kg kg | OtherWorkedOther | Free | Free |
| 7409.40.00 | 01A 09G | Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver) kg . Worked kg . Other | | Free | Free |
| 7409.90.00 | 01K 09E | kg kg | Of other copper alloys. Worked. Other | Free | Free |
| 74.10 | | | Copper foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.15 mm: | | |
| 7410.11.00 | 00L | l _{r o} | - Not backed: | Free | Free |
| 7410.11.00 | 00E | kg kg | – Of refined copper– Of copper alloys | Free | Free |
| 7410.12.00 | OOL | ĸg | - Backed: | 1100 | Tiec |
| 7410.21.00 | 01B | kg | Of refined copper Copper foil with paper or other reinforcing material, cut to shape, perforated or printed (PCB's) being partly manufactured printed circuit boards | Free | Free |
| 7410.22.00 | 09H 01G | kg kg | Other - Of copper alloys Copper foil with paper or other reinforcing material, cut to shape, perforated or printed (PCB's) being partly manufactured printed circuit boards | Free | Free |
| | 09B | kg | Other | | |
| 74.11 | | | Copper tubes and pipes: | | |
| 7411.10 | 00* | 1 | - Of refined copper: | | |
| 7411.10.01 | 00L | kg | - Having a nominal external diameter of less than 3 mm | Free | Free |
| 7411.10.09 7411.10.19 | 00A 00G | kg | Having a nominal internal diameter of 90 mm and over | Free 5 | Free |
| 7411.10.19 | oog | kg | OtherOf copper alloys: | 3 | Free *See Below CA Free LDC 4 RCEP 4 1/2025 3.7 |
| 7411.21.00 | 00B | kg | - Of copper-zinc base alloys (brass) | 5 | Free *See Below CA Free LDC Free RCEP 5 1/2025 5 |

| | Statistical Key | | T | Rates of Duty | |
|------------|-----------------|----------|---|---------------|-----------------------|
| Number | Statisti | Car Rey | Goods | Normal | *Preferential |
| Number | Code | Unit | Goods | Tariff | Tariff |
| | | | | | I |
| | | | Copper tubes and pipes—continued Of copper alloys—continued | | |
| 7411.22.00 | 00G | kg | - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base | | |
| | | 0 | alloys (nickel silver) | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | LDC Free |
| 7411.29.00 | 00J | kg | Other | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | LDC Free RCEP 3.5 |
| | | | | | 1/2025 3 |
| 74.12 | 000 | | Copper tube or pipe fittings (for example, couplings, elbows, sleeves): | - | - |
| 7412.10.00 | 00B | kg | - Of refined copper | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| 7412.20.00 | | | – Of copper alloys | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 3.5 |
| | 01D | kg | Brass and muntz | | 1/2025 3 |
| | 09K | kg | Other | | |
| 74.13 | | | | | |
| 7413.00 | | | Stranded wire, cables, plaited bands and the like, of copper, not electrically insulated: | | |
| | | | - Earth straps: | | |
| 7413.00.01 | 00C | kg | For use in the assembly of motor vehicles as may be determined by the | | |
| | | J | Minister in accordance with Section 14 of this Act | 10 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 8 1/2025 7.3 |
| 7413.00.09 | 00D | kg | Other | 5 | Free |
| | | 0 | | | *See Below |
| | | | | | CA Free RCEP 4 |
| | | | | | 1/2025 3.7 |
| 7413.00.19 | | | - Other | 5 | Free *See Below |
| | | | | | CA Free |
| | | | | | RCEP 3.5 1/2025 3 |
| | 01H 09C | kg kg | Copper pigtails for use in making carbon brushes and circuit breakers Other | | |
| 74.15 | 090 | ĸg | Nails, tacks, drawing pins, staples (other than those of heading 83.05) | | |
| , | | | and similar articles, of copper or of iron or steel with heads of copper; | | |
| | | | screws, bolts, nuts, screw hooks, rivets, cotters, cotter-pins, washers (including spring washers) and similar articles, of copper: | | |
| 7415.10 | | | Nails and tacks, drawing pins, staples and similar articles: | | |
| 7415.10.01 | 00C | kg | Peculiar to use in footwear | Free | Free |
| 7415.10.09 | 00D | kg | Other | 5 | Free |
| | | | | | *See Below CA Free |
| | | | | | RCEP 4 |
| | | | - Other articles, not threaded: | | 1/2025 3.7 |
| 7415.21.00 | 00E | kg | Washers (including spring washers) | 5 | Free |
| | | _ | | | *See Below CA Free |
| | | | | | RCEP 4 |
| 7415 20 00 | 00.4 | , | Oil | Г | 1/2025 3.7 |
| 7415.29.00 | 00A | kg | – Other | Free | Free |
| | | | | | |

Copper and articles thereof—continued

| | Statistic | cal Key | _ | Rates of Duty | |
|------------|-------------------|----------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Nails, tacks, drawing pins, staples (other than those, etc.—continued | | |
| | | | - Other threaded articles: | | |
| 7415.33.00 | | | Screws; bolts and nuts | 5 | Free *See Below CA Free |
| | 11C 15F 19J | kg kg kg | Screws for wood Bolts Other | | CATIC |
| 7415.39.00 | 01C 09J | kg kg | Other Screw hooks and screw rings Other | Free | Free |
| 74.18 | | | Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper: | | |
| 7418.10.00 | | | Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 10J | kg | Pot scourers and scouring or polishing pads, gloves and the like Other: | | 1/2023 3 |
| | 17F 19B | kg kg | Cooking or heating apparatus, non-electric, and parts thereof Other | | |
| 7418.20.00 | 00E | kg | - Sanitary ware and parts thereof | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 74.19 | | | Other articles of copper: | | |
| 7419.20 | | | - Cast, moulded, stamped or forged, but not further worked: | | |
| 7419.20.10 | 00J | kg | Chain and parts thereof | Free | Free |
| 7419.20.20 | 00D | kg | Other | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7419.80 | | | - Other: | | |
| 7419.80.10 | 00L | | Nose rings for animals; clips, tags, rings and the like for the identification of animals, birds or fish | Free | Free |
| 7419.80.20 | 00F | | – Pins (including safety pins) | Free | Free |
| 7419.80.30 | | | Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper Cloth: | Free | Free |
| | 10J 20F | kg kg | Endless bands, for machinery Other Other: | | |
| | 30C 40L | kg kg | Expanded metal Other | | |
| 7419.80.40 | 00G | kg | Copper springs | Free | Free |
| 7419.80.45 | 00J | kg | Chain and parts thereof | Free | Free |
| 7419.80.50 | 00B | kg | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |

* * *

Chapter 75

Nickel and articles thereof

SUBHEADING NOTES—

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Nickel, not alloyed

Metal containing by weight at least 99 % of nickel plus cobalt, provided that:

- (i) the cobalt content by weight does not exceed 1.5 %, and
- (ii) the content by weight of any other element does not exceed the limit specified in the following table:

TABLE—Other elements

| | Element | Limiting content % by weight |
|-------|-----------------|------------------------------|
| Fe | Iron | 0.5 |
| O | Oxygen | 0.4 |
| Other | elements*, each | 0.3 |

(b) Nickel alloys

Metallic substances in which nickel predominates by weight over each of the other elements provided that:

- (i) the content by weight of cobalt exceeds 1.5 %,
- (ii) the content by weight of at least one of the other elements is greater than the limit specified in the foregoing table, or (iii) the total content by weight of elements other than nickel plus cobalt exceeds 1 %.
- 2. Notwithstanding the provisions of Note 9 (c) to Section XV, for the purposes of subheading 7508.10 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

Section XV Chapter 75/2

Nickel and articles thereof—continued

| | Statistic | cal Key | | Rates of Duty | |
|------------|------------|----------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 75.01 | | | Nickel mattes, nickel oxide sinters and other intermediate products of nickel metallurgy: | | |
| 7501.10.00 | 00C | kg | - Nickel mattes | Free | Free |
| 7501.20.00 | 00G | kg | - Nickel oxide sinters and other intermediate products of nickel metallurgy | Free | Free |
| 75.02 | | | Unwrought nickel: | | |
| 7502.10.00 | 00A | kg | - Nickel, not alloyed | Free | Free |
| 7502.20.00 | 00E | kg | – Nickel alloys | Free | Free |
| 75.03 | | | | | |
| 7503.00.00 | 00F | kg | Nickel waste and scrap | Free | Free |
| 75.04 | | | | | |
| 7504.00.00 | 00D | kg | Nickel powders and flakes | Free | Free |
| 75.05 | | | Nickel bars, rods, profiles and wire: | | |
| | | | – Bars, rods and profiles: | | |
| 7505.11.00 | 00L | kg | Of nickel, not alloyed | Free | Free |
| 7505.12.00 | 00E | kg | Of nickel alloys | Free | Free |
| | | | - Wire: | | |
| 7505.21.00 | 00D | kg | Of nickel, not alloyed | Free | Free |
| 7505.22.00 | 00J | kg | Of nickel alloys | Free | Free |
| 75.06 | | | Nickel plates, sheets, strip and foil: | | |
| 7506.10.00 | 00D | kg | - Of nickel, not alloyed | Free | Free |
| 7506.20.00 | 00H | kg | - Of nickel alloys | Free | Free |
| 75.07 | | | Nickel tubes, pipes and tube or pipe fittings (for example, couplings, elbows, sleeves): | | |
| | | | – Tubes and pipes: | | |
| 7507.11.00 | 00G | kg | Of nickel, not alloyed | Free | Free |
| 7507.12.00 | 00A | kg | Of nickel alloys | Free | Free |
| 7507.20.00 | 00F | kg | – Tube or pipe fittings | Free | Free |
| 75.08 | | | Other articles of nickel | | |
| 7508.10.00 | 00L | kg | - Cloth, grill and netting, of nickel wire | Free | Free |
| 7508.90.00 | 01H 10G | kg kg | Other. Electroplating anodes, of nickel. Other | Free | Free |

* *

Section XV Chapter 75/4

Chapter 76

Aluminium and articles thereof

SUBHEADING NOTES—

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Aluminium, not alloved

Metal containing by weight at least 99 % of aluminium, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE—Other elements

| _ | | | | | |
|--|------------------------------|--|--|--|--|
| Element | Limiting content % by weight | | | | |
| Fe + Si (iron plus silicon) | 1 | | | | |
| Other elements ⁽¹⁾ , each | $0.1^{(2)}$ | | | | |
| (1) Other elements are, for example, Cr, Cu, Mg, Mn, Ni, Zn. | | | | | |
| ⁽²⁾ Copper is permitted in a proportion greater than $0.1~\%$ but not more than $0.2~\%$, provided that neither the chromium nor manganese content exceeds $0.05~\%$. | | | | | |

(b) Aluminium alloys

Metallic substances in which aluminium predominates by weight over each of the other elements, provided that:

- (i) the content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or
- (ii) the total content by weight of such other elements exceeds 1 %.
- 2. Notwithstanding the provisions of Note 9 (c) to Section XV, for the purposes of subheading 7616.91 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

* * *

Section XV Chapter 76/2

| | Statistical Key | | | Rates of Duty | |
|------------|-----------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 76.01 | | | Unwrought aluminium: | | |
| 7601.10 | | | - Aluminium, not alloyed: | | |
| 7601.10.01 | | | – – Bars and rods | Free | Free |
| | 01D 09K | kg | Welding Other | | |
| 7601.10.09 | 09K | kg | - Other | Free | Free |
| 7001.10.09 | 01E | kg | - Other Ingots | riee | riee |
| | 09L | kg | Other | | |
| 7601.20 | | | – Aluminium alloys: | | |
| 7601.20.01 | 0111 | 1 | Bars and rod | Free | Free |
| | 01H 09C | kg kg | Welding Other | | |
| 7601.20.09 | | 0 | Other | Free | Free |
| | 01J | kg | Ingots | | |
| | 09D | kg | In other primary forms | | |
| 76.02 | | | | - | - |
| 7602.00.00 | 01B | tne | Aluminium waste and scrap . Used beverage cans | Free | Free |
| | 11K | tne | . Aluminium extrusions | | |
| | 19E | tne | . Other | | |
| 76.03 | | | Aluminium powders and flakes: | | _ |
| 7603.10.00 | 00F | kg | - Powders of non-lamellar structure | Free | Free |
| 7603.20.00 | 00K | kg | - Powders of lamellar structure; flakes | Free | Free |
| 76.04 | | | Aluminium bars, rods and profiles: | | |
| 7604.10.00 | 010 | le a | - Of aluminium, not alloyed | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01B 09H | kg kg | Welding Other | | |
| | | 8 | - Of aluminium alloys: | | |
| 7604.21.00 | 00B | kg | - Hollow profiles | 5 | Free |
| 7604.29 | | | _ – Other: | | *See Below CA Free CPT Free RCEP 3.5 1/2025 3 |
| 7604.29.01 | | | Bars and rods | 5 | Free |
| 7004.25.01 | 016 | , | | 3 | *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01C 09J | kg kg | Welding Other | | |
| 7604.29.09 | 00F | kg | Other | 5 | Free |
| | | 8 | | | *See Below CA Free RCEP 3.5 1/2025 3 |
| 76.05 | | | Aluminium wire: | | |
| 7.05.11.00 | 000 | , | - Of aluminium, not alloyed: | ~ | |
| 7605.11.00 | 00G | kg | Of which the maximum cross-sectional dimension exceeds 7 mm | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7605.19.00 | | | Other | 5 | Free *See Below CA Free |
| | 01A 09G | kg kg | Welding Other | | |

| | Statistic | cal Key | | Rates | of Duty |
|--------------|-------------------|----------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Aluminium wire—continued | | |
| | | | – Of aluminium alloys: | _ | _ |
| 7605.21.00 | 00L | kg | Of which the maximum cross-sectional dimension exceeds 7 mm | 5 | Free *See Below CA Free |
| 7605.29.00 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01E 09L | kg kg | Welding Other | | |
| 76.06 | | | Aluminium plates, sheets and strip, of a thickness exceeding 0.2 mm: | | |
| | | | - Rectangular (including square): | | |
| 7606.11 | | | – – Of aluminium, not alloyed: | | |
| 7606.11.01 | | | Worked | 5 | Free *See Below CA Free |
| | 02H 08G | kg | Coiled | | CHILLE |
| 7606.11.09 | U&G | kg | Other Other | 5 | Free |
| 7000.11.09 | | | | J | *See Below CA Free RCEP 3.5 1/2025 3 |
| | 02J | kg | Coiled | | 1,2020 0 |
| 7606.12 | 08H | kg | Other – Of aluminium alloys: | | |
| 7606.12.01 | | | Worked | 5 | Free |
| , 5551, 2161 | | | | J | *See Below CA Free CPT Free RCEP 5 1/2025 5 |
| | 02B 11A | kg kg | Coiled Treadplate | | |
| | 29D | kg | Other | | |
| 7606.12.09 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 02C 08B | kg kg | Coiled: Painted, lacquered or similarly coated Laminated with plastics | | |
| | 11B | kg | Other: Not exceeding 0.4 mm in thickness | | |
| | 21K 29E | kg kg | Of a thickness exceeding 0.4 mm, but not exceeding 6 mm Other | | |
| | 31G | kg | Other: Painted, lacquered or similarly coated | | |
| | 41D | kg | Laminated with plastics Other: | | |
| | 51A 61J 69D | kg kg kg | Not exceeding 0.4 mm in thickness Of a thickness exceeding 0.4 mm, but not exceeding 6 mm Other | | |
| | | | - Other: | | |
| 7606.91 | | | Of aluminium, not alloyed: | | _ |
| 7606.91.01 | 00L | kg | Worked | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7606.91.09 | 00A | kg | Other | 5 | Free *See Below |
| 7606.92 | | | – – Of aluminium alloys: | | CA Free RCEP 4 1/2025 3.7 |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statistic | cal Key | | Rates | of Duty |
|-------------------------|-------------------|----------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Aluminium plates, sheets and strip, of a thickness, etc.—continued | | |
| | | | Other—continuedOf aluminium alloys—continued | | |
| 7606.92.01 | 00E | kg | Worked | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7606.92.09 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 |
| | 01D 11A 19G | kg kg kg | Painted, lacquered or similarly coated Laminated with plastics Other | | 1/2025 3 |
| 76.07 | | | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.2 mm: | | |
| 7607.11.00 | | | Not backed:- Rolled but not further worked | 5 | Free |
| 7007.11.00 | | | – Roned but not further worked | 3 | *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01A | kg | Printed or embossed | | 1/2023 3.7 |
| | | | Other: Of a thickness not exceeding 0.009 mm: | | |
| | 08J 18F | kg kg | Not exceeding 1100 mm in width Other Other: | | |
| | 21F 29A | kg kg | Not exceeding 1100 mm in width Other | | |
| 7607.19.00 | ZJA | ĸg | - Other | 5 | Free |
| 766712766 | | | | J | *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01H | kg | Printed or embossed Other: Of a thickness not exceeding 0.009 mm: | | |
| | 08E 18B | kg kg | Not exceeding 1100 mm in width Other | | |
| | 21B | kg | Other: Not exceeding 1100 mm in width | | |
| | 29H | kg | Other | | |
| 7607.20.00 | | | - Backed | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01L | kg | With paper: Printed or embossed | | |
| | 11H 19C | kg kg | Other: Of a thickness not exceeding 0.009 mm Other | | |
| | 21E | kg | With other materials: Printed or embossed | | |
| | 31B | kg | Other: Of a thickness not exceeding 0.009 mm | | |
| 7 < 00 | 39H | kg | Other | | |
| 76.08 7608.10.00 | 00G | kα | Aluminium tubes and pipes: Of aluminium, not alloyed | 5 | Free |
| 7006.10.00 | 000 | kg | – Of aluminum, not anoyed | 3 | *See Below CA Free RCEP 3.5 1/2025 3 |
| 7608.20.00 | 00L | kg | – Of aluminium alloys | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |

| | Statistical Key | | | Rates of Duty | |
|-------------------|-------------------|----------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 76.09 | | | | | |
| 7609.00.00 | 00A | kg | Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves) | Free | Free |
| 76.10 | | | Aluminium structures (excluding prefabricated buildings of heading 94.06) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminium plates, rods, profiles, tubes and the like, prepared for use in structures: | | |
| 7610.10.00 | | | - Doors, windows and their frames and thresholds for doors | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| L T <10.00 | 01G 09B 19K | kg kg kg | . Window sashes or frames and parts thereof . Door frames and parts thereof . Other | | |
| ★ 7610.90 | 01D | | - Other: | | |
| ▲ 7610.90.01 | 01B | • • | – Wind turbine towers and parts specially designed for wind turbine towers | Free | Free |
| ▲ 7610.90.05 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 02F | kg | Scaffolding fittings | | 172023 3 |
| | 05L 11E | kg kg | Glazed door and window vents Suspended ceiling systems | | |
| | 29H | kg | Other | | |
| 76.11 | | | | | |
| 7611.00.00 | 00C | kg | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 76.12 | | | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment: | | 172023 3 |
| 7612.10.00 | 00E | kg | - Collapsible tubular containers | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7612.90 | | | - Other: | | |
| 7612.90.01 | 00L | kg | Storage tanks | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 7612.90.09 | 00A | kg | Returned empty containers identifiable as such to the satisfaction of Customs Other: | Free | Free |
| 7612.90.11 | 01D | kα | Not exceeding 1 litre capacity Rigid foil containers | 5 | Free *See Below CA Free |
| 7612.90.19 | 09K | kg kg | Other Exceeding 1 litre capacity | Free | Free |
| 7012.20.17 | 01E 09L | kg kg | Rigid foil containers Other | 1 166 | 1100 |

| | Statistical Key | | | Rates of Duty | |
|-----------------------|-----------------|----------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 76.13 | | | | | |
| 7613.00.00 | 00K | kg | Aluminium containers for compressed or liquefied gas | Free | Free |
| 76.14 | | | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated: | | |
| 7614.10.00 | 00A | kg | – With steel core | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7614.90.00 | 00L | kg | – Other | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 76.15 | | | Table, kitchen or other household articles and parts thereof, of aluminium; pot scourers and scouring or polishing pads, gloves and the like, of aluminium; sanitary ware and parts thereof, of aluminium: | | 1,2023 3 |
| 7615.10.00 | | | Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 10G | kg | Pot scourers and scouring or polishing pads, gloves and the like | | 1,2025 5 |
| | 15H 19L | kg kg | . Other: Hollowware and parts thereof Other | | |
| ▲ 7615.20 | | | - Sanitary ware and parts thereof: | | |
| ▲ 7615.20.01 | 00K | No. | – Composting toilets | Free | Free |
| ▲ 7615.20.03 | 00B | No. | – – Waterless urinals | Free | Free |
| ▲ 7615.20.05 | 00E | kg | Other | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 76.16 | | | Other articles of aluminium: | | |
| 7616.10 | | | Nails, tacks, staples (other than those of heading 83.05), screws, bolts, nuts, screw hooks, rivets, cotters, cotter-pins, washers and similar articles: | | |
| 7616.10.01 | 00D | kg | Rivets, cotters and cotter-pins | Free | Free |
| 7616.10.09 | 00E | kg | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7616.91.00 | 00.4 | 1, . | - Other: | F | Ema |
| 7616.91.00 7616.99 | 00A | kg | – Cloth, grill, netting and fencing, of aluminium wire– Other: | Free | Free |
| 7616.99.10 | 00C | kg | Hand knitting needles and hand knitting pins; crochet hooks | Free | Free |
| 7616.99.20 | 00J | kg | Gauze, reinforcing fabric and similar materials, of aluminium wire | Free | Free |
| 7616.99.30 | 00D | kg | Expanded metal | 5 | Free |
| 7010.59.50 | 00D | ĸg | – – Expanded nietai | J | *See Below CA Free RCEP 4 1/2025 3.7 |
| 7616.99.40 | 00K | kg | Fittings for ships, boats and other vessels | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 7616.99.50 | 00E | kg | Nose rings for animals; clips, tags, rings and the like for the identification of animals, birds or fish | Free | Free |

| | | Statistic | cal Key | | Rates | of Duty |
|---|------------|---|---------------------------------------|--|------------------|---|
| | Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | | Other articles of aluminium—continued - Other—continued - Other—continued | | |
| _ | 7616.99.60 | 00L | kg | Turtle or sea mammal excluders, being bar grids of a kind used for incorporation into fishing nets | Free | Free |
| • | 7616.99.90 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | | 01E 09L 11B 19H 21K 29E 71F | kg kg kg kg No. kg | cg Other bobbins, spools, cops, cones, cores, reels and similar supports cg Boxes specially designed to house electrical equipment cg Discs Venetian blinds Vo Ladders | | 2020 |
| | | | | * * * | | |

Chapter 78

Lead and articles thereof

SUBHEADING NOTE—

1. In this Chapter the expression "refined lead" means:

Metal containing by weight at least 99.9% of lead, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE—Other elements

| | Element | Limiting content % by weight |
|---------|-----------------------|------------------------------|
| Ag | Silver | 0.02 |
| As | Arsenic | 0.005 |
| Bi | Bismuth | 0.05 |
| Ca | Calcium | 0.002 |
| Cd | Cadmium | 0.002 |
| Cu | Copper | 0.08 |
| Fe | Iron | 0.002 |
| S | Sulphur | 0.002 |
| Sb | Antimony | 0.005 |
| Sn | Tin | 0.005 |
| Zn | Zinc | 0.002 |
| Other (| for example Te), each | 0.001 |
| | | |

* * *

Section XV Chapter 78/2

Lead and articles thereof—continued

| | Statistic | cal Key | | Rates | of Duty |
|------------|------------|----------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 78.01 | | | Unwrought lead: | | |
| 7801.10.00 | 00B | kg | - Refined lead | Free | Free |
| 7801.10.00 | ООБ | ĸg | - Other: | Tiee | Tiee |
| 7801.91.00 | 00F | kg | Containing by weight antimony as the principal other element | | |
| 7801.91.00 | 001 | ĸg | Other: | Ticc | Free |
| 7801.99.01 | 00Ј | kg | Solder | 5 | Free |
| 700133.01 | 003 | ĸg | Solder | J | *See Below LDC 4 RCEP 5 1/2025 5 |
| 7801.99.09 | | | Other | Free | Free |
| | 01H 09C | kg kg | Unrefined Other | | |
| 78.02 | 0,0 | 8 | | | |
| 7802.00.00 | 00G | tne | Lead waste and scrap | Free | Free |
| 78.04 | | | Lead plates, sheets, strip and foil; lead powders and flakes: | | |
| | | | – Plates, sheets, strip and foil: | | |
| 7804.11 | | | Sheets, strip and foil of a thickness (excluding any backing) not exceeding 0.2 mm: | | |
| 7804.11.01 | 00H | kg | Foil | Free | Free |
| 7804.11.09 | 00J | kg | Other | 5 | Free *See Below CA Free |
| 7804.19 | | | Other: | | 6/11/100 |
| 7804.19.01 | 00D | kg | Foil | Free | Free |
| 7804.19.09 | 00E | kg | Other | 5 | Free *See Below CA Free |
| 7804.20.00 | 00L | kg | – Powders and flakes | Free | Free |
| 78.06 | | | Other articles of lead: | | |
| | | | - Lead bars, rods, profiles and wire: | | |
| 7806.00.01 | 00F | kg | – – Solder | 5 | Free *See Below LDC 4 |
| 7806.00.09 | 00G | kg | Other | Free | Free |
| 7806.00.19 | 00B | kg | Lead tubes, pipes and tube or pipe fittings (for example, couplings, elbows, sleeves) | Free | Free |
| 7806.00.29 | 00H | kg | - Other | 5 | Free |
| | | J | | | *See Below CA Free RCEP 3.5 1/2025 3 |

* * *

Section XV Chapter 78/4

Chapter 79

Zinc and articles thereof

SUBHEADING NOTE—

- 1. In this Chapter the following expressions have the meanings hereby assigned to them:
 - (a) Zinc, not alloyed

Metal containing by weight at least 97.5 % of zinc.

(b) Zinc alloys
Metallic substances in which zinc predominates by weight over each of the other elements, provided that the total content by weight of such other elements exceeds 2.5 %.

(c) Zinc dust

Dust obtained by condensation of zinc vapour, consisting of spherical particles which are finer than zinc powders. At least 80 % by weight of the particles pass through a sieve with 63 micrometres (microns) mesh. It must contain at least 85 % by weight of metallic zinc.

Section XV Chapter 79/2

Zinc and articles thereof—continued

| | Statisti | cal Key | | Rates | Rates of Duty | |
|------------|------------------------|----------|---|------------------|---|--|
| Number | Number Code Unit Goods | | Goods | Normal Tariff | *Preferential Tariff | |
| 79.01 | | | Unwrought zinc: | | | |
| | | | – Zinc, not alloyed: | | | |
| 7901.11.00 | 01A 09G | kg kg | Containing by weight 99.99 % or more of zinc Bars and rods Other | Free | Free | |
| 7901.12.00 | 01F 09A | kg kg | Containing by weight less than 99.99 % of zinc Bars and rods Other | Free | Free | |
| 7901.20.00 | 01L 09F | kg kg | Zinc alloys. Bars and rods. Other | Free | Free | |
| 79.02 | | | | | | |
| 7902.00.00 | 00C | kg | Zinc waste and scrap | Free | Free | |
| 79.03 | | | Zinc dust, powders and flakes: | | | |
| 7903.10.00 | 00E | kg | – Zinc dust | Free | Free | |
| 7903.90.00 | 00D | kg | – Other | Free | Free | |
| 79.04 | | | | | | |
| 7904.00.00 | 00K | kg | Zinc bars, rods, profiles and wire | Free | Free | |
| 79.05 | | | | | | |
| 7905.00.00 | 00H | kg | Zinc plates, sheets, strip and foil | Free | Free | |
| 79.07 | | | Other articles of zinc: | | | |
| 7907.00.01 | 00L | kg | Zinc tubes, pipes and tube or pipe fittings (for example, couplings, elbows, sleeves) | Free | Free | |
| 7907.00.09 | | | – Other | 5 | Free *See Below CA Free RCEP 5 1/2025 5 | |
| | 10J | kg | Gutters, roof capping, skylight frames and other fabricated building components | | - | |
| | 19B | | Other | | | |

* *

Section XV Chapter 79/4

Chapter 80

Tin and articles thereof

SUBHEADING NOTE—

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Tin, not alloyed

Metal containing by weight at least 99 % of tin, provided that the content by weight of any bismuth or copper is less than the limit specified in the following table:

TABLE—Other elements

| | Element | Limiting content % by weight |
|----|---------|------------------------------|
| Bi | Bismuth | 0.1 |
| Cu | Copper | 1.3 |

(b) Tin alloys

Metallic substances in which tin predominates by weight over each of the other elements, provided that:

- (i) the total content by weight of such other elements exceeds 1 %; or
 (ii) the content by weight of either bismuth or copper is equal to or greater than the limit specified in the foregoing table.

Section XV Chapter 80/2

Tin and articles thereof—continued

| | Statisti | cal Key | | Rates | of Duty |
|------------|------------|----------|--|------------------|--------------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 80.01 | · | | Unwrought tin: | | |
| 8001.10.00 | 00G | kg | – Tin, not alloyed | Free | Free |
| 8001.20.00 | 01J 09D | kg kg | Tin alloys. Solder. Other | Free | Free |
| 80.02 | | | | | |
| 8002.00.00 | 00A | tne | Tin waste and scrap | Free | Free |
| 80.03 | | | | | |
| 8003.00.00 | 01H 09C | kg kg | Tin bars, rods, profiles and wire . Solder . Other | Free | Free |
| 80.07 | | | Other articles of tin: | | |
| 8007.00.01 | 00J | kg | - Tin plates, sheets and strip, of a thickness exceeding 0.2 mm | Free | Free |
| 8007.00.09 | 10G 19L | kg kg | Tin foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials), of a thickness (excluding any backing) not exceeding 0.2 mm; tin powders and flakes Foil Powders and flakes | Free | Free |
| 8007.00.19 | 00E | kg | Tin tubes, pipes and tube or pipe fittings (for example, couplings, elbows, sleeves) | Free | Free |
| 8007.00.29 | 00L | kg | - Other | 5 | Free *See Below LDC Free |

* *

Section XV Chapter 80/4

Chapter 81

Other base metals; cermets; articles thereof

Section XV Chapter 81/2

Chapter 81 Other base metals; cermets; articles thereof

| | Statisti | cal Key | | Rates | of Duty |
|--------------------------|------------|----------|---|------------------|----------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 81.01 | | | Tungsten (wolfram) and articles thereof, including waste and scrap: | | |
| 8101.10.00 | 00C | | - Powders | Free | Free |
| | | | - Other: | | |
| 8101.94.00 | 00L | | Unwrought tungsten, including bars and rods obtained simply by | | |
| 0404.04.00 | 0077 | | sintering | Free | Free |
| 8101.96.00 | 00K | | Wire | Free | Free |
| 8101.97.00 | 00D | • • | Waste and scrap | Free | Free |
| 8101.99.00 | 10L | | Other . Bars and rods, other than those obtained simply by sintering, profiles, plates, sheets, strip and foil | Free | Free |
| 91.03 | 19D | • • | Other | | |
| 81.02 | 00.4 | | Molybdenum and articles thereof, including waste and scrap: | Euro | E |
| 8102.10.00 | 00A | • • | - Powders - Other: | Free | Free |
| 8102.94.00 | ООЈ | | Other. Unwrought molybdenum, including bars and rods obtained simply by | | |
| 8102.94.00 | 003 | • • | sintering | Free | Free |
| 8102.95.00 | 00C | | Bars and rods, other than those obtained simply by sintering, profiles, | Г | F |
| 9102.07.00 | 0011 | | plates, sheets, strip and foil | Free | Free |
| 8102.96.00 8102.97.00 | 00H 00B | • • | – Wire– Waste and scrap | Free Free | Free Free |
| 8102.97.00 | 00B 00A | • • | Waste and scrap | Free | Free |
| 81.03 | OUA | • • | Tantalum and articles thereof, including waste and scrap: | 1166 | Piec |
| 8103.20.00 | 00C | | - Unwrought tantalum, including bars and rods obtained simply by | | |
| 0103.20.00 | 000 | • • | sintering; powders | Free | Free |
| 8103.30.00 | 00G | | – Waste and scrap | Free | Free |
| | | | - Other: | | |
| 8103.91.00 | 00C | | – – Crucibles | Free | Free |
| 8103.99.00 | 00K | | Other | Free | Free |
| 81.04 | | | Magnesium and articles thereof, including waste and scrap: | | |
| 04044400 | 005 | | - Unwrought magnesium: | | - |
| 8104.11.00 | 00B | kg | Containing at least 99.8 % by weight of magnesium | Free | Free |
| 8104.19.00 | 00J | kg | - Other | Free | Free |
| 8104.20.00 8104.30.00 | 00A 00E | kg | - Waste and scrap | Free Free | Free Free |
| 8104.90.00 | 00E | kg kg | Raspings, turnings and granules, graded according to size; powders Other | Free | Free |
| 81.05 | 000 | ĸg | Cobalt mattes and other intermediate products of cobalt metallurgy; | Ticc | Ticc |
| 01.00 | | | cobalt and articles thereof, including waste and scrap: | | |
| 8105.20.00 | 00K | • • | Cobalt mattes and other intermediate products of cobalt metallurgy; unwrought cobalt; powders | Free | Free |
| 8105.30.00 | 00C | | - Waste and scrap | Free | Free |
| 8105.90.00 | 00E | | – Other | Free | Free |
| 81.06 | | | Bismuth and articles thereof, including waste and scrap | | _ |
| 8106.10.00 | 01B 03J | | Containing more than 99.99% of bismuth, by weight. Unwrought. Other | Free | Free |
| 8106.90.00 | | | – Other | Free | Free |
| | 01A | | Unwrought | | |
| | 03H | | Other | | |
| 81.08 | | | Titanium and articles thereof, including waste and scrap: | | |
| 8108.20.00 | 00D | | - Unwrought titanium; powders | Free | Free |
| 8108.30.00 | 00H | | – Waste and scrap | Free | Free |
| 8108.90.00 | 10G | | – Other | Free | Free |
| | | | | | |

Other base metals; cermets; articles thereof—continued

| | Statisti | cal Key | | Rates | of Duty |
|------------|------------|---------|---|------------------|-------------------------|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 81.09 | · | | Zirconium and articles thereof, including waste and scrap: | | |
| | | | - Unwrought zirconium; powders: | | |
| 8109.21.00 | 00G | | - Containing less than 1 part hafnium to 500 parts zirconium by weight | Free | Free |
| 8109.29.00 | 10L | | Other | Free | Free |
| | | | - Waste and scrap: | | |
| 8109.31.00 | 00L | | Containing less than 1 part hafnium to 500 parts zirconium by weight | Free | Free |
| 8109.39.00 | 10D | | Other | Free | Free |
| | | | - Other: | | |
| 8109.91.00 | 00B | | Containing less than 1 part hafnium to 500 parts zirconium by weight | Free | Free |
| 8109.99.00 | 10F | | Other | Free | Free |
| 81.10 | | | Antimony and articles thereof, including waste and scrap: | | |
| 8110.10.00 | 00B | | - Unwrought antimony; powders | Free | Free |
| 8110.20.00 | 00F | | – Waste and scrap | Free | Free |
| 8110.90.00 | 00A | | - Other | Free | Free |
| 81.11 | | | | | |
| 8111.00.00 | | | Manganese and articles thereof, including waste and scrap | Free | Free |
| | 01E 09L | | . Unwrought . Other | | |
| 81.12 | OE | | Beryllium, chromium, hafnium, rhenium, thallium, cadmium, germanium, vanadium, gallium, indium and niobium (columbium) and articles of these metals, including waste and scrap: | | |
| | | | - Beryllium: | | |
| 8112.12.00 | 00H | | – – Unwrought; powders | Free | Free |
| 8112.13.00 | 00B | | – – Waste and scrap | Free | Free |
| 8112.19.00 | 00K | | Other | Free | Free |
| | | | - Chromium: | | |
| 8112.21.00 | 00G | | Unwrought; powders | Free | Free |
| 8112.22.00 | 00A | | Waste and scrap | Free | Free |
| 8112.29.00 | 00C | | Other | Free | Free |
| | | | – Hafnium: | | |
| 8112.31.00 | 00L | | – Unwrought; waste and scrap; powders | Free | Free |
| 8112.39.00 | 00G | • • | Other | Free | Free |
| | | | - Rhenium: | | |
| 8112.41.00 | 00D | • • | Unwrought; waste and scrap; powders | Free | Free |
| 8112.49.00 | 00L | | Other | Free | Free |
| 0110 51 00 | 0011 | | - Thallium: | | |
| 8112.51.00 | 00H | • • | Unwrought; powders | Free | Free |
| 8112.52.00 | 00B | • • | - – Waste and scrap | Free | Free |
| 8112.59.00 | 00D | • • | - Other - Cadmium: | Free | Free |
| 8112.61.00 | 00A | | - Cadmidin Waste and scrap | Free | Free |
| 8112.69.00 | 00A 00H | | Waste and scrap | Free | Free |
| 8112.09.00 | ООП | | - Other: | riee | rice |
| 8112.92.00 | | | - Unwrought; waste and scrap; powders | Free | Free |
| 0112.92.00 | 10D | | Germanium | Ticc | Ticc |
| | 15E 20A | | Vanadium Other | | |
| 8112.99.10 | 2011 | •• | - Other | Free | Free |
| 5112.55.10 | 10A | | Germanium | 1100 | 1100 |
| | 15B 20J | | Vanadium Other | | |
| 81.13 | _55 | •• | | | |
| 8113.00.00 | | | Cermets and articles thereof, including waste and scrap | Free | Free |
| · | 01A | | . Unwrought | | - |
| | 09G | • • | . Other | | |
| | | | * * * | | |
| | | | | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

Chapter 82

Tools, implements, cutlery, spoons and forks, of base metal; parts thereof of base metal

NOTES-

- 1. Apart from blow lamps, portable forges, grinding wheels with frameworks, manicure or pedicure sets, and goods of heading 82.09, this Chapter covers only articles with a blade, working edge, working surface or other working part of:
 - (a) Base metal;
 - (b) Metal carbides or cermets;
 - (c) Precious or semi-precious stones (natural, synthetic or reconstructed) on a support of base metal, metal carbide or cermet; or
 - (d) Abrasive materials on a support of base metal, provided that the articles have cutting teeth, flutes, grooves, or the like, of base metal, which retain their identity and function after the application of the abrasive.
- 2. Parts of base metal of the articles of this Chapter are to be classified with the articles of which they are parts, except parts separately specified as such and tool-holders for hand tools (heading 84.66). However, parts of general use as defined in Note 2 to Section XV are in all cases excluded from this Chapter.
 - Heads, blades and cutting plates for electric shavers or electric hair clippers are to be classified in heading 85.10.
- 3. Sets consisting of one or more knives of heading 82.11 and at least an equal number of articles of heading 82.15 are to be classified in heading 82.15.

* *

Section XV Chapter 82/2

| | Statistic | cal Key | | Rates | of Duty |
|------------|-------------------|-------------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 82.01 | | | Hand tools, the following: spades, shovels, mattocks, picks, hoes, forks and rakes; axes, bill hooks and similar hewing tools; secateurs and pruners of any kind; scythes, sickles, hay knives, hedge shears, timber wedges and other tools of a kind used in agriculture, horticulture or forestry: | | |
| 8201.10 | | | – Spades and shovels: | | |
| 8201.10.01 | 00F | No. | – – Forged steel spades | 5 | Free *See Below CA Free LDC Free |
| 8201.10.09 | | | Other | 5 | Free *See Below CA Free |
| | 01E 09L | No. No. | Spades Shovels | | |
| 8201.30 | 0,2 | 110. | - Mattocks, picks, hoes and rakes: | | |
| 8201.30.01 | 00C | No. | – Hoes and rakes | 5 | Free *See Below CA Free |
| 8201.30.09 | 00D | No. | Other | Free | Free |
| 8201.40.00 | 01J 09D | No. No. | Axes, bill hooks and similar hewing tools. Slashers. Other | Free | Free |
| 8201.50.00 | 00D | No. | - Secateurs and similar one-handed pruners and shears (including poultry | - | - |
| 8201.60.00 | 00H | No. | shears) - Hedge shears, two-handed pruning shears and similar two-handed shears | Free Free | Free Free |
| 8201.90 | 00E | NI. | Other hand tools of a kind used in agriculture, horticulture or forestry: Cultivitation | 5 | Ena |
| 8201.90.01 | 00E | No. | Cultivators | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 8201.90.09 | 01D 10C 19G | No. No. No. | OtherGarden trowelsForksOther | Free | Free |
| 82.02 | | | Hand saws; blades for saws of all kinds (including slitting, slotting or toothless saw blades). | | |
| 8202.10 | | | – Hand saws: | | |
| 8202.10.01 | 00D | No. | – – Tubular frame firewood or pulpwood saws | 5 | Free *See Below CA Free |
| 8202.10.09 | 00E | No. | Other | Free | Free |
| 8202.20.00 | 00A | No. | - Band saw blades | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | | | - Circular saw blades (including slitting or slotting saw blades): | | |
| 8202.31.00 | | | With working part of steel | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01H 09C | | Not exceeding 305 mm in diameter Other | | |
| 8202.39.00 | | | Other, including parts | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| | 01D 09K | | Not exceeding 305 mm in diameter Other | | |
| 8202.40.00 | 00J | | - Chain saw blades | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |

| | Statisti | cal Key | | Rates | of Duty |
|--------------------------|--------------------------|--------------------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Hand saws; blades for saws of all kinds (including, etc.—continued - Other saw blades: | | |
| 8202.91.00 | | | Straight saw blades, for working metal | 5 | Free *See Below CA Free |
| | 01K 09E | kg kg | Hacksaw Other | | - |
| 8202.99.00 | 00Н | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 82.03 | | | Files, rasps, pliers (including cutting pliers), pincers, tweezers, metal cutting shears, pipe-cutters, bolt croppers, perforating punches and similar hand tools: | | |
| 8203.10.00 | 00F | No. | – Files, rasps and similar tools | Free | Free |
| 8203.20.00 | 01H 09C 19L | No. No. No. | Pliers (including cutting pliers), pincers, tweezers and similar tools . Pincers, pliers . Tweezers . Other | Free | Free |
| 8203.30.00 | 01A 09G | No. No. | Metal cutting shears and similar tools. Tinmen's snips. Other | Free | Free |
| 8203.40.00 | 01E 09L 11B 19H | No. No. No. No. | Pipe-cutters, bolt croppers, perforating punches and similar tools . Pipe-cutters . Bolt croppers and the like . Perforating punches . Other | Free | Free |
| 82.04 | | | Hand-operated spanners and wrenches (including torque meter wrenches but not including tap wrenches); interchangeable spanner sockets, with or without handles: | | |
| 9204 11 00 | ООЈ | Ma | - Hand-operated spanners and wrenches: | Free | Free |
| 8204.11.00 8204.12.00 | 00J | No. No. | – Non-adjustable– Adjustable | Free | Free |
| 8204.20.00 | 00H | No. | - Interchangeable spanner sockets, with or without handles | Free | Free |
| 82.05 | | | Hand tools (including glaziers' diamonds), not elsewhere specified or included; blow lamps; vices, clamps and the like, other than accessories for and parts of, machine-tools or water-jet cutting machines; anvils; portable forges; hand or pedal-operated grinding wheels with frameworks: | 3 | |
| 8205.10.00 | 00B | No. | – Drilling, threading or tapping tools | Free | Free |
| 8205.20.00 | 01D 09K | No. No. | Hammers and sledge hammers . Having only iron or steel striking face or faces . Other | Free | Free |
| 8205.30.00 | 01H 09C 19L | No. No. No. | Planes, chisels, gouges and similar cutting tools for working wood . Planes . Chisels . Other | Free | Free |
| 8205.40.00 | 00C | No. | - Screwdrivers | 5 | Free *See Below CA Free LDC 4 |
| | | | - Other hand tools (including glaziers' diamonds): | | _ |
| 8205.51.00 | 01W | | Household tools | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 9205 50 | 01K 09E | | Knife sharpening steels Other | | |
| 8205.59 8205.59.01 | 00D | No. | Other: Oil cans | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |

| | Statistic | cal Key | | Rates | of Duty |
|-----------------------|-------------------|-------------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Hand tools (including glaziers' diamonds), etc.—continued Other hand tools (including glaziers' diamonds)—continued Other—continued | | |
| 8205.59.09 | 00E | | Wire strainers | 5 | Free *See Below CA Free LDC 4 |
| 8205.59.11 | 00K | | – – Grease guns | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8205.59.19 | 01J 11F 19A | No. No. No. | Other Chisels Lock picking guns and similar devices Other | Free | Free |
| 8205.60.00 8205.70 | 00L | • • | Blow lampsVices, clamps and the like: | Free | Free |
| 8205.70.01 | 00L | No. | – – G-clamps | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 8205.70.09 | 01K 09E 19B | No. | Other Vices, joiners' clamps Clamps, other than G-clamps and joiners' clamps Other | Free | Free |
| 8205.90 | | | Other, including sets of articles of two or more subheadings of this heading: | | |
| 8205.90.01 | 00Н | | Containing goods of subheading 8205.40 | 5 | Free *See Below CA Free LDC 4 |
| 8205.90.09 | 00J | | Containing goods of subheading 8205.51 | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 8205.90.19 | 10A 19E | No. | Other . Anvils; portable forges; hand- or pedal-operated grinding wheels with frameworks . Other | Free | Free |
| 82.06 | | | | | |
| 8206.00.00 | 00G | | Tools of two or more of the headings 82.02 to 82.05, put up in sets for retail sale | Free | Free |
| 82.07 | | | Interchangeable tools for hand tools, whether or not power-operated, or for machine-tools (for example, for pressing, stamping, punching, tapping, threading, drilling, boring, broaching, milling, turning or screw driving), including dies for drawing or extruding metal, and rock drilling or earth boring tools: - Rock drilling or earth boring tools: | | |
| 8207.13.00 | 00B | | – With working part of cermets | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8207.19.00 | 01H | | - Other, including parts With working part of sintered metal carbide | 5 | Free *See Below CA Free |
| 9207 20 00 | 09C | | Other, including parts | <i>-</i> | T |
| 8207.20.00 | 00B | | Dies for drawing or extruding metal | 5 | *See Below CA Free RCEP 3.5 1/2025 3 |

| | Statistical Key | | | Rates of Duty | | |
|----------------------------|-------------------|------|--|------------------|---|--|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff | |
| | | | Interchangeable tools for hand tools, whether or not, etc.—continued | Tariff | Turri | |
| 8207.30.00 | 00F | | - Tools for pressing, stamping or punching | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 8207.40.00 | 00K | | – Tools for tapping or threading | 5 | Free *See Below CA Free | |
| 8207.50.00 | | | – Tools for drilling, other than for rock drilling | 5 | Free *See Below CA Free RCEP 5 1/2025 5 | |
| | 01A 11J 19D | | . Tungsten carbide tipped, for drilling masonry . Other: . High speed steel: . Straight shank: . Sets . Other | | | |
| | 21F 29A 39J | | Reduced shank Taper shank Other | | | |
| 8207.60.00 | 00G | | – Tools for boring or broaching | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 8207.70.00 | 00L | •• | – Tools for milling | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 8207.80.00 | 00D | •• | – Tools for turning | 5 | Free *See Below CA Free RCEP 5 1/2025 5 | |
| 8207.90.00 | 00Н | | - Other interchangeable tools | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 82.08 | | | Knives and cutting blades, for machines or for mechanical appliances: | _ | _ | |
| 8208.10.00 | 00G | | – For metal working | 5 | Free *See Below CA Free RCEP 5 1/2025 5 | |
| 8208.20.00 | 00L | •• | – For wood working | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 8208.30.00 | 00D | •• | - For kitchen appliances or for machines used by the food industry | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 | |
| 8208.40.00 | 00Н | •• | - For agricultural, horticultural or forestry machines | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 | |
| 8208.90.00 82.09 | 00F | | – Other | 5 | Free *See Below CA Free | |
| 8209.00.00 82.10 | 00A | | Plates, sticks, tips and the like for tools, unmounted, of cermets | Free | Free | |
| 8210.00.00 | 00E | | Hand-operated mechanical appliances, weighing 10 kg or less, used in the preparation, conditioning or serving of food or drink | Free | Free | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the \ Preferential \ Tariff \ are \ Free.$

| | Statisti | ical Key | | Rates | of Duty |
|----------------------------|-------------------|-------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 82.11 | | | Knives with cutting blades, serrated or not (including pruning knives), other than knives of heading 82.08, and blades therefor: | | |
| 8211.10.00 | 00G | No. | Sets of assorted articlesOther: | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8211.91 | | | – Table knives having fixed blades: | | |
| 8211.91.01 | 00G | No. | Knives | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8211.91.11 | 00B | | Handles | Free | Free |
| 8211.91.19 | 00C | | Other | 5 | Free |
| | 000 | •• | | 3 | *See Below CA Free |
| 8211.92 | 00.4 | | Other knives having fixed blades: | | |
| 8211.92.01 | 00A | No. | Bee-keepers' uncapping and honey knives; gardeners' pruning or budding knives; flax-cutting knives | Free | Free |
| 8211.92.09 | | | – – Butchers' and slaughtermen's knives; kitchen knives | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01L | No. | Butchers' and slaughtermen's knives | | |
| | 11H 19C | No. No. | Kitchen knives: Blade size 127 mm to 305 mm in length Other sizes | | |
| 8211.92.19 | 01F 09A | No. No. | Other Tradesmen's knives Other Parts: | Free | Free |
| 8211.92.21 | 00B | | – – – – Handles | Free | Free |
| | | | Other: | | |
| 8211.92.31 | 00H | • • | Of the knives of item 8211.92.01 | Free | Free |
| 8211.92.39 | 00J | • • | Of the knives of item 8211.92.09 | 5 | Free *See Below CA Free |
| 8211.92.49 | 00D | | Other | Free | Free |
| 8211.93.00 8211.94 | 10G | No. | – Knives having other than fixed blades– Blades: | Free | Free |
| 8211.94.01 | 00L | No. | For butchers' and slaughtermen's knives; for kitchen and table knives | 5 | Free *See Below CA Free |
| 8211.94.09 | 00A | No. | Other | Free | Free |
| 8211.95.00 | 01G 05K 09B | No. | - Handles of base metal . Of table knives having fixed blades . Of other knives having fixed blades . Other | Free | Free |
| 82.12 | | | Razors and razor blades (including razor blade blanks in strips): | | |
| 8212.10.00 | 01C 09J | No. | Razors. Safety razors. Other | Free | Free |
| 8212.20.00 | 01G 09B | Hd | Safety razor blades, including razor blade blanks in strips Safety razor blades Razor blade blanks | Free | Free |
| 8212.90.00 82.13 | 00D | | – Other parts | Free | Free |
| 8213.00.00 | 00K | | Scissors, tailors' shears and similar shears, and blades therefor | Free | Free |

Tools, implements, cutlery, spoons and forks, of base metal; parts thereof of base metal—continued

| | Statistical Key | | | Rates | of Duty |
|-----------------------|-----------------|------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 82.14 | | | Other articles of cutlery (for example, hair clippers, butchers' or kitchen cleavers, choppers and mincing knives, paper knives); manicure or pedicure sets and instruments (including nail files): | | |
| 8214.10.00 | 00A | | Paper knives, letter openers, erasing knives, pencil sharpeners and blades therefor | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8214.20.00 8214.90 | 00E | | Manicure or pedicure sets and instruments (including nail files)Other: | Free | Free |
| 8214.90.01 | 00G | No. | – Butchers' cleavers and choppers | Free | Free |
| 8214.90.09 | 00Н | | - Other | 5 | Free *See Below CA Free RCEP 3.5 |
| 82.15 | | | Spoons, forks, ladles, skimmers, cake-servers, fish-knives, butter-knives, sugar tongs and similar kitchen or tableware: | | 1/2025 3 |
| 8215.10.00 | 00K | No. | - Sets of assorted articles containing at least one article plated with | _ | _ |
| | | | precious metal | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| 8215.20.00 | 00C | No. | - Other sets of assorted articles | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | | | - Other: | | |
| 8215.91 | | | Plated with precious metal: | | |
| 8215.91.01 | | | – – Articles | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 01H 09C | No. No. | Spoons and forks Other – – Parts: | | |
| 8215.91.11 | 00E | | Handles | Free | Free |
| 8215.91.11 | 00E | | | 5 | Free |
| 0213.31.13 | 001 | | | 3 | *See Below CA Free RCEP 4 1/2025 3.7 |
| 8215.99 | | | Other: | | |
| 8215.99.01 | | | – – Articles | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01D 09K | | Spoons and forks Other | | |
| 8215.99.11 | 01K 09E | | Parts: Handles; blanks for making spoons, forks and butter-knives Handles Other | Free | Free |
| 8215.99.19 | 00B | | Other | 5 | Free |
| 5215.77.17 | ООВ | | Out- | 5 | *See Below CA Free RCEP 5 1/2025 5 |

* * *

Chapter 83

Miscellaneous articles of base metal

NOTES-

- 1. For the purposes of this Chapter, parts of base metal are to be classified with their parent articles. However, articles of iron or steel of heading 73.12, 73.15, 73.17, 73.18 or 73.20, or similar articles of other base metal (Chapters 74 to 76 and 78 to 81) are not to be taken as parts of articles of this Chapter.
- 2. For the purposes of heading 83.02 the word "castors" means those having a diameter (including, where appropriate, tyres) not exceeding 75 mm, or those having a diameter (including, where appropriate, tyres) exceeding 75 mm provided that the width of the wheel or tyre fitted thereto is less than 30 mm.

* * *

Section XV Chapter 83/2

Miscellaneous articles of base metal—continued

| | Statisti | cal Key | | Rates | of Duty |
|----------------------------|-------------------|-----------------------|---|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 83.01 | | | Padlocks and locks (key, combination or electrically operated), of base metal; clasps and frames with clasps, incorporating locks, of base metal; keys for any of the foregoing articles, of base metal: | | |
| 8301.10.00 | 00F | | – Padlocks | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8301.20.00 | 00K | | - Locks of a kind used for motor vehicles | Free | Free |
| 8301.30.00 | 00C | | - Locks of a kind used for furniture | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8301.40.00 | | | - Other locks | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 02C 08B 18K | No. No. | . Sliding door locks, latches and latch sets . Window locks incorporated into handles and fasteners . Other | | |
| 8301.50.00 8301.60 | 00L | | Clasps and frames with clasps, incorporating locksParts: | Free | Free |
| 8301.60.01 | 00L | | Of the goods of subheading 8301.50 | Free | Free |
| 8301.60.09 | 0211 | | Other | 5 | Free *See Below CA Free |
| | 02H 08G 18D | | Of sliding door locks, latches and latch sets Of window locks incorporated into handles and fasteners Other | | |
| 8301.70.00 83.02 | 00Н | | Keys presented separately Base metal mountings, fittings and similar articles suitable for furniture, doors, staircases, windows, blinds, coachwork, saddlery, trunks, chests, caskets or the like; base metal hat-racks, hat-pegs, brackets and similar fixtures; castors with mountings of base metal; automatic door closers of base metal: | Free | Free |
| 8302.10.00 | | | – Hinges | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01B 09H | kg kg | For suitcases and other travel goods Other | | |
| 8302.20.00 | 00Н | kg | - Castors | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8302.30 | 0011 | , | - Other mountings, fittings and similar articles suitable for motor vehicles: | ~ | F |
| 8302.30.01 | 00H | kg | Seat recliner mechanisms | 5 | Free *See Below CA Free |
| 8302.30.09 | 00J | • • | Other | Free | Free |
| 8302.41.00 | | | Other mountings, fittings and similar articles: – Suitable for buildings | 5 | Free *See Below CA Free RCEP 5 1/2025 5 |
| | 02F 08E | No. No. | Fittings for sliding doors: Latches and latch sets Other Fittings for other doors: | | 1/2023 3 |
| | 11E 18B | kg kg | Handles, pulls, bolts, knockers, and letter plates | | |
| | 22L 25E 28K | kg pr No. kg | Other Fittings for windows: Friction stays Handles and fasteners Other | | |
| | 32H 42E 48D | kg kg kg | Other: Latches and latch sets Lock and latch furniture Other | | |

 $[*]Unless \ otherwise \ indicated, AAN, AU, CN, CPT, EU, HK, KR, LLDC, MY, Pac, PPP, RCEP, SG, TH, TPA, TW, and UK \ rates \ in the Preferential Tariff are Free.$

Miscellaneous articles of base metal—continued

| | Statisti | cal Key | T | Rates of Duty | |
|------------|-------------------|----------------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| | | | Base metal mountings, fittings and similar articles, etc.—continued Other mountings, fittings and similar articles—continued | | |
| 8302.42.00 | | | - Other, suitable for furniture | 5 | Free *See Below CA Free |
| | 02L 05E | pr kg | Drawer slides Handles, pulls, catches, clips and similar articles, suited for use on drawers or cabinets | | CATTEE |
| | 09H 21G 29B | kg kg kg | Lock and latch furniture Latches and latch sets Other | | |
| 8302.49 | | | Other: | | |
| 8302.49.01 | 00B | | – – Fittings for spring blind rollers and saddlery | Free | Free |
| 8302.49.09 | | | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01A 09G | kg kg | Fittings for trunks and the like Other | | |
| 8302.50.00 | 00J | kg | - Hat-racks, hat-pegs, brackets and similar fixtures | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8302.60.00 | | | - Automatic door closers | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | 01L 09F | kg kg | Hydraulic types Other | | 1/2023 3 |
| 83.03 | 071 | ĸs | Other | | |
| 8303.00.00 | 00Ј | kg | Armoured or reinforced safes, strong-boxes and doors and safe deposit lockers for strong-rooms, cash or deed boxes and the like, of base metal | 5 | Free *See Below CA 1 RCEP 3.5 |
| 83.04 | | | | | 1/2025 3 |
| 8304.00.00 | 00G | •• | Filing cabinets, card-index cabinets, paper trays, paper rests, pen trays, office-stamp stands and similar office or desk equipment, of base metal, other than office furniture of heading 94.03 | 5 | Free *See Below CA Free RCEP 3.5 |
| 83.05 | | | Fittings for loose-leaf binders or files, letter clips, letter corners, paper clips, indexing tags and similar office articles, of base metal; staples in strips (for example, for offices, upholstery, packaging), of base metal: | | 1/2025 3 |
| 8305.10.00 | 00J | kg | - Fittings for loose-leaf binders or files | 5 | Free *See Below CA 1 |
| 8305.20.00 | 00B | kg | – Staples in strips | 5 | RCEP 3.5 1/2025 3 Free |
| | | | | | *See Below CA Free RCEP 3.5 1/2025 3 |
| 8305.90.00 | | | - Other, including parts | 5 | Free *See Below CA 1 RCEP 3.5 |
| | 01F 09A | Th kg | Paper clips Other | | 1/2025 3 |

Miscellaneous articles of base metal—continued

| | Statisti | cal Key | | Rates | of Duty |
|-----------------------|------------|------------|---|--------|--|
| Number | Code | Unit | Goods | Normal | *Preferential |
| | Code | Oint | | Tariff | Tariff |
| 83.06 | | | Bells, gongs and the like, non-electric, of base metal; statuettes and other ornaments, of base metal; photograph, picture or similar frames, of base metal; mirrors of base metal: | | |
| 8306.10 | | | – Bells, gongs and the like: | | |
| 8306.10.01 | 00C | | – – For cycles | Free | Free |
| 8306.10.09 | 00D | | Other | 5 | Free *See Below CA Free |
| 8306.21.00 | 00E | | Statuettes and other ornaments: Plated with precious metal | 5 | Free *See Below CA 1 RCEP 5 1/2025 5 |
| 8306.29.00 | 00A | | Other | 5 | Free *See Below CA 1 CPT Free RCEP 5 1/2025 5 |
| 8306.30.00 | 00D | | - Photograph, picture or similar frames; mirrors | 5 | Free *See Below CA 1 |
| 83.07 | | | Flexible tubing of base metal, with or without fittings: | | |
| 8307.10.00 | 00E | | – Of iron or steel | 5 | Free *See Below CA Free LDC Free |
| 8307.90.00 | 00D | | – Of other base metal | 5 | Free *See Below CA Free LDC Free |
| 83.08 | | | Clasps, frames with clasps, buckles, buckle-clasps, hooks, eyes, eyelets and the like, of base metal, of a kind used for clothing or clothing accessories, footwear, jewellery, wrist-watches, books, awnings, leather goods, travel goods or saddlery or for other made up articles; tubular or bifurcated rivets, of base metal; beads and spangles, of base metal. | | |
| 8308.10.00 | 01A 09G | | Hooks, eyes and eyelets. Hooks and eyes. Eyelets | Free | Free |
| 8308.20 | | | - Tubular or bifurcated rivets: | | |
| 8308.20.01 | 00C | Th | – – Tubular rivets, blind | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8308.20.09 8308.90 | 00D | Th | OtherOther, including parts: | Free | Free |
| 8308.90.01 | | | Frames with clasps for handbags and the like | 5 | Free *See Below CA Free |
| | 01G 09B | No. No. | Frames measuring not more than 204 mm in width between the hinges Other | | |
| 8308.90.09 | 01H | No. | Buckles, buckle-clasps and the like Car safety seat belt buckles | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 0200 00 10 | 09C | • • | Other | | F. |
| 8308.90.19 | 00E | | Other | Free | Free |

Miscellaneous articles of base metal—continued

| | Statisti | cal Key | | Rates of Duty | |
|------------|------------|---------|--|------------------|---|
| Number | Code | Unit | Goods | Normal Tariff | *Preferential Tariff |
| 83.09 | | | Stoppers, caps and lids (including crown corks, screw caps and pouring stoppers), capsules for bottles, threaded bungs, bung covers, seals and other packing accessories, of base metal: | | |
| 8309.10.00 | 00A | Hd | - Crown corks | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 8309.90 | 000 | | - Other: | T. | |
| 8309.90.01 | 00G | • • | Bungs for drums | Free | Free |
| 8309.90.09 | 00Н | | – Other stoppers and bottle caps | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8309.90.11 | 00B | | – Muselets; seals and bands of a kind used domestically for preserving produce | 5 | Free *See Below CA Free LDC Free |
| 8309.90.19 | | | Other | Free | Free |
| | 01A 09G | | Capsules for bottles Other | | |
| 83.10 | 0,0 | | | | |
| 8310.00 | | | Sign-plates, name-plates, address-plates and similar plates, numbers, letters and other symbols, of base metal, excluding those of heading 94.05: | | |
| 8310.00.01 | 00Н | | Sign-plates, name-plates and badges for motor vehicles, other than number plates for motor vehicles | Free | Free |
| 8310.00.09 | 00J | | – Other | 5 | Free *See Below CA 1 RCEP 5 1/2025 5 |
| 83.11 | | | Wire, rods, tubes, plates, electrodes and similar products, of base metal or of metal carbides, coated or cored with flux material, of a kind used for soldering, brazing, welding or deposition of metal or of metal carbides; wire and rods, of agglomerated base metal powder, used for metal spraying: | | 112023 |
| 8311.10.00 | 00C | kg | - Coated electrodes of base metal, for electric arc-welding | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8311.20.00 | 00G | kg | - Cored wire of base metal, for electric arc-welding | 5 | Free *See Below CA Free RCEP 4 1/2025 3.7 |
| 8311.30.00 | 00L | kg | Coated rods and cored wire, of base metal, for soldering, brazing or welding by flame | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| 8311.90 | | | - Other: | | |
| 8311.90.01 | 00J | kg | – Wire and rods, of agglomerated base metal powder, used for metal spraying | Free | Free |
| 8311.90.09 | 00K | kg | Other | 5 | Free *See Below CA Free RCEP 3.5 1/2025 3 |
| | | | * * * | | |

* *