

Tariff Concession (Advertisement) Notice No. 2025/28

Applications Advertised for Objection

Closing Date for Objections 21 October 2025

Notice is hereby given that the following concessions are to be revoked, as they are no longer being used. Any person wishing to lodge an objection should do so in writing, to the New Zealand Customs Service, Attn: Valuation, Origin and Classification section, PO Box 29, Shortland Street, Auckland 1140, Email voc@customs.govt.nz, before 21 October 2025. All submissions should include:

- a. the Tariff Concession (Advertisement) Notice number;
- b. the Tariff item; and
- c. reference number.

SCHEDULE

Tariff Item	Proposed Tariff Concession	Part 2 Ref.	Appn Ref. No.	*Category of Appn
2309.90.19	Coccidiostat premix, containing 12 percent salinomycin sodium	99	310813K	RUC
2309.90.19	Ethoxyquin on silica base (feed grade)	99	987942A	RUC
3208.90.19	Epoxy internal aluminium can protective spray lining material solvent based	99	701613B	RUC
3210.00.09	Arrowcure varnish 185	99	998945F	RUC
3215.11)	Vanson rubber base plus printers ink	99	909977J	RUC
3215.19)				
3506.10	Tip Top Special Bond and Top Vulc. Compound	99	680377G	RUC
3604.10.09	Display ... 1957	99	640060E	RUC
38.16	Ankerfrit NX93 refractory cement	99	988323B	RUC
3906.90.01	Acumer 1000 water treatment polymer	99	991687D	RUC
3906.90.01	Sokalan PA types/series	99	702300G	RUC
3906.90.01	Synocure 890S and 895S	99	989714D	RUC
3906.90.01	Synocure 8985A and 8995A	99	989715B	RUC
3907.30.09	Dolphon CC1105	99	928787G	RUC
3907.99.90	Water dispersible resin (Kelsol 3922-G-80)	99	998227C	RUC
3910.00.09	Ebecryl 1360	99	988659B	RUC
3910.00.09	RAB seal, being a water repellent and primer for absorbent mineral and alkaline substrates	99	999906L	RUC
3911.90.09	Desmodur IL	99	620862C	RUC
3917.33	Pigtails being thermoplastic hoses suited for use with LPG cylinders	99	990689E	RUC
3919.10.09)	Scotchbrand tear strip tape, Nos. 8648, 8601, 8602, 8604, 8612, 8618, 8632, 8638	99	680502H	RUC
3920.30	Uncoated biaxially oriented high impact polystyrene film	99	560766D	RUC
3920.61.09	Polycarbonate twin-walled and triple-walled sheet, not printed	99	983557B	RUC
3920.99.19	Edible collagen film	99	302929J	RUC
3921.90.11	Translucent decorative melamine, in sheets	99	981307B	RUC
3921.90.19	Bacteria resistant mattress ticking composed of two ply PVC film reinforced with polyester weft inserted warp knit	99	986559E	RUC
3921.90.19	PVC-P geomembrane thermo-bonded, 2.5mm thick, with 500g/m2 of PET/PP geotextile	99	303461F	RUC
3923.29.15)	Solublon water soluble PVA bags	99	991469C	RUC
3923.29.28)				
3923.90.18	Drug test security container kit being a tamper-evident carrier bag complete with glass specimen jars in sealable plastic outers	99	995305B	RUC
3924.10.09	Manoy plates and cups	99	660323J	RUC
39.26	Plastic, three dimensional matrix in roll form with or without building paper attached, of a type used to allow moisture to escape from side walls and exterior cladding of buildings	99	300181E	RUC
3926.10	Flip album photo pages	99	540920K	RUC
3926.30	Tubular (socket) legs of ABS or high impact polystyrene plastic incorporating height adjustment screw and components thereof	99	993828B	RUC
40.09	Rubber bitumen hose, viz; Reinforced carcass, outer cover ageing/abrasion/weathering/oil resistant C/W ANSI 150 weld-neck flanges electrically bonded	99	660427H	RUC
4016.99.99)	Breather valves being nitrile-butadiene air inlets	99	988570G	RUC
4008.21.19)	Unsanded 8mm thick rubber anti-slip strips, excluding stair nosings	99	302890K	RUC
4016.99.99)				
4017.00.09	Rubber steps suited for pilot ladders	99	995515B	RUC
44.12)	Plywood laminated with aluminium both sides	99	990162A	RUC
5602.10	Needled polyester felt coated on both sides with latex	99	987098K	RUC
5603.13	Clothing interlining composed of viscose fibre needled on to polyurethane foam	99	993541L	RUC
5806.32	Petersham ribbon	99	994062G	RUC
5806.32.00	Narrow fabric, of a kind used for the manufacture of teabags, with tag and string attached at intervals along the face of the fabric, product number TBF(N)-S	99	310109G	RUC
5903.10	Fire retardant fabric which complies with flammability standard BS6249 indices BQ of the N.Z. Fire Service	99	880611L	RUC
60.02)	Printing machine knitted tubular roller coverings	99	780101H	RUC
60.03)				
60.04)				
60.05)				
60.06)				
60.06)	100% nylon knitted non-stretch lace	99	720841D	RUC
60.03)	Circular knit heat resistant fabric, viz:	99	988262G	RUC
60.06)	Terephthaloylchloride-P-phenylene diamine (kevlar aramid) and/or polybenzimidazole (p.b.i)			
6006.31.19	Polyester three-dimensional knit fabric comprised of a first layer, a second layer, and a resilient yarn i.e., monofilament polyester, interconnecting the two layers	99	999629L	RUC
62.08)	Infants "all-in-one" shaped fitted washable diapers consisting of a waterproofed plastic shell outer and 100 percent cotton flannel inner	99	991031L	RUC
62.09)				
6209.20.00)	Baby bib (100% cotton) being a bib that slips overhead and has an even weave insertion woven into front for cross-stitch to be embroidered on	99	721852E	RUC
6305.33.90)	Polypropylene woven mesh bags with sewn in header tape for product identification and bar codes, of a kind used for vegetable produce packing up to a maximum net weight of 3 kilograms	99	992891L	RUC
64.03	Yachting boots, waterproof, fully breathable with leather uppers	99	998933B	RUC
6805.30.19	Non-woven polyester, soap impregnated cleaning pads	99	987805L	RUC

Tariff Item	Proposed Tariff Concession	Part 2 Ref.	Appn Ref. No.	*Category of Appn
6902.20.00)	Bricks, refractory, types; CZCT, promold, zirral 61, zirchrom 30, zirchrom 50, zirchrom 60	99	996520D	RUC
6902.90.01)				
6902.10.00)	Refractory bricks viz: VR60KL	99	997447E	RUC
6902.20.00)	Refractory bricks, types: Alro 60/CK, Nettle DX, Hippo 55, NV Gouda Vuurvast A15 and AK60 A, Stein 70P, Silmax 50, Reidhammer furnace shapes AE5, AK2BAa, AK2Ba, AK3aF and AK3AaF	99	997618D	RUC
6909.11)	Alumina porcelain ball mill linings	99	681584H	RUC
6909.90)				
6911.90)	Porcelain thimbles	99	701448B	RUC
6912.00.09)	Refillable ceramic pot with glazed base and porous upper of a type suited for use in the manufacture of room freshners	99	986419K	RUC
6913.10.09)	Porcelain enamelled replica logos	99	988076D	RUC
7217.10)	High carbon, uncoated, steel spring wire (.60 to .90% carbon) to BS5216 HS quality	99	800189J	RUC
7217.10)	Round soft blue annealed mild steel florist's wire not exceeding 0.9mm diameter	99	703102F	RUC
7217.10.00)	Uncoated roping wire - 0.19mm to 4.20mm diameter 1370 to 2600 N/mm2	99	302258H	RUC
7217.20.10)	Galvanised mild steel armouring wire, 1.25mm and 0.9mm	99	908908L	RUC
7217.90)	Plastic coated chain link net making wire	99	109246E	RUC
73.04)	Smooth fin heat transfer tubes	99	990928B	RUC
73.06)				
7305.19.00)	Carbon steel pipe to specification American Petroleum Institute (API) 5L X46, X52 or X56, whether or not clad, lined or coated	99	302581A	RUC
7306.19.00)	E.R.W. line pipe to API 5L grade B - schedule 40 and/or standard weight - 12" nominal (O.D. 323.9mm) and 10" nominal (O.D. 278.1mm)	99	991155D	RUC
7306.30.19)	Hot rolled ERW conveyor tube to SAE 1008 or equivalent	99	300730J	RUC
7310.29.01)	Tighthead steel drums, 5 and 11 litre lacquer lined, to UN certified packaging Groups I and II specifications	99	991334D	RUC
7312.10)	Six strand wire rope with solid plastic fluted core in sizes 14mm - 56mm diameter inclusive	99	989178B	RUC
7326.90.09)	Powder compacts	99	740646A	RUC
7326.90.09)	Two hole metal filing clip with a self adhesive base	99	991985G	RUC
7411.10.19)	Capillary copper tube from size 3.00mm OD to 3.60mm OD	99	504078H	RUC
7604.29.09)	Aluminium channel extruded from alloy 6063, 185.5 x 75mm (depth x width)	99	997879J	RUC
7604.29.09)	Aluminium extruded duct (202mm x 50mm) and associated clip fit lid section	99	998721F	RUC
7606.12.09)	Pre-coated aluminium with glass fibre reinforced plastic laminate on one side, in coil form	99	302949C	RUC
7608.10)	Spacer bars of a type specially suited for use in the manufacture of glazed windows	99	989106E	RUC
7616.99.90)	Aluminium fuel bottles	99	740497C	RUC
7616.99.90)	Parafil rope terminals	99	620978F	RUC
8201.10.09)	Fire shovels sizes 4 to 7	99	990416G	RUC
8211.94.01)	Stainless blades for kitchen knives under 127mm in length	99	702513A	RUC
8413.81.19)	Boiler feed pumps of the following type; Electrically driven turbine	99	926440L	RUC
8413.70.09)				
8418.99)	Silicon rubber buttons, suited for use on whiteware products	99	997392D	RUC
8422.90)				
8450.90)				
8451.90)				
8419.89.01)	Colostrum pasteuriser, ranging in size from 37.85L to 227.124L (10 to 60 gallons)	99	310846F	RUC
84.21)	Malleable iron "Y" type strainers, screwed BSP end connections, class 15016 sizes 8mm to 50mm (inclusive) and class 30016 sizes 10mm to 50mm (inclusive)	99	925155D	RUC
8421.29.00)	Petro-pure filters, all fuel and water separation types, viz: FST 84-2, FST 125-4, FST 155-15, FST 267-40, FST 327-90 and FST 6016-300C	99	999143D	RUC
8428.39.00)	Magnetic can and can end elevators or conveyors	99	997679F	RUC
8428.33.00)				
8428.90)	Caterpillar haul-off, for continuous pulling of pipes from plastic extruder	99	922585E	RUC
8437.10.09)	Cereal grain abradar	99	991788J	RUC
8437.80)	Automatic corn husking machine	99	986877B	RUC
84.50)	Control panel buttons of silicon rubber	99	999154K	RUC
84.51)				
8451.80)	Laundry spotting tables	99	800754D	RUC
8460.90.00)	Sink grinding and finishing machine	99	997338K	RUC
8461.40)	Precision universal gear hobbing machine and attachments to make small gears for industry	99	679914A	RUC
8476.89.90)	Kiosk vending machines for the production of digitally imaged identity photos and/or plain or novelty identity stickers	99	996571J	RUC
8476.89.00)				
84.79)	Cremated remains processor	99	541095K	RUC
8479.10.00)	Core drilling machine, of a kind suited for taking samples from concrete or asphalt surfaces, mounted to a trailer frame	99	311017G	RUC
8479.89.00)	Commercial shoe polishing machine incorporating motion display advertising unit and sound system	99	300682E	RUC
8479.89.90)				
8479.89)	Diaphragm actuators	99	505075J	RUC
8479.89)	Electronic barnacle prevention device	99	840000J	RUC
8479.89)	Fastener installation presses designed for the sole purpose of inserting self clinching fasteners into sheet materials (and catalogued accessories)	99	993259D	RUC
8479.89)	Fish tagging units	99	640492J	RUC
8479.89)	Hydraulic buffers designed to act as end stops for overhead travelling cranes	99	501880D	RUC
8479.89)	Hydraulic flange spreaders	99	701574H	RUC
8479.89)	Presses for the preparation of specimens for scientific analysis	99	480238B	RUC
8479.89.00)	Automatic smoke blind manufactured to British Standard 7346	99	995192L	RUC
8479.89.90)				
8479.89)	Printed circuit board mechanically operated assembly table	99	601584A	RUC
8479.90.09)				
8481.40)	Oliver Brand valves and manifolds protectors and special products excluding ball valves, and high pressure needle valves of types F and M with a rated pressure up to 6000 psi	99	440288L	RUC
8481.80.19)	No-drip faucets of a kind used on instantaneous water heaters.	99	303377F	RUC
8481.80.19)	Regulators and filter regulators viz: master pneumatic models; R10, R11A, CRDR10, CFR10, R55, R56B, RV56, R57, R60, R75, CFDR60, CFR60, R100, IR100, PR100, CFDR100, CFR100, IR150, PR150, R200, R150	99	983150K	RUC
85.04)	Gas insulated current transformers, peculiar to use for metering in power-station and substation equipment, with system highest voltage of 72.5KV or above	99	992165G	RUC
85.04)	TV and radio frequency baluns	99	982648D	RUC
85.07)	Storage batteries specially designed for use with miners cap lamps	99	500869H	RUC

Tariff Item	Proposed Tariff Concession	Part 2 Ref.	Appn Ref. No.	*Category of Appn
8516.60.01	Bench mounted pizza mini-ovens with stone floor and cool wall exterior, of a type suitable for cooking only one pizza at a time	99	991740D	RUC
8516.79.19	Cartridge heaters used to heat plastic dies only	99	502276C	RUC
8516.79.19	Domestic wine cellars capable of controlling both temperature and humidity	99	995897F	RUC
85.19)	Identifiable parts of tape recorders/reproducers, consisting of any or all of the following:	99	115338C	RUC
85.22)	Tape deck			
8519.81	Dictating machines and reproducers ancillary thereto, viz: Office dictating machines	99	681032C	RUC
8529.90.29)	Parts of satellite radio/telephone equipment	99	720601B	RUC
8529.90.33)				
8530.80	Tubing, polycarbonate, lined with optical lighting film, of a type suitable for use as traffic control systems	99	991032J	RUC
8531.10)	Telephone bell extensions	99	620565J	RUC
8531.80)				
8531.80	Electronic baby cot death preventer	99	720799K	RUC
8535.90.29	Low impedance biased differential busbar protection relay	99	988132J	RUC
8536.10.01)	Load break fuseways complete with operating mechanism viz: series 4000, for use solely in the manufacture and repair of electric fan heaters	99	504870C	RUC
8536.90)	Connector blocks rated to 750 volts, 41 amps			
8536.90.00)		99	998909K	RUC
8536.90.90)				
8538.90.49)	Mains switch, steel terminal strap	99	995516L	RUC
8538.90.59)				
8543.70.29)	Compressor/Limiter	99	521509K	RUC
8543.70.90)				
8543.70.29)	Computerised corrosion control modules	99	996406B	RUC
8543.70.90				
8543.70.29)	Marine navy target	99	987844A	RUC
8543.70.90				
8543.70.29)	Scrambler for digital T.V.	99	998358K	RUC
8543.70.90)				
8543.70.29)	Language calculator, being a hand held translator	99	981776L	RUC
8543.70.90)				
8546.20.09	Porcelain disc strain insulators with a mechanical load of 70KN or greater	99	987899J	RUC
8714.20.00	Composite mag wheels of a type suitable for use with manually operated invalid carriages	99	995395H	RUC
8713.10)	Invalid carriages of the following types, viz: Mulholland: GGS, Sprite, Convaid: Cruiser buggies, Compax wheelchairs, Compax Ez rider	99	990195H	RUC
8714.20)				
8716.80.09	Cut flower water wagon	99	988142F	RUC
8708.60.09)	Axle assemblies of the following specifications:	99	986866G	RUC
8716.90.01)	Round beam axle: Capacity: 22500lb Bearing HM218248 and HM212049 Brakes 12 1/4 x 7 1/2 3 spoke hub Double anchor pin Brakes with Australian design rule Round beam axle: Capacity: 22500lb Bearing HM218248 and HM212049 Brakes 12 1/4 x 7 1/2 225 ten stud ISO wheel fitting Brakes with Australian design rule approval			
8903.91	Access international sailing dinghies in the following classes: 2.3, 303, Liberty, Dart 15 and Dart 18 including parts and accessories, regardless of Tariff classification, excluding parts of general use	99	302037B	RUC
8903.91.00)	Optimist Class sailing dinghy conforming to the International Optimist Dinghy Association class rules of World Sailing	99	310868G	RUC
9503.00.09)	Toy metal framed ironing boards	99	994843A	RUC
9503.00.09)	Toy plastic domestic irons	99	860015F	RUC
9504.90	Aluminium dart flight protector	99	604134F	RUC
9504.90.00	Board game, viz: Cathedral, the game of the medieval city	99	300218H	RUC
9504.90	Parlour and table games which are brailled and/or tactually marked especially for use of the blind	99	480604C	RUC
9504.90	Plastic pool table and requisites thereof, with the pool table not to exceed the following dimensions, 60cm in length and 40cm in width	99	720517B	RUC
9504.90	Solid plastic, felt based chess sets, tournament size with king height 95mm	99	600860H	RUC

Category of Application:	A	–	General Approval
	CE	–	Capital Equipment
	IM	–	Inputs to Manufacturing – Inability to Supply
	MS	–	Manufacturers' Samples
	RUC	–	Revocation of Unused Concession
	S	–	Shortfall of Other Than Manufacturing Inputs
	SMI	–	Shortfall of Manufacturing Inputs
	SS	–	Special Situation
	M	–	Modification of Existing Concession
	W	–	Withdrawal of Concession
	+	–	Denotes amendment or addition

Dated at Auckland this 26th day of September 2025.

Tony Peebles, New Zealand Customs Service.